

JUN 26 2020

2019 Consumer Confidence Report

Report Date:

6/19/2020

Water System Name Miller's Hill ENVIRONMENTAL MANAGEMENTILE FOR THE STEEL STEE Rest the artifications. This report shows the results of our monitoring for the period of January 1 to December 31, $\frac{2019}{2019}$ and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse [Enter Water System's Name Here] a [Enter Water System's Address or Phone Number Here] para asistirlo en español.

这份报告含有关于您的饮用水的重要讯息。请用以下地址和电话联系 [Enter Water System's Name Here]以获得中文的 帮助:[Enter Water System's Address Here][Enter Water System's Phone Number Here]

Ang pag-uulat na ito ay naglalaman ng mahalagang impormasyon tungkol sa inyong inuming tubig. Mangyaring makipag-ugnayan sa [Enter Water System's Name and Address Here] o tumawag sa [Enter Water System's Phone Number Here] para matulungan sa wikang Tagalog.

Báo cáo này chứa thông tin quan trọng về nước uống của bạn. Xin vui lòng liên hệ [Enter Water System's Name Here] tại [Enter Water System's Address or Phone Number Here] để được hỗ trợ giúp bằng tiếng Việt.

Tsab ntawv no muaj cov ntsiab lus tseem ceeb txog koj cov dej haus. Thov hu rau [Enter Water System's Name Here] ntawm [Enter Water System's Address or Phone Number Here] rau kev pab hauv lus Askiv.

Type of water source(s) in use:

Wells #3 drinking water: Wells 1, 2, 4, 5 irrigation. (Well 5 irrigation and standby).

Name & general location of source(s):

Well 1, 2, 3 and 5 located on Miller's Hill property at 7900 South Shingle Rd.

Shingle Springs, CA 95682

Drinking Water Source Assessment information:

An assessment of our drinking water sources was completed

on May 3, 2018.

Time and place of regularly scheduled board meetings for public participation:

3rd Tuesday at 6:00 p.m. in the Miller's Hill library - 7900 S. Shingle Rd, Shingle Springs, CA 95682

For more information, contact:

Natalie Miller

Phone: (530) 677-0260

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Permissions from the State Water Resources Control Board (State Board) to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (µg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of
 industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff,
 agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

TABLE 1 –	TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA							
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria			
Total Coliform Bacteria (state Total Coliform Rule)	(In a month)	0	1 positive monthly sample ^(a)	0	Naturally present in the environment			
Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule)	(In the year)	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive	0	Human and animal fecal waste			
E. coli (federal Revised Total Coliform Rule)	(In the year)	0	(b)	0	Human and animal fecal waste			

(a) Two or more positive monthly samples is a violation of the MCL

(b) Routine and repeat samples are total coliform-positive and either is E. coli-positive or system fails to take repeat samples following E. coli-positive routine sample or system fails to analyze total coliform-positive repeat sample for E. coli.

TABLE 2	TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER							
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of Samples Collected	90 th Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	8/28/201 9	5	0	0	15	0.2	0	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	8/28/201 9	5	0.135	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

		- SAMPLING		T		TESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Well #3 Sodium (ppm) Well #5 Sodium (ppm)	3/8/2004 6/28/2017	11.9 19	11.8-12 19	None	None	Salt present in the water and is generally naturally occurring
Well #3 Hardness (ppm) Well #5 Hardness (ppm)	3/8/2004 6/28/2017	133.5 335	120-147 335	None	None	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring
TABLE 4 – DET	TECTION O	F CONTAMIN	ANTS WITH A	PRIMARY	DRINKING	WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Nitrate (as nitrogen, N) Well #3 (mg/L)	Monthly	3.2	2.8-3.5	10	10	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Nitrate (as nitrogen, N) Well #4 (mg/L)	Monthly	1.9	0.9-2.8	10	10	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Nitrate (as nitrogen, N) Well #5 (mg/L)	Monthly	11.5	5.4-14	10	10	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Arsenic (μg/L) Well #3	Monthly	5.1	4.0-6.6	10	0.004	Erosion of natural deposits: runoff from orchards; glass and electronic production waste
Arsenic (μg/L) Well #4	Monthly	7.1	5.7-9.2	10	0.004	Erosion of natural deposits: runoff from orchards; glass and electronic production waste
Arsenic (μg/L) Well #5	Monthly	5.2	3.2-6.8	10	0.004	Erosion of natural deposits: runoff from orchards; glass and electronic production waste
Floride (ppm)	6/28/2017	0.225	0.18-0.27	2.0	1.0	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Gross alpha (pCi/L)	6/28/2017 10/5/2017	1.24	0.725-1.8	15	0	Erosions of natural deposits
TTHMs (Total Tri- halomethanes) (ug/L)	8/28/2019	19.90	NA	80	NA	Byproduct of drinking water disinfection
HAA5 (Sum of 5 Haloacetic Acids) (ug/L)	8/28/2019	5.8	NA	60	NA	Byproduct of drinking water disinfection
TABLE 5 – DETE	CTION OF	CONTAMINA	NTS WITH A SI	ECONDAR	<u>Y</u> DRINKIN	G WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	SMCL	PHG (MCLG)	Typical Source of Contaminant
Total Dissolved Solids	5/16/2014	435	NA	1000		Runoff/leaching from natural deposits
Sulfate (mg/L)	5/16/2014	53	NA	500		Runoff/leaching from natural deposits; industrial waste
	TABLE 6	6 – DETECTION	OF UNREGU	LATED CO	NTAMINA	NTS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notifica	tion Level	Health Effects Language

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Miller's Hill School is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [OPTIONAL: If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/lead.

While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The U.S. Environmental Protection Agency continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT							
Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language			

Only Well #3 was used as drinking water for the entire 2019 year.

For Water Systems Providing Groundwater as a Source of Drinking Water

TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUNDWATER SOURCE SAMPLES						
Microbiological Contaminants (complete if fecal-indicator detected) Total No. of Detections Detections Detections Total No. of Detections MCL [MRDL] [MRDL] Typical Source of Contaminant Typical Source of Contaminant						
E. coli	(In the year)		0	(0)	Human and animal fecal waste	
Enterococci	(In the year)		TT	N/A	Human and animal fecal waste	

Coliphage	(In the year)	TT	N/A	Human and animal fecal waste

Summary Information for Fecal Indicator-Positive Groundwater Source Samples, Uncorrected Significant Deficiencies, or Groundwater TT

SPECIAL	NOTICE OF FECAL INI	DICATOR-POSITIVE G	ROUNDWATER SOURCE	SAMPLE
				1
	SPECIAL NOTICE FOR	UNCORRECTED SIGN	IFICANT DEFICIENCIES	
	VIOLA	TION OF GROUNDWA	TER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES					
Treatment Technique ^(a) (Type of approved filtration technology used)					
Turbidity Performance Standards (b) (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 - Be less than or equal to NTU in 95% of measurements in a month. 2 - Not exceed NTU for more than eight consecutive hours. 3 - Not exceed NTU at any time.				
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.					
Highest single turbidity measurement during the year					
Number of violations of any surface water treatment requirements					

Summary Information for Violation of a Surface Water TT

VIOLATION OF A SURFACE WATER TT

⁽a) A required process intended to reduce the level of a contaminant in drinking water.

⁽b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
Sumn	nary Information fo	r Operating Unde	r a Variance or Exemp	tion
Sur		for Federal Revis evel 2 Assessment	ed Total Coliform Rule Requirements	•
Level 1 o	r Level 2 Assessment	Requirement not D	oue to an <i>E. coli</i> MCL Vio	olation
armful, waterborne path he drinking water distril reatment or distribution.	nogens may be present or bution system. We foun	r that a potential pathw d coliforms indicating are required to conduct	nd are used as an indicator of way exists through which cong the need to look for potent transfer assessment(s) to identify pr	tamination may enter
During the past year we siddition, we were require	were required to conducted to take 0 corrective act	t 0 Level 1 assessment tions and we completed	(s). [<u>0</u> Level 1 assessment(s d 0 of these actions.) were completed. In
Ouring the past year 0 Levere completed. In addition	evel 2 assessments were tion, we were required to	required to be completake 0 corrective action	eted for our water system. 0 ons and we completed 0 of the	Level 2 assessments ese actions.

Level 2 Assessment Requirement Due to an E. coli MCL Violation

Consumer Confidence Report	Page 7 of 7
E. coli are bacteria whose presence indicates that the water may be contaminated with human pathogens in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, hear They may pose a greater health risk for infants, young children, the elderly, and people with several systems. We found E. coli bacteria, indicating the need to look for potential problems in war When this occurs, we are required to conduct assessment(s) identify problems and to correct and during these assessments.	adaches, or other symptoms. rerely-compromised immune ter treatment or distribution.
We were required to complete a Level 2 assessment because we found <i>E. coli</i> in our water sy required to take 0 corrective actions and we completed 0 of these actions.	stem. In addition, we were