	2019 Consumer	· Confidence Repor	t
Water System Name:	Three Crowns Industrial Parl	Report Date:	05/22/2020
We test the drinking v	vater quality for many constituents itoring for the period of January 1 -	as required by state and fede December 31, 2017 and may	menude earner monnoring acac.
Este informe contienentienda bien.	ne información muy importante so	obre su agua potable. Trad	úzcalo ó hable con alguien que l
Type of water source(s	s) in use: Ground water		
Name & general locati	on of source(s): Well 02 Primary	, Well 01 Secondary	
Drinking Water Source	e Assessment information: On Fil	le	
Time and place of regu	ılarly scheduled board meetings for	public participation: N/A	
For more information,	contact: Teresa Knutsen	Phone: 5	559-284-2808
	TERMS USED	IN THIS REPORT	
level of a contamin water. Primary MCI MCLGs) as is eq	mant Level (MCL): The highest and that is allowed in drinking as are set as close to the PHGs (or conomically and technologically	contaminants that affect ta	r Standards (SDWS): MCLs for aste, odor, or appearance of the atts with SDWSs do not affect the
feasible. Secondary taste, and appearance	MCLs are set to protect the odor,	Treatment Technique (TT reduce the level of a contam): A required process intended to inant in drinking water.
level of a contamina	inant Level Goal (MCLG): The nt in drinking water below which expected risk to health. MCLGs Environmental Protection Agency	Regulatory Action Level contaminant which, if exce requirements that a water sy	(AL): The concentration of a seded, triggers treatment or other estem must follow.
(U.S. EPA). Public Health G	oal (PHG): The level of a ting water below which there is no	Variances and Exemption exceed an MCL or not counder certain conditions.	ns: State Board permission to mply with a treatment technique
known or expected i	isk to health. PHGs are set by the ental Protection Agency.	water system to identify po	evel 1 assessment is a study of the tential problems and determine (if

Goal

possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (µg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L) pCi/L: picocuries per liter (a measure of radiation)

of disinfectants to control microbial contaminants. Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Maximum Residual Disinfectant Level (MRDL):

The highest level of a disinfectant allowed in drinking

water. There is convincing evidence that addition of a

disinfectant is necessary for control of microbial

(MRDLG): The level of a drinking water disinfectant

below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use

Maximum Residual Disinfectant Level

contaminants.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Microbiological Contaminants complete if bacteria detected)	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria
Fotal Coliform Bacteria state Total Coliform Rule)	(In a mo.)	0	1 positive monthly sample	0	Naturally present in the environment
ecal Coliform or E. colistate Total Coliform Rule)	(In the year)	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive		Human and animal fecal waste
E. coli (federal Revised Total	(In the year)	0	(a)	0	Human and animal fecal wast

(a) Routine and repeat samples are total coliform-positive and either is E. coli-positive or system tails to take repeat samples rollowing E. coli-positive routine sample or system fails to analyze total coliform-positive repeat sample for E. coli.

TABLE 2 -	- SAMPL	ING RESU	JLTS SHOV	VING THE	DETE	CTION	OF LEAD AND	CULLEY
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of Samples Collecte	90 th Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	0	0	0	0	.015	.0002	Not applicable	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	0	0	0	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems erosion of natural deposits; leaching from wood preservatives

	TABLE 3 -	- SAMPLING RE	SULTS FOR S	SUDJUNI A	opposite the second	
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	0	0	0	none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	0	0	0	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring
TABLE 4 – DET	TECTION O	F CONTAMINAN	TS WITH A !	PRIMARY	DRINKING	WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
1,2,3, TCP	02/13/19	N/D		.000005	.0000007	Discharge from industrial and
	06/18/19	N/D				agricultural chemical factories; leaching from hazardous waste sites; used as cleaning and
	08/27/19	N/D				maintenance solvent, paint and
•	12/18/19	N/D				varnish remover, and cleaning and degreasing agent; byproduct during the production of other compounds
						and pesticides
Nitrate (as N)	01/15/19	0.54 0.56	0.54-0.64	10	10	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage;
	02/13/19				;	erosion of natural deposits
Arsenic	06/04/19 06/04/19	0.64 0.0015		0.010		Some people who drink
						water containing arsenic in excess of the MCL over many years may experience skin damage or circulatory system problems, and may have an increased risk of getting cancer.
TABLE 5 – DET	ECTION OF	CONTAMINAN	ΓS WITH A <u>S</u>	ECONDAL	!	NG WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminan
Specific Conductance	March 2018	300	300	1600		Substances that form ions whe in water; seawater influence
	 TABLE	 6 – DETECTION	OF UNREGU	LATED C	I ONTAMINA	NTS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notific	ation Level	Health Effects Language

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

SWS CCR Form Revised January 2018

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [Belmont Country Club] is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [Optional: If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4701) or at http://www.epa.gov/lead.

Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The U.S. Environmental Protection Agency continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATIO	N OF A MCL, MRDL, AL	, TT, OR MONITORI	NG AND REPORTING REQU	IREMENT
Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
0	0	0	0	0

For Water Systems Providing Groundwater as a Source of Drinking Water

FECAI	TABLE 7 LINDICATOR-	/ – SAMPLING POSITIVE GRO			
Microbiological Contaminants (complete if fecal-indicator detected)	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
E. coli	(In the year) 0		0	(0)	Human and animal fecal waste
Enterococci	(In the year) 0		TT	n/a	Human and animal fecal waste

SWS CCR Form Revised January 2018

Coliphage	(In the year)	ΤT	n/a	Human and animal fecal waste
	0			

Summary Information for Fecal Indicator-Positive Groundwater Source Samples, Uncorrected Significant Deficiencies, or Groundwater TT

SPECIAL	NOTICE OF FECAL INI	DICATOR-POSITIVE (GROUNDWATER SOURCE	SAMPLE
	SHEED PARTEEN AN TEATHER THE SHEET FOR THE SHEET S		on the second	
	SPECIAL NOTICE FOR	UNCORRECTED SIG	NIFICANT DEFICIENCIES	1187 AMARA KARANSA 1888 - 1885 AMARA KARANSA KARANSA KARANSA KARANSA KARANSA KARANSA KARANSA KARANSA KARANSA K
The foreign the second state of the second s	BASSANIAH 1865 INTINGGAN YAMAN AMAN AMAN AMAN AMAN AMAN AMAN A	MARINE TO THE TOTAL PROPERTY OF THE TOTAL PR	orang saman sa mang panggan pa	rywnol a llaedi a rhindig a rhwy gygygaygan ar ac gyn y far ac rhy a rhy y chollon y chollon a rhy ac ac ac ac
	VIOLA	TION OF GROUNDW	ATER TT	yakkisaankistaanaan ja 11.1200 kissa
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
0	0	0	0	0

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOV	VING TREATMENT OF SURFACE WATER SOURCES
Treatment Technique ^(a) (Type of approved filtration technology used)	
Turbidity Performance Standards (b) (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 – Be less than or equal to NTU in 95% of measurements in a month. 2 – Not exceed NTU for more than eight consecutive hours. 3 – Not exceed NTU at any time.
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	
Highest single turbidity measurement during the year	
Number of violations of any surface water treatment requirements	

Summary Information for Violation of a Surface Water TT

		TION OF A SURFACE W	ATER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
0	0	0	0	0

Summary Information for Operating Under a Variance or Exemption

SWS CCR Form Revised January 2018

⁽a) A required process intended to reduce the level of a contaminant in drinking water.

⁽b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

	Page 6 of (
Summary Information for Federal Revised Total Coliform Rule Level 1 and Level 2 Assessment Requirements	
Level 1 or Level 2 Assessment Requirement not Due to an E. coli MCL Violation	
Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, harmful, waterborne pathogens may be present or that a potential pathway exists through which contamination the drinking water distribution system. We found coliforms indicationally the distribution system.	n may enter
the drinking water distribution system. We found coliforms indicating the need to look for potential problem treatment or distribution. When this occurs, we are required to conduct assessment(s) to identify problems and any problems that were found during these assessments.	d to correct
treatment or distribution. When this occurs, we are required to conduct assessment(s) to identify problems an	d to correct
treatment of distribution. When this occurs, we are required to conduct assessment(s) to identify problems and any problems that were found during these assessments. During the past year we were not required to perform a level 1 assessment.	d to correct
treatment of distribution. When this occurs, we are required to conduct assessment(s) to identify problems and any problems that were found during these assessments. During the past year we were not required to perform a level 1 assessment.	d to correct
treatment of distribution. When this occurs, we are required to conduct assessment(s) to identify problems and any problems that were found during these assessments. During the past year we were not required to perform a level 1 assessment.	d to correct
treatment of distribution. When this occurs, we are required to conduct assessment(s) to identify problems and any problems that were found during these assessments. During the past year we were not required to perform a level 1 assessment.	d to correct
treatment of distribution. When this occurs, we are required to conduct assessment(s) to identify problems and any problems that were found during these assessments. During the past year we were not required to perform a level 1 assessment.	d to correct
treatment or distribution. When this occurs, we are required to conduct assessment(s) to identify problems and any problems that were found during these assessments. During the past year we were not required to perform a level 1 assessment. During the past year we were not required to perform a level 2 assessment.	Human mptoms.
Level 2 Assessment Requirement Due to an E. coli MCL Violation E. coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. bathogens in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other synthey may pose a greater health risk for infants, young children, the elderly, and people with severely-compromismmune systems. We found E. coli bacteria, indicating the need to look for potential problems in water treatme distribution. When this occurs, we are required to conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment(s) identify problems and to correct any part of the conduct assessment of the conduct as	Human mptoms.