Water Quality

ANNUAL REPORT 2022



LETTER FROM THE DIRECTOR

Each year the City of Fresno's Department of Public Utilities Water Division prepares this summary report characterizing water quality for the prior year. Detailed water quality information is collected and submitted to the State each month over the course of the calendar year. This summary report provides transparency of the quality characteristics of the water delivered for residential, commercial, and industrial use. It is with pride that I am able to announce that the City of Fresno has met all state and federal water quality standards for the 2022 reporting period. The City of Fresno remains committed to making investments in infrastructure and water supplies to ensure that today and in to the future, we are able to provide clean, safe, and reliable water for our community.

Our potable water is provided from a combination of municipal groundwater wells and surface water treatment facilities. Each production well and surface water treatment facility has a schedule for when water quality testing is to be performed. The frequent level of sample collection, testing, and reporting ensures public health is continuously a top priority for the Water Division.

The City of Fresno's Department of Public Utilities is dedicated to the production, treatment, and distribution of potable water for our community. Through proactive long-range planning and regional participation in water resource related matters, we have been able to keep in front of identified challenges and maintain adequate clean supplies for our existing customers and new ones as the city continues to grow.

Brock D. Buche, PE, PLS Director

WHAT'S IN THIS REPORT?

This Annual Water Quality Report, prepared in cooperation with the California State Water Resources Control Board (State Board) - Division of Drinking Water, provides important information about Fresno's water supply, water quality, and water delivery system. Test results for Fresno's 2022 Water Quality Monitoring Program are summarized on the following pages. It is important to read the messages regarding various water quality issues from the U.S. Environmental Protection Agency (USEPA) and from your City of Fresno Water Division.

Unregulated contaminant monitoring helps USEPA and the State Water Resources Control Board to determine where certain contaminants occur and whether the contaminants need to be regulated.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

Daimntawv tshaj tawm no muaj lus tseemceeb txog koj cov dej haus. Tshab txhais nws, los yog tham nrog tej tug neeg uas totaub txog nws.

Chi ti t này th t quan tr ng, xin nh ngu i d ch cho quý v.

FACTS ABOUT DRINKING WATER STANDARDS

Under the 1974 Safe Drinking Water Act, the United States Environmental Protection Agency (USEPA) and the California Department of Public Health are charged with the responsibility of setting and implementing safe drinking water standards.Congress reauthorized this act in 1996. There are 74 regulated contaminants and another 34 are subject to monitoring. Fortunately, only a small number have ever been detected in Fresno's water supply.

WHERE DOES OUR DRINKING WATER COME FROM?

For Fresno customers, there are two sources of drinking water. The Fresno Sole Source Aquifer is a large underground water system that supplies many communities in the San Joaquin Valley. The City operates approximately 260 wells that draw from this aquifer, which can lower the water table. For this reason, Fresno has an aggressive recharge program that is continually finding new places and methods to conduct ground water recharge. Water recharge operations can slow this decline, but with conservation, you can help have a greater impact.

The second source is surface water delivered via Fresno Irrigation District canals and comes from both Millerton and Pine Flat lakes located in the foothills east of Fresno. The surface water is treated to drinking water standards at Fresno's three state-of-the-art surface water treatment facilities (SWTFs). In northeast Fresno, the NESWTF is rated at 30 million gallons per day. In east Fresno is the 4 million gallons per day T-3 Water Storage and Treatment Facility, and in southeast Fresno is our newest and largest facility, the SESWTF, rated at 54 million gallons per day.

WHAT HAPPENS IN FRESNO IF A WELL EXCEEDS USEPA OR STATE BOARD STANDARDS?

If a well violates standards, it will be removed from service and an alternate water supply is provided. In the unlikely event a well exceeds standards but must stay in service, customers who receive water from that well would be directly notified by mail or by hand-delivered flyers.

WATER CONSERVATION

ncreasing water demands coupled with highly variable rainfall patterns in California make implementation of water conservation measures a necessary way of life. We need to work collaboratively to implement practical water conservation solutions that have broad-based community benefit while also providing a range of free services for our residential and commercial customers.

REBATES

The City of Fresno offers a variety of rebates to qualified customers to offset some of the costs of installing water-efficient appliances, fixtures, and landscaping materials. Rebate forms are available online by visiting www. fresno.gov/water and clicking on "Rebates" or request a hard copy by calling the City of Fresno's One Call Center by dialing 3-1-1 within City limits or by calling (559) 621-CITY (2489).

REBATES AVAILABLE

- Commercial & Multi-Family Toilet Rebate up to \$100
- High-Efficiency Sprinkler Nozzle Rebate up to \$4 per nozzle
- Hot Water Recirculating Pump Rebate up to \$100
- Lawn to Garden Rebate \$1.00 per square foot
- (up to 1500 sq. ft.)
- Micro (Drip) Irrigation Rebate \$0.50 per square foot
- (up to 1000 sq. ft. of irrigated area)
- Rain Barrel Rebate up to \$50
- Rain Sensor Rebate up to \$50
- Residential Clothes Washer Rebate up to \$100
- Residential Toilet Rebate up to \$100
- Smart Irrigation Controller Rebate up to \$100
- Swimming Pool Cover Rebate up to \$100

SERVICES

The Water Conservation Program offers a variety of free services for our customers. These services are provided to help customers save money by reducing their water use and ensuring compliance with water conservation regulations. Customers can request any of the free services outlined below by submitting a service request through FresGO, or by calling the 311 Center by dialing 3-1-1 from within City limits or by calling (559) 621-CITY (2489).

SERVICES OFFERED

- Water-Wise Landscape Consultation
- Irrigation Efficiency Audit
- Irrigation Controller Assistance (Timer Tutorial)
- Interior/Exterior Water Leak Surveys

EYEONWATER

The EyeOnWater tool allows City of Fresno customers to connect to their water utility accounts and view their latest water usage on their desktop or mobile device. EyeOnWater helps customers understand their water usage, detect leaks, and discover their watering trends. To register for EyeOnWater, visit: fresno. eyeonwater.com/signup or download the EyeOnWater app on your mobile device!

OUTDOOR WATER USE SCHEDULE

3-DAY OUTDOOR WATER USE SCHEDULE (APRIL 1 - OCTOBER 31)

- Addresses ending in odd numbers (1,3,5,7,9) Tuesdays, Thursdays and Saturdays.
- Addresses ending in even numbers (2,4,6,8,0) Wednesdays, Fridays and Sundays.
- Customers cannot water between 10am 6pm and never on Mondays.

1-DAY OUTDOOR WATER USE SCHEDULE (NOVEMBER 1 - MARCH 31)

- Addresses ending in odd numbers (1,3,5,7,9) -Saturdays.
- Addresses ending in even numbers (2,4,6,8,0) –Sundays.
- Customers cannot water between 10am 6pm and never on Mondays.

Outdoor Water Use Schedules are subject to change at any time.

IMPORTANT WATER CONSERVATION RULES

- Customers may not use potable (fresh, drinking) water to wash sidewalks, walkways, driveways, parking lots, open ground, or other hard surface areas except where necessary for public health or safety.
- Customers may not use potable (fresh, drinking) water in a way that causes runoff onto adjacent properties, walkways, roadways, or parking lots.
- Car washing on private property is only allowed with the use of a bucket and a hose equipped with a shut off nozzle for a quick rinse.
- Established swimming pools may only be drained once every 3 years. A pool drain exemption permit is available at www.fresno.gov/water by clicking on the "Exemption Requests" link.
- Customers may not exceed more than 400 gallons per hour of potable (fresh, drinking) water for outdoor water use on restricted days or times associated with the property address.

CALIFORNIA DRINKING WATER SOURCE ASSESSMENT AND PROTECTION PROGRAM

The City of Fresno Water Division and the State Water Resources Control Board, formerly the California Department of Public Health, CaDPH, has completed the California Drinking Water Source Assessment and Protection (DWSAP) Program for water wells operated by the Fresno Water Division. The complete report prepared in 2003 is available for viewing at the Water Division or the State Water Resources Control Board office. Please contact the Water Division at 621-5300 or State Water Resources Control Board at 447-3300 if you are interested in more information regarding this report.

The City operates approximately 260 wells throughout Fresno's 115 sq. mile service area. Given the size and complexity of our system, the DWSAP report is a very large document and even a brief summary would be difficult to include in this Consumer Confidence report. However, two summary data tables are available on the City's website at www.fresno.gov. In the search box, type Water Quality Report and you will automatically be routed to the linking page containing the reports.

The multipurpose goal of the DWSAP is to identify ways communities can protect the water supplies, manage their water resources, improve drinking water quality, inform their citizens of known contaminants, and identify known activities and locations that can threaten their supply, and meet regulatory requirements.

As an example, the following paragraph lists the contaminating activities and sources, which can affect Fresno's drinking water.

Airports-Maintenance/fueling areas, Apartments and condominiums, Automobile-Body Shops, Automobile-Gas stations, Automobile-Repair Shops, Boat services/repair/refinishing, Chemical/petroleum processing/storage, Crops, irrigated, Dry Cleaners, Electrical/electronic manufacturing, Fertilizer, Pesticide/ Herbicide Application, Golf courses, Historic gas stations, Historic waste dumps/ landfills, Home manufacturing, Hospitals, Housing-high density, Junk/scrap/ salvage yards, Known Contaminant Plumes, Landfills/dumps, Machine shops, Metal plating/finishing/fabricating, Medical/dental offices/clinics, Military installations, Motor pools, Office buildings/complexes, Parks, Pesticide/ fertilizer/petroleum storage & transfer areas, Photo processing/printing, Plastics/ synthetics producers, Railroad yards/maintenance/fueling areas, Rental Yards, Schools, Septic systems-high density, Sewer collection systems, Transportation corridors-Railroads, Underground storage tanks-Confirmed leaking tanks, Utility Stations-maintenance areas, Veterinary offices/clinics, Wastewater treatment plants, Wells-Agriculture/Irrigation, Wells-Water supply.

More information is included in the summary, which identifies the affected well(s) and associated activities.

SOURCES OF DRINKING WATER

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturallyoccurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
- Radioactive contaminants that can be naturally occurring or be the result of oil and gas production and mining activities.

The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health. Additional information on bottled water is available on the California Department of Public Health website (http://www.cdph.ca.gov/programs/Pages/fdbBVW.aspx)

Nitrate: Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

Arsenic: While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The U.S. Environmental Protection Agency continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Fresno is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http:// www.epa.gov/lead.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

The following tables list all the drinking water contaminants that were tested for during the 2022 calendar year. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing between January 1 through December 31, 2022. The State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data contained in this report, though representative of the water quality, is more than one year old.

| Chemical Table | MCL | PHG (MCLG) | Fresno Average | Range of Detection's | MCL Violation | Last Sampled | Typical source of Contaminant |
|--|----------|----------------|-------------------|-------------------------|------------------|-----------------|--|
| Volatile Organic Contaminants | | 1 | 1 | 1 | 1 | | I |
| cis-1,2-Dichloroethylene (ug/L) | 6 | 100 | 0.29 | 0 - 5.4 | NO | 2022 | Discharge from industrial chemical factories; major biodegrad |
| Tetrachloroethylene (PCE) (ug/L) | 5 | 0.06 | 0.88 | 0 - 2.8 | NO | 2022 | Discharge from factories, drycleaners, and auto shops (meta |
| Trichloroethylene (TCE) (ug/L) | 5 | 1.7 | 0.24 | 0 - 3.0 | NO | 2022 | Discharge from metal degreasing sites and other factories |
| Synthetic Organic Contaminants | | , | | | | 1 | |
| Dibromochloropropane (DBCP) (ng/L) | 200 | 1.7 | 48 | 0 - 170 | NO | 2022 | Banned nematocide that may still be present in soils due to vineyards, tomatoes, and tree fruit |
| 1,2,3-Trichloropropane (TCP) (ng/L) (1) | 5 | 0.7 | 1.07 | 0 - 18 | NO | 2022 | Discharge from industrial and agricultural chemical factories maintenance solvent, paint and varnish remover, and cleani other compounds and pesticides. |
| Inorganic Contaminants | 1 | , | 1 | | 1 | | |
| Aluminum (AL) (mg/L) | 1 | 0.6 | 0.001 | nd - 0.16 | NO | 2020 | Erosion of natural deposits; residue from some surface wate |
| Arsenic (As) (ug/L) | 10 | 0.004 | 1.1 | nd - 10 | NO | 2020 | Erosion of natural deposits; runoff from orchards; glass and ele |
| Barium (Ba) (mg/L) | 1 | 2 | 0.035 | nd- 0.25 | NO | 2020 | Discharges of oil drilling wastes and from metal refineries; e |
| Chromium (Total) (ug/L) | 50 | (100) | 0.100 | nd - 12 | NO | 2017 | Discharge from steel and pulp mills and chrome plating; ero |
| Fluoride (ug/L) | 2 | 1 | 0.090 | nd - 1.9 | NO | 2017 | Erosion of natural deposits; water additive that promotes str |
| Nitrate (N) (mg/L) | 10 | 10 | 4.56 | 0 - 9.5 | NO | 2022 | Runoff and leaching from fertilizer use; leaching from septic |
| Perchlorate (ug/L) | 6 | 6 | 0.028 | nd - 3.1 | NO | 2020 | Historic aerospace or industrial operations associated with rocket pro |
| Radionuclides | 1 | | | | | I | · |
| Gross Alpha (pCi/L) | 15 | n/a | 2.21 | nd - 10.5 | NO | 2020 | Erosion of natural deposits |
| Radium 228 (pCi/L) | 5 | 0.019 | 0.28 | nd - 3.9 | NO | 2020 | Erosion of natural deposits |
| Uranium (pCi/L) | 20 | 0.5 | 5.23 | 0 - 15 | NO | 2020 | Erosion of natural deposits |
| Unregulated Contaminants (ICR, UCMR & Misc | ;) | · | | | | | |
| Manganese (ug/L) | | n/a | 1 | nd - 140 | n/a | 2020 | |
| 1,4-Dioxane (ug/L) | | n/a | 4 | nd - 84 | n/a | 2017 | |
| Dichlorodifluoromethane (Freon 12) | | n/a | 0.55 | nd - 100 | n/a | 2020 | |
| Hexavalent Chromium (ug/L) | | n/a | 2.4 | nd - 8 | n/a | 2017 | We are required by regulations to monitor for certain unregu |
| Tert-Butyl Alcohol (TBA) | | n/a | 0.190 | nd - 1 | n/a | 2017 | for tracking the location of contaminants and whether there |
| Vanadium (total) | | n/a | 11 | nd - 71 | n/a | 2014 | indicate detected values with a "<" symbol meaning less the Limit for Reporting, the DLR, has not been established by El |
| Bromochloromethane | | n/a | 0.133 | nd - 79 | n/a | 2014 | equipment is unable to quantify the value below the stated ' present. For either reason, the concentration cannot be qua |
| Chlorate | | n/a | 204 | nd - 970 | n/a | 2014 | applicable for this report. |
| Chlorodifluoromethane | | n/a | 0.085 | nd - 3.8 | n/a | 2014 | |
| Molybdenum (total) | | n/a | 0.9 | nd - 7.1 | n/a | 2014 | |
| Strontium (total) | | n/a | 97 | nd - 510 | n/a | 2014 | |
| State Contaminants with Notification Levels | | | | | | 1 | |
| Perfluorohexanesulfonic acid (PFHxS) nf/L (2) | Notifica | ition Level 3 | 0.48 | nd - 11 | n/a | 2022 | Perfluorohexane sulfonic acid exposures resulted in decreas |
| Perfluorobutanesulfonic acid (PFBS) (ng/L) (2) | | ion Level 500 | 0.47 | nd - 5.5 | n/a | 2022 | Perfluorobutane sulfonic acid exposures resulted in decreas |
| Perfluorooctanoic Acid (PFOA) (ng/L) (2) | | tion Level 5.1 | 0.80 | nd - 5.2 | n/a | 2022 | Perfluorooctanoic Acid exposures resulted in increased live |
| Perfluorooctanesulfonic Acid (PFOS) (ng/L) (2) | | ion Level 6.5 | 1.27 | nd - 11 | n/a | 2022 | Perfluorooctanesulfonic Acid exposures resulted in immune |
| Disinfection Byproducts, Disinfectant Residual | | | | | NO | 0000 | |
| Total Trihalomethanes (TTHM) (ug/L) | 80 | n/a | 6.4 | nd - 23 | NO | 2022 | Byproduct of drinking water chlorination |
| Haloacetic Acids (HAA5) (ug/L) | 60 | n/a | 4.3 | nd - 9.1 | NO | 2022 | Byproduct of drinking water chlorination |
| Chloring (NAOCL) (mg/L) | 1 | Λ | 1 2 2 | 00 21 | NO | 2022 | Drinking water disinfectant added for treatment |

4

4

1.33

0.0 - 2.1

NO

2022

Drinking water disinfectant added for treatment

Chlorine (NAOCL) (mg/L)

radation byproduct of TCE and PCE groundwater contamination netal degreaser)

e to runoff/leaching from former use on soybeans, cotton,

ries; leaching from hazardous waste sites; used as cleaning and aning and degreasing agent; byproduct during the production of

vater treatment plants

electronics production wastes

s; erosion of natural deposits

erosion of natural deposits

strong teeth; discharge from fertilizer and aluminum factories

otic tanks and sewage; erosion of natural deposits

propellant, fireworks, explosives, flares, matches and a variety of industries.

regulated contaminants. This is helpful to the USEPA and DDW ere is a need for stricter regulations. Some contaminants may than. There are two possible reasons for this. First, the Detection y EPA or DDW. Second, for various reasons, the analytical ed "less than" value but analysis indicates the contaminant is quantified and the City must assume that a "Fresno Average" is not

reased total thyroid hormone in male rats. reased thyroid hormone in pregnant female mice.

liver weight and cancer in laboratory animals

une suppression and cancer in laboratory animals

(1) See Table Footnotes. (2) See Table Footnotes.

Table 2: Micro Biological Contaminants

Over 220 bacteriological samples are collected every month in Fresno's distribution system. In addition, over 300 bacteriological samples are collected from wells and treatment sites.

| Contaminant | Highest No. of Detection's | No. of Months in Violation | MCL | MCLG | Typical Source of Bacteria |
|-------------------------|----------------------------|----------------------------|---|------|--------------------------------------|
| Total Coliform Bacteria | 1 of 236 or 0.42% | 0 | 5% | (0) | Naturally present in the environment |
| E.coli | 0 | 0 | A routine sample is positive for E.coli and a repeat sample is positive for total, fecal or E.coli bacteria | (0) | Human or animal fecal waste |

Table 3: Lead and Copper

| Under the Lead and Copper Rule, s | amples are collected | I from inside residenc | es meeting criteria establ | ished by the USE | PA. | | | |
|---|-----------------------------|-----------------------------------|---|------------------------|-----------------|------|--|-----------------------------|
| Contaminant | No. of Samples Collected | 90th Percentile Level Detected | No. of Sites Exceeding Action Level | Range of Detections | Action Level | MCLG | No. of Schools requesting lead testing | Туріса |
| Lead (ug/L) (Sampled in August 2019) | 56 | 0 | 0 | ND | 15 | 0.2 | 3 sampled in 2019 | Interna discha deposi |
| Copper (mg/L) (Sampled in August 2019) | 56 | 0.25 | 0 | ND - 0.28 | 1.3 | 0.3 | | Interna natura |

Table 4: Secondary Standards Contaminants List

Secondary standards are based on aesthetic factors (taste, appearance and odor, etc.) and are not health related.

| Inorganic Contaminants | SMCL | Fresno Average | Range of Detection's | SMCL Violation | Last Sampled | Typical Source of Co |
|--|------|----------------|----------------------|----------------|-----------------|------------------------------------|
| Aluminum (ug/L) | 200 | 1.06 | nd - 160 | NO | 2020 | Erosion of natural de processes |
| Apparent Color (Unfiltered) | 15 | 0.15 | nd - 10 | NO | 2020 | Naturally-occurring o |
| Iron (Fe) (ug/L) (3) | 300 | 36 | nd - 2000 | NO | 2020 | Leaching from natura |
| Manganese (Mn) (ug/L) (4) | 50 | 3.3 | nd - 140 | NO | 2020 | Leaching from natura |
| Specific Conductance (E.C.) (umho/cm+) | 1600 | 305 | 30 - 920 | NO | 2020 | Substances that form |
| Sulfate (SO4) (mg/L) | 500 | 9.71 | nd - 91 | NO | 2020 | Runoff/leaching from |
| Total Dissolved Solids (TDS) (mg/L) | 1000 | 216 | 24 - 620 | NO | 2020 | Runoff/leaching from |
| Turbidity (Lab) (units) | 5 | 0.190 | nd - 4.5 | NO | 2020 | Soil runoff |
| Zinc (Zn) (mg/L) | 5 | 0.001 | nd - 0.11 | NO | 2017 | Runoff/leaching from |
| Sodium (Na) (mg/L) | n/a | 20 | 1.9 - 72 | NO | 2020 | Sodium and Total Ha |
| Total Hardness (as CaCO3) (mg/L, GPG) | n/a | 108, 6.3 | 9 - 410 | NO | 2020 | interested due to con |

(3) See Table Footnotes. Single well (186) with high detection followup testing was ND. (4) See Table Footnotes. 345-1 multiple detects above SMCL. Removed from service.

cal Source of Contaminant

nal corrosion of household water plumbing systems; narges from industrial manufacturers; erosion of natural osits

nal corrosion of household plumbing systems; erosion of ral deposits; leaching from wood preservatives

Contaminant

leposits; residual from some surface water treatment

organic materials

Iral deposits; industrial wastes

iral deposits

rm ions when in water; seawater influence

om natural deposits; industrial wastes

om natural deposits

om natural deposits; industrial wastes

lardness are not regulated but many customers are oncerns about sodium in the diet or water hardness

Table 5: Turbidity in North East Fresno related to Surface Water Treatment Plant Operations

| | MCL | MCLG | Level Found | Range | Sample Date | Violation | Typical Source | |
|-----------------|------------------------------|------|-------------|---------|-------------|-----------|----------------|--|
| Turbidity (NTU) | TT = 1 NTU | n/a | 0.169 | | 28-Jan-22 | n/a | | |
| | TT = 95% of samples ≤0.3 NTU | n/a | 100% | .021169 | Continuous | n/a | Soil runoff | |

Turbidity is a measurement of the cloudiness of the water determined by the ratio of the intensity of light scattered by the sample to the intensity of incident light. We monitor it because it is a good indicator of the effectiveness of our filtration system.

Table 5: Turbidity in South East Fresno related to T-3 Surface Water Treatment Plant Operations

| | MCL | MCLG | Level Found | Range | Sample Date | Violation | Typical Source | |
|-----------------|------------------------------------|------|-------------|---------|-------------|-----------|----------------|--|
| | TT = 1 NTU | n/a | 0.175 | 0.36175 | 21-Aug-22 | n/a | | |
| Turbidity (NTU) | TT = 95% of samples \leq 0.3 NTU | n/a | 100% | | Continuous | n/a | Soil runoff | |

Turbidity is a measurement of the cloudiness of the water determined by the ratio of the intensity of light scattered by the sample to the intensity of incident light. We monitor it because it is a goovd indicator of the effectiveness of our filtration system. T-3 was offline in 2019.

Table 5: Turbidity in South East Fresno related to Surface Water Treatment Plant Operations

| | MCL | MCLG | Level Found | Range | Sample Date | Violation | Typical Source |
|-----------------|------------------------------------|------|-------------|---------|-------------|-----------|----------------|
| | TT = 1 NTU | n/a | 0.099 | .022099 | 13-Apr-22 | n/a | |
| Turbidity (NTU) | TT = 95% of samples \leq 0.3 NTU | n/a | 100% | | Continuous | n/a | Soil runoff |

Turbidity is a measurement of the cloudiness of the water determined by the ratio of the intensity of light scattered by the sample to the intensity of incident light. We monitor it because it is a good indicator of the effectiveness of our filtration system.

TABLE FOOTNOTES

TABLE 1: PRIMARY STANDARDS AND UNREGULATED CONTAMINANTS

(1) 1,2,3-Trichloropropane (TCP): In 2022, the city continued with initial monitoring of some wells for TCP. Some wells still require initial sampling or continued monitoring. Well 21A has sample results above the MCL during 2021 and confirmed above the MCL during 2022 sample events and was subsequently removed from service. Well 100-2 which has been offline for a number of years was returned to service in 2022. During initial monitoring, the well confirmed above the MCL and was removed from service. Determination as to whether a well exceeds an MCL for non-acute contaminants such as TCP is based on a running average for a prescribed period of time, typically six months. Therefore, a well may have several results above the MCL, yet still meets drinking water standards by not exceeding the MCL. Some people who drink water containing TCP in excess of the MCL over many years may have an increased risk of getting cancer.

(2) PFAS Compounds. The city is currently engaged in an ongoing state testing program to determine the presence of 18 different PFAS compounds. Specifically, PFBS, PFOA, PFOS, and (PFHxS, added October 31, 2022) are the primary compounds of interest to date. The State has established a notification level (NL) and response level (RL) for each while working to develop MCL's. During quarterly testing events, we have detected the presence of these compounds and others at several wells near Fresno Yosemite International airport. In all, there are seven wells that exceed NL's for PFHxS (Wells 4A, 4B, 24B, 37, 70, 155-1 and 222-1) and three wells that exceed the NL's for PFOA and PFOS (Wells 24B, 37, and 77.) One site, PS 70, exceeds the RL's for PFOA, PFOS and PFHxS but continues to operate with a suitable treatment system in place. Since 2019, all post treatment sample results from PS 70 have been non-detect with the exception of two PFHxS in 2022 before the new NL and RL were established. We continue to monitor a specific set of wells under the present State guidelines and in March of 2023 we began city wide monitoring for 29 PFAS compounds as part of the EPA's Unregulated Contaminant Monitoring Rule 5 sample program. PFOA exposure can result in increased liver weight and cancer in laboratory animals. PFOS and PFBS exposures can result in immune suppression and cancer in laboratory animals. PFHxS exposure can result in decreased total thyroid hormone in male rats.

TABLE 4: SECONDARY STANDARDS CONTAMINANTS LIST

(3) Iron: One well, 186, near Chestnut and Behymer in NE Fresno had a result that exceeded the Secondary MCL for Iron. The iron found in well 186 is most likely related to corrosion of the column pipe and well casing, something that is normal for wells that have been offline for a period of time. A confirmation sample of the well was collected, and results were non-detect, a result more consistent with historical results. Iron in water may cause discoloration and staining of appliances, fixtures and clothing.

(4) Manganese: One well, 345-1 near Kings Canyon and Fowler was being evaluated to determine both the manganese and iron concentration in the well. A number of samples were collected, some while the well was being pumped to waste confirmed that manganese exceeded the SMCL. The well has been removed from service and a treatment system is being planned for this well. Manganese in water may cause discoloration and staining of appliances, fixtures and clothing.

ACRONYMS AND ABBREVIATIONS

n/a: not applicable
NTU: Nephelometric Turbidity Unit (a measure of light)
nd: not detectable at reporting limits.
ng/L: nanograms per liter or parts per trillion.
µg/L: micrograms per liter or parts per billion
mg/L: milligrams per liter or parts per million
pCi/L: picocuries per liter (a measure of radiation)

Maximum Contaminant Level (MCL):

The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Primary Drinking Water Standard (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Regulatory Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.



1910 East University Avenue Fresno, CA 93703-2988

A copy of this report is available on the Fresno City website. It can be found at Fresno.gov/waterquality

A translation of this report in Spanish, Hmong, or Vietnamese can be requested by calling (559) 621-5300.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

Daimntawv tshaj tawm no muaj lus tseemceeb txog koj cov dej haus. Tshab txhais nws, log yog tham nrog tej tug neeg uas totaub txog nws.

Chi ti t này th t quan tr ng, xin nh ngu i d ch cho quý v.