2019 Consumer Confidence Report

Water System Name:	IVC Water Treatment	Plant	Report Date:	6/24/2020
ē	1		· ·	al regulations. This report show. nclude earlier monitoring data.
Este informe contiene i entienda bien.	información muy importan	te sobre su agua	potable. Tradúz	zcalo ó hable con alguien que lo
Type of water source(s)	in use: Surface Water (Co	olorado River)		
Name & general location	n of source(s): Imperial Irr	rigation District Ce	entral Main Canal	through Dogwood canal.
Drinking Water Source	Assessment information: <u>I</u>	mperial Irrigation	District, 2019 Tit	le 22 Source Water Quality
Time and place of regula	arly scheduled board meeting	gs for public partic	ipation: There a	are no regular scheduled
meetings, all employees	will be notified via email wh	nen a meeting is sc	hedule and report	will be posted on bill boards.
For more information, co	ontact: Mr. Rick Webster, C	0&M Director	Phone: (7	60) 355-6373

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (μg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA					
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation	MCL	MCLG	Typical Source of Bacteria
Total Coliform Bacteria (state Total Coliform Rule)	0	0	1 positive monthly sample	0	Naturally present in the environment
Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule)	0	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive	0	Human and animal fecal waste
E. coli (federal Revised Total Coliform Rule) (from 1/1/19-12/31/19)	0	0	(a)	0	Human and animal fecal waste

(a) Routine and repeat samples are total coliform-positive and either is *E. coli*-positive or system fails to take repeat samples following *E. coli*-positive routine sample or system fails to analyze total coliform-positive repeat sample for *E. coli*.

TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER							
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of samples collecte d	90 th percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant
Lead (ppb)	9/12/2019	20	3.7	0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of
Copper (ppm)	9/12/2019	20	0.53	0	1.3	0.3	natural deposits Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

	TABLE 3	– SAMPLING	RESULTS FOR	SODIUM	AND HARD	NESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	7/18/'19	100	1.0	none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	7/18/'19	310	5.0	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring
TABLE 4 – DE	TECTION O	F CONTAMIN	NANTS WITH A	PRIMARY	Z DRINKING	G WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Nitrate as N (mg/L)	7/18/'19	ND	0.40	10	45	Animal or human organic wastes.
Aluminum (ppb)	7/18/'19	360	50	200	600	Runoff/leaching of natural deposits.
Aluminum (ppb)	12/23/'19	ND	50	200	600	Runoff/leaching of natural deposits.
Barium (ppm)	7/18/'19	0.110	100.0	1	2.0	Erosion of natural deposits.
Arsenic (ppm)	7/18/'19	0.0029	2.0	10	0.04	Erosion of natural deposits.
Fluoride (ppm)	7/18/'19	0.37	0.10	2	1	Erosion of natural deposits.
Uranium (pCi/L)	10/24/'19	[DG1]2.6	n/a	20	0.43	Erosion of natural deposits.
Total Trihalomethanes (ppm) Annual Average	12/18/'19	0.0599	0.0010	0.080	n/a	Disinfection by-product.
Total Haloacetic Acid (ppm) Annual Average	12/18/'19	0.0239	0.0020	0.060	n/a	Disinfection by-product.
Dogwood Lateral, 37-IVC-	Dogwood 6 67	-PS1300549-001	001			
Aluminum (ppb)	3/26/19	760	50	200	600	Runoff/leaching of natural deposits.
Aluminum (ppb)	5/21/19	210	50	200	600	Runoff/leaching of natural deposits.
Aluminum (ppb)	10/23/19	62	50	200	600	Runoff/leaching of natural deposits.

	Imperial Valley Co	ollege 2019 Tota	l Trihalomethan	es Report	
MCL	80 ppb				
Source		2019 Results (ppb)			
	1 st Qtr	2 nd Qtr	3 rd Qtr	4 th Qtr	Average
Building 2700	21	93	47	26	46.8
Building 3100	11	60	23	35	32.3
Annual Average					39.6
All Sample Sites					39.0
	Imperial Valley Colle	ege 2019 Haloac	etics Acid (HAA	5's) Report	
MCL	60 ppb				
Source		2019 Results (ppm)			
	1 st Qtr	2 nd Qtr	3 rd Qtr	4 th Qtr	Average
Building 2700	14	33	28	20	23.8
Building 3100	11	23	24	21	19.8
Annual Average					21.8
All Sample Sites					41.0

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Specific Conductance (µS/cm)	7/18/'19	970	2.0	1,600	n/a	Runoff/leaching of natural deposits.
Sulfate (mg/L)	7/18/'19	250	0.50	500	n/a	Runoff/leaching of natural deposits.
Apparent Color (Units)	7/18/'19	30	3.0	15	n/a	Naturally-occurring organic materials.
Odor Threshold (Units)	7/18/'19	2	1.0	3	n/a	Naturally-occurring organic materials
Turbidity (Units)	7/18/'19	27	0.2	5	n/a	Soil runoff.
Alkalinity (mg/L)	7/18/'19	140	5.0	n/a	n/a	Soil runoff.
Total Dissolved Solids (mg/L)	7/18/'19	680	5.0	1,000	n/a	Runoff/leaching from natural deposits.
Chloride (mg/L)	7/18/'19	95	1.0	500	n/a	Runoff/leaching from natural deposits; seawater influence.
Iron (ppb)	7/18/'19	410	100	300	n/a	Soil runoff.
Manganese (ppb)	7/18/'19	24	20	50	n/a	Soil runoff.

	TABLE 6	- DETECTION	OF UNREGULA	ATED CONTAMINAN	ITS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level	Health Effects Language
Boron (ppm)	7/18/'19	200	100	1	Boron exposures resulted in decreased fetal weight (developmental effects) in newborn rats.
Vanadium (ppb)	7/18/'19	6.7	3.0	50	Vanadium exposures resulted in developmental and reproductive effects in rats.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Imperial Valley College is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [Optional: If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4701) or at http://www.epa.gov/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT				
Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
None	None			

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES			
Treatment Technique ^(a) (Type of approved filtration technology used)	Pacific Keystone Key-PAC AC-100, Multi-Barrier System.		
	Turbidity of the filtered water must:		
Turbidity Performance Standards ^(b) (that must be met through the water treatment process)	1 – Be less than or equal to 0.15 NTU in 95% of measurements in a month.		
	2 – Not exceed 0.25 NTU for more than eight consecutive hours.		
	3 – Not exceed 0.5 NTU at any time.		
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	March 2019.		
Highest single turbidity measurement during the year	September 27, 2019; NTU 0.15		
Number of violations of any surface water treatment requirements	None		

⁽a) A required process intended to reduce the level of a contaminant in drinking water.

Summary Information for Violation of a Surface Water TT

	VIOLAT	ION OF A SURFACE WA	ATER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
None				
None				
None				

Summary Information for Operating Under a Variance or Exemption

⁽b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

Summary Information for Federal Revised Total Coliform Rule Level 1 and Level 2 Assessment Requirements

Level 1 or Level 2 Assessment Requirement not Due to an E. coli MCL Violation

Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, waterborne pathogens may be present or that a potential pathway exists through which contamination may enter the drinking water distribution system. We found coliforms indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessment(s) to identify problems and to correct any problems that were found during these assessments.

During the past year Zero Level 1 and Level 2 assessments were required to be completed for our water system.
Level 2 Assessment Requirement Due to an E. coli MCL Violation
<i>E. coli</i> are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Human pathogens in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a greater health risk for infants, young children, the elderly, and people with severely-compromised immune systems. We found <i>E. coli</i> bacteria, indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessment(s) identify problems and to correct any problems that were found during these assessments.
We were not required to complete one Level 2 assessment because we found no <i>E. coli</i> in our water system. In addition, we were not required to take any corrective actions.