East Niles Community Services District 2018 Water Quality Report East Niles Groundwater and Imported Water

In order to ensure that tap water is safe to drink, USEPA and the California State Water Resources Control Board, Division of Drinking Water (DDW) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The (DDW) regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

At East Niles Community Services District, we are committed to supplying our consumers with high-quality water. We are pleased to provide this annual water quality report, which includes information about where your water comes

from, what it contains, and how it compares to state and federal standards.

East Niles Community Services District convenes a regularly scheduled Board meeting on the third and fourth Monday of every month at our office located at 1417 Vale Street, Bakersfield, California 93306. You are encouraged to attend.

General Information About Water

The sources of drinking water (both tap and bottled) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity. Contaminants that may be present in source water include:

MICROBIAL CONTAMINANTS, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

INORGANIC CONTAMINANTS, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

ORGANIC CHEMICAL CONTAMINANTS

including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

PESTICIDES AND HERBICIDES, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

RADIOACTIVE CONTAMINANTS,

which can be naturally occurring or be the result of oil and gas production and mining activities.

Water Hardness

Water is considered soft if total hardness is less than 75 ppm; moderately hard at 75 to 150 ppm; hard at 150 to 300 ppm; and very hard at 300 ppm or higher. To determine total hardness of your water in grains per gallon, simply divide amount given in parts per million by 17.1

LEAD

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. East Niles Community Services District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several nours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about ead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and

steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/ safewater/lead.

Recommendation for Those Who May Have Special Water Needs

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised people, such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, those with HIV/AIDS or other immune system disorders, some elderly people, and infants, can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Drinking Water Source Assessment and Protection Program (DWSAPP)

A source water assessment was conducted for six of the wells supplying groundwater to the East Niles CSD water system in June 2002-2008. No contaminants have been detected in the water supply, however the source is considered most vulnerable to the following activities:

Sewer collection systems

Historic gas stations

Transportation corridors-Freeways/State Highways

Wells-Agriculture/Irrigation

Septic systems

You may request a summary of the assessment be sent to you by contacting :

Tim Ruiz, General Manager (661)871-2011

Results of (UCMR 3) unregulated contaminant monitoring are shown below.

Ppt = parts per trillion

Ppb = parts per billion

UNREGULATED VOLATILE ORGANICS	Year Range	Units	Result Range	Average 13.5	
1,2,3-Trichloropropane	2013	ppt	ND - 40		
UNREGULATED INORGANICS	Year Range	Units	Result Range	Average	
Hexavalent Chromium	2013	ppt	48 - 490	181	
Chromium	2013	ppt	320 - 1100	330	
Strontium	2013	ug/l	110 - 840	336	
Chlorate	2013	ug/l	82 - 390	167	
Molybdenum	2013	ug/l	4.8 - 10	7	
Vanadium	2013	ug/l	.21 - 6.8	2.2	

How to Read the Table

We test your water for more than 100 contaminants for which state and federal standards have been set. THIS TABLE LISTS ONLY THOSE THAT WERE DETECTED. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency's (USEPA's) Safe Drinking Water Hotline at (800) 426-4791.

The water quality test results shown in this table are divided into two main sections: those related to primary standards and those related to secondary standards. Primary standards protect public health by limiting the levels of contaminants in drinking water. Secondary standards are limits for substances that could affect the water's taste, odor, and appearance.

Definitions of terms and abbreviations used in the table Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as are economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. E.P.A.

Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

Notification Level (NL): A health-based advisory level for an unregulated contaminant in drinking water. It is used to provide guidance to drinking water systems.

Primary Drinking Water Standard or PDWS: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a wate

pCi/L = picoCuries per liter (measure of radioactivity) ppm = parts per million (milligrams per liter) NTU = nephelometric turbidity unit ppb = parts per billion (micrograms per liter) SMCL = secondary maximum contaminant level ND = none detected n/a = not applicable

vater system must follow.	1,2,3-Trichloropropane 1	2018	ppt	5	0.7	* Yes	ND - 100	30	< 5	< 5	Past use of soil Fumigants that contained 1,2,3 - TCP as an impurity.
Treatment Technique (TT): A required process intended to educe the level of a contaminant in drinking water.											minimized the use of Well 21 to reduce
umhos/cm = measure of specific conductance	1,2,3-TCP exposure from water produced at this well and has refrained from using/activating other wells that contain 1,2,3 TCP. East Niles C.S.D. has completed a State Water Board Approved Corrective Action Plan and is currenly in the design phase of construction of a new 1.2.3 TCP Treatment Plant with an expected date of operation no later than August 2, 2021.										

Additional Analyses for Imported Surface Water									
	Year Range	Reporting Units	MCL (SMCL)	PHG (MCLG)	Violation	Result Range	Average		
Boron**	2018	mg/L	1	N/A	No	0.12	N/A		
Phosphate	2018	mg/L	N/A	N/A	No	ND37	0.09		
Silica	2018	mg/L	N/A	N/A	No	7 - 10	8		
Total Organic Carbon	2018	ma/L	N/A	N/A	No	1.6 - 2.7	2		

^{**} Values identified as MCLs are Notification Levels or Advisory Levels for constituents lacking MCLs

Primary Drinking Water Standards						East Niles CSD Groundwater Surface W				
RADIOLOGICAL	Year Range	Reporting Units	MCL (SMCL)	PHG (MCLG)	Violation	Level Detected	Average	Result Range	Average	Source of Substance
Gross Alpha Particle Activity	2010-2018	pCi/L	15	(0)	No	ND-3.8	2.2	ND	N/A	Erosion of natural deposits
Uranium ²	2004-2014	pCi/L	20	0.43	No	1.63-6.5	2.0	ND-21	3.3	Erosion of natural deposits
Radium 228	2004-2014	pCi/L	5	(0)	No	0.4 - 0.6	0.4	ND-1.9	.01	Erosion of natural deposits
INORGANIC CHEMICALS	Year Range	Reporting Units	MCL (SMCL)	PHG (MCLG)	Violation	Result Range	Average	Result Range	Average	Source of Substance
Aluminum	2016 - 2018	ug/L	1000	600	No	ND	ND	ND - 149	58	Erosion of natural deposits; residue from some surface water treatment processes
										Erosion of natural deposits; runoff from orchards;
Arsenic ³	2018	ug/L	10	0.004	No	8.4 - 9.4	8	ND	ND	glass and electronics production wastes.
Barium	2016 - 2018	ug/L	1000	2	No	40 - 140	67	N/D	N/D	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits
						, and		SECONDO SECONO		Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer
Fluoride	2016 - 2018	mg/L	2.0	1	No	.0617	0.11	N/D22	0.13	and aluminum factories. Runoff and leaching from fertilizer use; leaching
Nitrate (as Nitrogen, N) 4	2018	mg/L	10	10	No	1.0 -8.5	5	ND15	0.07	from septic tanks and sewage; erosion of natural deposits.
										Runoff and leaching from fertilizer use; leaching
										from septic tanks and sewage; erosion of natural
Nitrite+Nitrate (sum as Nitrogen, N)	2016 - 2018	mg/L	10.0	10	No	N/D	N/D	ND15	0.07	deposits.
										Discharge from petroleum, glass, and metal
										refineries; erosion of natural deposits; discharge
Selenium	2016 - 2018	ug/L	50	(50)	No	ND - 3.4	1.8	ND	ND	from mines and chemical manufacturers; runoff from livestock lots (feed additive)
							Lowest		Lowest	
	Year Range	Reporting Units	MCL (SMCL)	PHG (MCLG)	Violation	Highest Level	Monthly Percent	Highest Level	Monthly Percent	Source of Substance
421	Tear range	- Crinto	inot (cinot)	11.0 (11.020)	Tiolation.	Tilgiloot Eavor				
Turbidity (Surface water requiring filtration) ⁵	2018	NTU	TT	n/a	No	n/a	n/a	.09	100	Soil runoff
		Reporting						Highe		ocational
DISINFECTION BY-PRODUCTS	Year Range	Units	MCL (SMCL)	PHG (MCLG)	Violation	Result Range			Annual A	
Total Haloacetic Acids (HAA5)	2018	ppb	60	n/a	No		13 - 56		37	
Total Trihalomethane (TTHM)	2018	ppb Reporting	80	n/a	No	35 - 64		55	By-product of drinking water chlorination	
DISINFECTANT	Year Range	Units	MRDL	PHG (MCLG)	Violation		Result Range	0	Avera	age Source of Substance
Chlorine (as Cl ₂)	2018	ppm	4.0	4	No		0.5 - 2.9		1.2	Drinking water disinfectant added for treatment.
MICROBIOLOGICAL	Year Range	Units	MC		Violation	Highest number of detections		-	Source of Substance	
			> 5.0 % of samp	oles present for						
Total Coliform	2018	P/A	Coliform Bacter	a in one month	No			1		Naturally present in the environment
OTHER REGULATED SUBSTANCES	Year Range	Reporting Units	AL	PHG (MCLG)	Violation	Level Detected (90th percentile)		ercentile)	# Sam exceedi	
										Internal corrosion of household plumbing
Common	2046	DD.	1.3	0.17	N-		0.22		0 of	systems; erosion of natural deposits; leaching from wood preservatives
Copper	2016	ppm	1.3	0.17	No		0.22		0.01	Internal corrosion of household plumbing
					100	8			systems; discharges from industrial	
Secondary Drinking Water Standards and U	2016 Inregulated Compo	ppb	15	2	No	1		0 of	30 manufacturers; erosion of natural deposits.	
		Reporting								
INORGANIC CHEMICALS	Year Range	Units	MCL (SMCL)	PHG (MCLG)	Violation	Result Range	Average	Result Range	Average	Source of Substance Runoff/leaching from natural deposits; seawater
Chloride	2016 - 2018	ppm	(500)	n/a	No	88 - 130	106	6.8 - 9.3	8.1	influence
Zinc	2016 - 2018	ppm	5	n/a	No	N/D	N/D	.0508	0.06	Erosion of natural deposits
Color ⁶	2016 - 2018	UNITS	(15)	n/a	No	1 - 2	1.0	<2.5	<2.5	Naturally-occurring organic materials
Hardness	2016 - 2018	ppm	n/a	n/a	No	180 - 380	292	39 - 52	47	Erosion of natural deposits
Odor	2016 - 2018	T.O.N.	(3)	n/a	No	ND	ND	1.4 - 2	1.7	Naturally-occurring organic materials
рН	2016 - 2018	UNITS	n/a	n/a	No	7.7 - 8.1	7.9	7.1 - 7.4	7.2	Inherent characteristic of water
Potassium	2016 - 2018	ppm	n/a	n/a	No	3.8 - 5.7	5.1	1.6 - 2.0	1.8	Erosion of natural deposits
Sodium	2016 - 2018	ppm	n/a	n/a	No	71 - 120	97	12 - 16	15	Erosion of natural deposits; seawater influence Substances that form natural deposits; seawater
Specific Conductance (E.C.) ⁶	2016 - 2018	μmhos/cm	(1600)	n/a	No	797 - 1090	977	153 - 194	183	influence
Sulfate	2016 - 2018	ppm	(500)	n/a	No	140 - 320	202	19 - 27	25	Leaching from natural deposits; industrial wastes
Total Dissolved Solids (TDS) ⁶	2016 - 2018	pom.	(1000)	n/a	No	550 - 800	682	79 -123	104	Runoff/leaching from natural deposits; seawater influence
Turbidity 6	2016 - 2018	ppm NTU	(5)	n/a n/a	No	.14	0.2	.0608	.07	Soil runoff
	200	Reporting				NAME OF THE PARTY		2000 SEA SEC.		No. 20 (20) (20)
Chlorate Chlorate	Year Range 2013 - 2015	Units	MCL (SMCL) NL=.8	PHG (MCLG)	Violation	Result Range NA	Average NA	Result Range .040264	Average 0.157	Source of Substance Byproduct of Drinking Water Chlorination
Cincrate	2013 - 2015	ppm	141-0	n/a	NO	INA	INA	.040204	0.157	byproduct of Drinking Water Chlorination
ORGANIC CHEMICALS	Year Range	Reporting Units	MCL	PHG (MCLG)	Violation	Result Range	Average	Result Range	Average	Source of Substance
1,2,3-Trichloropropane 1	2018		5	0.7	* Yes	ND - 100	30	< 5	< 5	Past use of soil Fumigants that contained 1,2,3 - TCP as an impurity.
madescens interpretational and the first section of	2010	ppt	L 5	0.7	res	T ND - 100	30	~ 5	~ 5	5307400 3000 (000000000000000000000000000000

East Niles Community Services District P.O. Box 6038 Bakersfield, CA 93386-6038 PRSRT-STD U.S. Postage PAID Bakersfield, CA Permit #110

Este informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hablo con alguien lo entienda bien.

East Niles Community Services District, has strived to provide high-quality water utility services in the East Bakersfield area since 1955. To meet our customers' needs in 2018 we used a combination of local groundwater produced by 6 wells, and surface and groundwater imported from the Kern County Water Agency. If you have any questions, please contact: Larry White by phone at 661-871-2011 or visit our website at www.eastnilescsd.org

- 1. Some people who drink water containing 1,2,3- trichloropropane in excess of the MCL over many years may have an increased risk of getting cancer.
- 2. Some people who drink water containing uranium in excess of the MCL over many years may have kidney problems or an increased risk of getting cancer. Compliance with the uranium MCL is determined by calculating the average of four quarterly samples. The East Niles system is in compliance with the uranium MCL.
- 3. While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The U.S. Environmental Protection Agency continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.
- 4. Nitrate as "N" in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen and result in serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 ppm may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. If you are caring for an infant or you are pregnant, you should ask advice from your health care provider.

Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

- 5. For conventional surface water treatment plants, the treatment technique dictates that the turbidity level of the filtered water be less than or equal to 0.3 NTU (0.1 NTU for membrane plants) in 95% of the measurements taken each month and shall not exceed 1NTU at any time. The lowest monthly percent reported represents the lowest percentage of turbidity measurements that were less than or equal to 0.3 NTU in any given month. Turbidity is a measurement of the cloudiness of water. It is monitored because it is a good indicator of the effectiveness of filtration systems.
- 6. Secondary MCLs for iron, manganese, specific conductance, total dissolved solids, turbidity, and color were established entirely for aesthetic reasons. There is no negative health effect associated with these compounds.

California Assembly Bill (AB 746) "LEAD TESTING OF DRINKING WATER IN CALIFORNIA SCHOOLS" was approved by the Governor and published on October 13, 2017 East Niles Community Services District has completed the Lead sampling of 13 schools within the East Niles Service District.