

2021 CONSUMER
CONFIDENCE REPORT ON
WATER QUALITY FOR 2020

ANNUAL WATER QUALITY REPORT



Compton / Willowbrook

Liberty is committed to providing customers with safe, quality drinking water. We are proud to present this Water Quality Report (Consumer Confidence Report) that shares detailed information regarding local water service and our compliance with state and federal quality standards during the 2020 calendar year.

Liberty makes appropriate investments each year to deliver water that meets safety standards established by the State Water Resources Control Board's Division of Drinking Water (DDW), California Public Utilities Commission (CPUC), and the United States Environmental Protection Agency (EPA). We invest responsibly to maintain the local water infrastructure because a strong infrastructure is key to delivering quality water. The water we deliver to your home or business is thoroughly tested by independent laboratories, and data is provided to DDW to verify compliance with primary and secondary state and federal water quality standards.

We know our customers rely on us for water that is safe to drink, and we take this responsibility seriously. At Liberty, "Energy and Water for Life" are more than a tagline. Our employees live in the community and take pride in providing quality water and reliable service to you and your neighbors.

If you have any questions about this report, please don't hesitate to contact us at 800-727-5987.

On behalf of the entire Liberty family, thank you for being a valued customer and neighbor. We are proud to be your water provider.

Sincerely,

Chris Alario
President, Liberty - California

This report contains important information about your drinking water. Please contact Liberty at (800) 727-5987 for assistance in Spanish

Este informe contiene información muy importante sobre su agua para beber. Favor comunicarse con Liberty al (800) 727-5987 para asistirlo en Español.



Where Does My Water Come From?


In 2020 Liberty Utilities – Compton / Willowbrook system obtained 0.5% of its source water from the Metropolitan Water District of Southern California (MWD). The MWD imports water from the Colorado River Aqueduct and the Sacramento-San Joaquin Delta by way of the State Water Project. An additional 95.5% came from Well 19C and Well 12C that pump groundwater from the Central Basin Aquifer.

About the Metropolitan Water District of Southern California

MWD is a consortium of 26 cities and water districts that provides drinking water to nearly 19 million people in parts of Los Angeles, Orange, San Diego, Riverside, San Bernardino, and Ventura counties. The mission of the MWD is to provide its service area with adequate and reliable supplies of high-quality water to meet present and future needs in an environmentally and economically responsible way. MWD continues to add storage and conservation resources to its already diverse water supply portfolio to ensure a reliable water supply well into the future. Further, MWD continues to invest in water quality improvements, including the addition of ozone as a treatment process, and the expansion of its treatment capacity that will provide excellent quality water. For more information about MWD, visit their website at www.mwdh2o.com.

Two Sources of Imported Water

The Compton/Willowbrook system receives the majority of its water from the MWD Diemer Filtration Plant in Yorba Linda. In 2020, the Diemer Plant source water consisted of 9% State Water Project supply, and 91% Colorado River Water supply.



What Are The Drinking Water Standards?

Drinking water standards are the regulations set by the USEPA to control the level of contamination in the nation's drinking water. The USEPA and the SWRCB are the agencies responsible for establishing drinking water quality standards in California. These standards are part of the Safe Drinking Water Act's "multiple-barrier approach" to drinking water protection. This approach includes assessing and protecting drinking water sources; protecting wells and surface water; making sure water is treated by qualified operators; ensuring the integrity of the distribution system, and making information about water quality available to the public. The water delivered to your home meets the standards required by the USEPA and the SWRCB.

If you would like more information about water quality, or to find out about upcoming opportunities to participate in public meetings, please call Liberty's Downey office at (800)-727-5987.

This report describes those contaminants that have been detected in the analyses of almost 200 different potential contaminants, nearly 100 of which are regulated by the USEPA and the SWRCB. Liberty is proud to tell you that there have been no contaminants detected that exceed any federal or state drinking water standards. Hundreds of samples are collected every month by Liberty to assure that all primary (healthrelated) and secondary (aesthetic) drinking water standards are being met. Sample results are available on the table that is part of this report.

This report is intended to provide information for all water users. If received by an absentee landlord, a business, or a school, please share the information with tenants, employees, or students. We are happy to make additional copies of this report available. You may also access this report on the Liberty web page at www.libertyutilities.com.

Source Water Assessment

The 1996 Safe Drinking Water Act amendments required states to perform an assessment of potentially contaminating activities near drinking water sources of all water utilities. Liberty updated the Source Water Assessment in 2017. Liberty's well sources are considered most vulnerable to the following activities: gas stations; dry cleaners; metal plating/finishing/fabricating shops; military installations; chemical/petroleum processing and storage facilities; and underground storage tanks.

A copy of the complete assessment is available at Liberty's Downey office and the SWRCB office in Glendale. You may request a summary of the assessment by contacting Mr. Frank Heldman of Liberty at 562-805-2015, or by contacting Ms. Lillian Luong, SWRCB sanitary engineer, at 818-551-2038.

Important Health Information


Lead

While there have never been any problems with lead in our water system, the USEPA and the SWRCB require the following information to be presented in this report. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Liberty is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure are available from the Safe Drinking Water Hotline or at <http://www.epa.gov/lead>.

Drinking Water Fluoridation

Fluoride has been added to U.S. drinking water supplies since 1945. Of the 50 largest cities in the U.S., 43 fluoridate their drinking water. Liberty Utilities treats your water by adding fluoride to the naturally occurring level to help prevent dental caries in consumers. Fluoride levels in the treated water are maintained within the range required by state regulations. In 2020, some areas of the Compton/Willowbrook system received a blend of treated water and non-fluoridated water (shown in the map below). As a result, some customers periodically received water with fluoride levels slightly below the recommended range. Consult your doctor or dentist if you are considering additional fluoride supplements or treatments. Information about fluoridation, oral health, and current issues is available from https://www.waterboards.ca.gov/drinking_water/cert/cdrinkingwater/Fluoridation.html



Unregulated Contaminant Monitoring Regulation (UCMR)


The Safe Drinking Water Act requires the USEPA to identify unregulated contaminants for potential regulation. Every five years, the USEPA identifies a list of unregulated chemicals to be monitored by the nation's water utilities over a three-year period. The current monitoring cycle (UCMR-4) is from 2018 – 2020. Results from this monitoring are included in this report. Once the USEPA has compiled this occurrence data nationally, they are required to determine if there is a meaningful opportunity for increased health protection of drinking water through regulation of these contaminants.

Compton - Willowbrook 2020 Annual Water Quality Report

Primary Standards - Health Based (units)	Primary MCL	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date ^(b)	Typical Source of Constituent
Turbidity ^(a)								
Highest single measurement of the treated surface water (NTU)	TT = 1.0	n/a	0.04	n/a	n/a	n/a	2020	Soil runoff
Lowest percent of all monthly readings less than 0.3 NTU (%)	TT = 95	n/a	100	n/a	n/a	n/a	2020	Soil runoff
Inorganic Constituents								
Aluminum (µg/L)	1000	600	ND - 260	137	ND	ND	2020	Erosion of natural deposits; residue from some surface water treatment processes
Fluoride (mg/L) [Naturally occurring]	2.0	1	0.5 - 0.9	0.7	0.25-0.26	0.26	2020	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories
Secondary Standards - Aesthetic (units)	Secondary MCL	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Aluminum (µg/L)	200	n/a	ND - 260	137	ND	ND	2020	Erosion of natural deposits; residue from some surface water treatment processes
Chloride (mg/L)	500	n/a	93 - 94	94	18 - 22	20	2020	Runoff/leaching from natural deposits; seawater influence
Iron (µg/L)	300	n/a	ND	ND	ND - 420 ^(a)	39	2020	Leaching from natural deposits; Industrial wastes
Manganese (µg/L)	50	n/a	ND	ND	28 - 47	37	2020	Leaching from natural deposits
Odor--Threshold (units)	3	n/a	2	2	1-2	1	2020	Naturally-occurring organic materials
Specific Conductance (µS/cm)	1600	n/a	964 - 975	970	480-500	490	2020	Substances that form ions when in water; seawater influence
Sulfate (mg/L)	500	n/a	215 - 217	216	44-76	60	2020	Runoff/leaching from natural deposits; industrial wastes
Turbidity (units)	5	n/a	ND	ND	ND - 0.1	0.05	2020	Soil runoff
Total Dissolved Solids (mg/L)	1000	n/a	582 - 603	592	290-310	300	2020	Runoff/leaching from natural deposits
Other Parameters (units)	Notification Level	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Aggressive Index (units) ^(c)	n/a	n/a	12.3 - 12.4	12.4	12.5	12.5	2020	
Alkalinity (mg/L)	n/a	n/a	117 - 120	118	150-180	165	2020	Runoff or leaching from natural deposits
Calcium (mg/L)	n/a	n/a	65 - 67	66	51 - 53	52	2020	Runoff or leaching from natural deposits
Hardness [as CaCO ₃] (mg/L) ^(d)	n/a	n/a	261 - 269	265	160-173	167	2020	Runoff or leaching from natural deposits
Hardness [as CaCO ₃] (grains/gallon)	n/a	n/a	15.2 - 15.7	15.5	9.4 - 10.1	9.7	2020	Runoff or leaching from natural deposits
Magnesium (mg/L)	n/a	n/a	25 - 26	26	8.1 - 9.8	8.9	2020	Runoff or leaching from natural deposits
pH (pH units)	n/a	n/a	8.1	8.1	8.1 - 8.2	8.1	2020	Hydrogen ion concentration
Potassium (mg/L)	n/a	n/a	4.5 - 4.7	4.6	2.0 - 2.7	2.4	2020	Runoff or leaching from natural deposits
Sodium (mg/L) ^(e)	n/a	n/a	93 - 98	96	43 - 44	44	2020	Refers to the salt present in the water and is generally naturally occurring
Radioactive Contaminants	Primary MCL	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Gross Alpha Activity (pCi/L)	15	(0)	ND - 3	ND	ND	ND	2017	Erosion of natural deposits
Gross Beta Activity (pCi/L)	50	(0)	ND - 7	ND	n/a	n/a	2020	Decay of natural and man-made deposits
Radium 226 (pCi/L)	n/a	0.5	ND	ND	ND 1	0.4	2020	Erosion of natural deposits
Uranium (pCi/L)	20	0.43	1 - 3	2	ND	ND	2020	Erosion of natural deposits



Meets/
Exceeds
Regulations




Compton - Willowbrook 2020 Annual Water Quality Report

Unregulated Drinking Water Constituents (units)	Notification Level	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Boron (µg/L)	1000	n/a	130	130	n/a	n/a	2019	
Chlorate (µg/L)	800	n/a	69	69	n/a	n/a	2019	
N-Nitrosodimethylamine (NDMA) (ng/L)	10	3	3.1	3.1	n/a	n/a	2019	
Manganese (µg/L) ⁽¹⁾	n/a	n/a	n/a	n/a	2.0 - 2.3	2.2	2019	
HAA5 (µg/L)	n/a	n/a	n/a	n/a	0.34 - 1.01	0.59	2019	
HAA6Br (µg/L)	n/a	n/a	n/a	n/a	ND - 0.33	0.08	2019	
HAA9Br (µg/L)	n/a	n/a	n/a	n/a	0.34 -1.01	0.59	2019	
Microbiological Constituents (units) - Distribution System	Primary MCL	PHG (MCLG)	Value			Most Recent Sampling Date	Typical Source of Constituent	
Total Coliform Bacteria ≥40 Samples/Month (Present / Absent)	More than 5% of monthly samples are positive	(0)	Highest percent of monthly samples positive was 1.69 %			2020	Naturally present in the environment	
Distribution System	Primary MCL (MRDL)	PHG (MRDLG)	Range of Detection	Average Level		Most Recent Sampling Date	Typical Source of Constituent	
Fluoride (mg/L) [Treatment Added]	2	1.0	0.50-0.82		0.70	2020	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories	
Chlorine [as Cl ₂] (mg/L)	(4.0)	(4)	0.14-2.62		1.09	2020	Drinking water disinfectant added for treatment	
HAA5 [Total of Five Haloacetic Acids] (µg/L)	60	n/a	1.5-12.5		7.48	2020	Byproduct of drinking water disinfection	
TTHMs [Total of Four Trihalomethanes] (µg/L)	80	n/a	5.8-43.7		30.5	2020	Byproduct of drinking water disinfection	
Lead and Copper Rule	Action Level	PHG (MCLG)	Sample Data	Range of Detection	90th % Level	Most Recent Sampling Date	Typical Source of Constituent	
Copper (mg/L)	1.3	0.3	0 of the 48 samples collected exceeded the action level.	ND - 0.45	0.22	2020	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
Lead (µg/L)	15	0.2	0 of the 48 samples collected exceeded the action level.	ND	ND	2020	Internal corrosion of household plumbing systems; discharges from industrial manufacturers; erosion of natural deposits	



Meets/
Exceeds
Regulations



KEY TO ABBREVIATIONS AND FOOTNOTES

mg/L or ppm = milligrams per liter or parts per million

µg/L or ppb = micrograms per liter or parts per billion

ng/L or ppt = nanograms per liter or parts per trillion

pCi/L = picoCuries per liter

NA or N/A = Not applicable or Not required

ND = Not detected

TT = Treatment Technique

NL = Notification Level

NTU = Nephelometric Turbidity Units. This is a measure of suspended material in the water

(a) = Turbidity is a measure of the cloudiness of the water and is a good indicator of water quality and filtration performance

(b) = The state allows us to monitor for some parameters less than once per year because the concentrations of these parameters in groundwater sources do not change frequently. Some of the data, though representative, are more than one year old.

[c] = An aggressive Index of 11 or greater indicates the water is non-aggressive (non-corrosive)

(d) = Hardness is the sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally occurring.

[e] = Sodium refers to the salt present in the water and is generally naturally occurring.

(f) = Manganese monitored at the system interconnection not at the source

(g) = The maximum iron level of 420 µg/L was a monitoring error. Another sample was taken within 30-days and the result was non-detected



DEFINITIONS

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Primary Drinking Water Standard (PDWS): MCLs, MRDLs and treatment techniques (TTs) for contaminants that affect health, along with their monitoring and reporting requirements.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

**Meets/
Exceeds
Regulations**

