

City of La Verne Water Division


2023 Water Quality Report

DATA FOR 2022

The City of La Verne 2023 Water Quality Report

Since 1990, California public water utilities have been providing annual Water Quality Reports to their customers. This year's report, also known as the "Consumer Confidence Report," covers water quality testing from January to December 2022, unless otherwise specified.

The City of La Verne Water Division's (City) annual Water Quality Report is prepared in compliance with the regulations called for in the 1996 reauthorization of the Safe Drinking Water Act (SDWA). The reauthorization charged the United States Environmental Protection Agency (USEPA) with updating and strengthening the tap water regulatory program. USEPA and the State Water Resources Control Board, Division of Drinking Water (DDW) are the agencies responsible for establishing water quality standards.



To ensure that your tap water is safe to drink, USEPA and DDW prescribe regulations that limit the amount of certain contaminants in water provided by water systems. DDW regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

The State and Federal governments require that this annual Water Quality Report be provided to every customer to ensure you are informed of the quality of your water. The City is committed to safeguarding its water supply and, as in years past, the water delivered to your home meets or exceeds the standards required by the state and federal regulatory agencies. In some cases, the City goes beyond what is required by testing for unregulated chemicals that may have known health risks but do not have drinking water standards. Unregulated chemical monitoring helps USEPA and DDW determine where certain chemicals occur and whether new standards need to be

Every Drop is Golden...

"And it never failed that during the dry years the people forgot about the rich years, and during the wet years they lost all memory of the dry years. It was always that way." ~ JOHN STEINBECK. 1952

Torrential rains. A Sierra snowpack over 200% of normal. Blizzards in Southern California! For those of us weary of drought, this Winter's storms were a welcome relief. But gratifying as the season proved, it does not spell the end of drought. For even with full reservoirs and slowly



replenishing aquifers, the cyclical nature of California's water fortunes, coupled with our arid climate, guarantees a return to drought in years to come.

Much has changed since Steinbeck's day. Water conservation has become a way of life. No longer seen as a temporary patch for times of drought, conservation's role as protector of our shared waters is engrained in our behavior. We recognize it doesn't mean we must use less water, only that we not waste the water we have. By saving water today, we ensure we'll have it tomorrow — for every drop is golden! established for those chemicals to protect public health. We encourage you to read this report and to contact us with any questions you may have.

Questions about your water? Contact us for answers.

If you would like more information, or have any questions regarding the quality or delivery of your water service, please contact Richard Martinez, Utilities Manager, City of La Verne, 3660 "D" Street, La Verne, CA 91750, or by phone at (909) 596-8741.

The City Council meets on the first and third Mondays of the month in the Council Chambers at the same address above. Public attendance and participation is encouraged and welcomed.

For more information about the health effects of the listed constituents in the following tables, call the U.S. Environmental Protection Agency hotline at (800) 426-4791.

Additional Resources for Water Information

The City of La Verne cares about our customers and the water we supply to them. We always welcome any calls or questions regarding the quality or delivery of our water. Our customer service office can be reached at (909) 596-8744. For more information about water use efficiency and available rebates, please visit the City's website at www.cityoflaverne.org and look for environmental programs in the Public Works Department section.


This report contains important information about your drinking water. Translate it, or speak with someone who understands it.

> Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alquien que lo entienda bien.

The Quality of Your Water is Our Primary Concern

Sources of Supply

Local groundwater provides approximately 24 percent of our water; however, most of our supply (76 percent) is purchased from the Three Valleys Municipal Water District (TVMWD) who treats water received from the



Metropolitan Water District of Southern California (MWD). MWD provides supplemental water to about 300 cities and unincorporated areas in Southern California, importing water from two separate sources: the Colorado River and the State Water Project. The water we purchase is treated by Three Valleys Municipal Water District at the Miramar Treatment Plant.

Basic Information About Drinking Water Contaminants

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of land or through the layers of the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animal and human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm runoff, industrial or domestic wastewater discharges, oil and gas production, mining and farming.



- **Radioactive contaminants**, which can be naturally occurring or be the result of oil and gas production or mining activities.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application and septic systems.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.

More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at (800) 426-4791.

Special Risk Populations

Some individuals may be more vulnerable to the effects of possible contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ



transplants, some elderly persons, infants, persons infected with HIV/AIDS, or persons with other immune system disorders can be particularly at risk from infections. These persons should seek advice from their health care providers about drinking water.

The USEPA/Center for Disease Control guidelines on appropriate means to lessen the risks of infection by microbial contaminants such as *Cryptosporidium* are available from the Safe Drinking Water Hotline (1-800-426-4791).

About Lead in Tap Water

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in



your home's water, you may wish to have your water tested and/or flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the USEPA Safe Drinking Water Hotline (1-800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of La Verne is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.

Additional General Drinking Water Information

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by visiting the USEPA Safe Drinking Water website (www.epa.gov/ground-waterand-drinking-water) or by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Water Quality Issues that Could Affect Your Health

Contaminants Exceeding MCL or AL

The range for Nitrate and other constituents in the groundwater sample results may be above the Maximum Contaminant Level (MCL). These values are for wells which account for approximately 24 percent of the total water supplied to our customers. The Nitrate content at your tap is well below the MCL of 10 parts per million (ppm), ranging from ND to 7.1 ppm with an average of 4.19 ppm. The Perchlorate content at your tap is well below the MCL of 6 parts per billion (ppb), ranging from ND to 5.3 ppb with an average of <2.0 ppb. The range for Trichloroethylene in the prolonged levels above 6 ppb can disrupt the normal function of the thyroid gland in both children and adults. In adults, the thyroid plays an important role in metabolism, making and storing hormones that help regulate the heart rate, blood pressure, body temperature, and the rate at which food is converted into energy. In fetuses and infants, thyroid hormones are critical for normal growth and development of the central nervous system. Perchlorate can interfere with the human body's ability to absorb iodine into the thyroid gland which is a critical element in the production of thyroid hormones.

groundwater sample results may also be above the MCL of 5 parts per billion (ppb); however, the groundwater goes through an air stripping process that reduces the Trichloroethylene to between ND to 1.1 ppb with an average of 0.78 ppb.

Nitrate as Nitrogen in drinking water at prolonged levels above 10 ppm is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate as Nitrogen in drinking water at prolonged levels above 10 ppm may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your healthcare provider.

Fluoride

Fluoride has been added to U.S. drinking water supplies since 1945. Of the 50 largest cities in the U.S., 43 fluoridate their drinking water.

In December 2007, MWD joined a majority of the nation's public water suppliers in adding fluoride to drinking water in order to prevent tooth decay. In 2022, MWD was in compliance with all provisions of the State's fluoridation system requirements. Our local



water is not supplemented with fluoride. Fluoride levels in drinking water are limited under California state regulations at a maximum dosage of 2 parts per million.

Additional information about the fluoridation of drinking water can be found through the following sources:

U.S. Centers for Disease Control and Prevention:

www.cdc.gov/fluoridation • 1-800-CDC-INFO (1-800-232-4636)

State Water Resources Control Board, Division of Drinking Water

www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/Fluoridation.html For more information about MWD's fluoridation program, please contact Edgar

G. Dymally at edymally@mwdh2o.com or you may call him at (213) 217-5709.

Perchlorate in drinking water at

Source Water Assessments

Imported (MWD) Water Assessment

Every five years, MWD is required by DDW to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters. The most recent surveys for Metropolitan's source waters are the Colorado River

Watershed Sanitary Survey – 2020 Update, and the State Water Design Watershed Sanitary Survey – 2020 Update, and the State Water



Project Watershed Sanitary Survey - 2021 Update. Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/stormwater runoff, wildlife, agriculture, recreation, and wastewater. USEPA also requires MWD to complete one Source Water

Assessment (SWA) that utilizes information collected in the watershed sanitary surveys. MWD completed its SWA in December 2002. The SWA is used to evaluate the vulnerability of water sources to contamination and helps determine whether more protective measures are needed.

A copy of the most recent summary of either Watershed Sanitary Survey or the SWA can be obtained by calling MWD at (800) CALL-MWD (225-5693).

Groundwater Assessment

A source water assessment was conducted for all city owned wells including Beech Street Well, La Verne Heights Well 01, La Verne Heights Well 02, La Verne Heights Well 03, Lincoln Well, Mills Tract Well, Old Baldy Well, Amherst Well, and Walnut Well for the City of La Verne Water Department in March 2002.

These sources are considered most vulnerable to the following activities not associated with any detected contaminants: hospitals, high density housing, storm drain discharge points, transportation corridors — road-right-of-ways, sewer collection systems, high density septic systems, dry cleaners, historic gas stations, confirmed leaking underground fuel tanks, automobile gas stations, and plastics/synthetics producers.



A copy of the complete assessment may be viewed at: State Water Resources Control Board, Division of Drinking Water, 500 N. Central Avenue, Suite 500, Glendale, California 91203. You may request a summary of the assessment be sent to you by contacting Chi P. Diep, District Engineer, Metropolitan District, (818) 551-2016.

Microbiological Contaminants	System Water	Miramar Plant	MCL	PHG (MCLG)	MCL Violation	Typical Source of Contaminant
Total Coliform Bacteria Highest percent of positive samples in one month: 5%	No acute violation, 0 positive samples	No acute violations, O positive samples	5% of samples collected in one month with positive detection	0	No	Naturally present in the environment
Fecal Coliform or E. coli	0 acute violation, 0 positive samples	No acute violations, 0 positive samples	0	0	No	Human and animal fecal waste

labi	Table 2 – Sampling Results showing the Detection of Lead and Copper at Residential Taps							
Lead and Copper Last sampled 2021; next sampling due 2024	Action Level (AL)	Public Health Goal	90th Percentile Value	Sites Exceeding AL / Number of Sites	AL Violation	Typical Source of Contaminant		
Lead (ppb)	15	0.2	11	2 / 34	No	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits.		
Copper (ppm)	1.3	0.3	0.084	0 / 34	No	Internal corrosion of household water plumbing systems; erosion of natural deposits; leaching from wood preservatives.		

Table 3 – Sampling Results for General Minerals							
Chemical or Constituent	Groundwater (24%) (Raw Water) (Range)	Miramar Plant (76%) (Average)	MCL	PHG (MCLG)	MCL Violation	Typical Source of Contaminant	
Sodium (ppm)	32 - 42	61	none	none	No	Generally found in ground and surface water	
Hardness (as CaCO ₃) (ppm)	300 - 420	82	none	none	No	Generally found in ground and surface water	

Table 4 – Detection of Contaminants with a Primary Drinking Water Standard							
Chemical or Constituent	Groundwater (24%) (Raw Water) (Range/Average)	Miramar Plant (76%) (Range/Average)	MCL	PHG (MCLG)	MCL Violation	Typical Source of Contaminant	
CLARITY							
Combined Filter Effluent Turbidity (I	NTU) —	<0.06	TT	N/A	No	Soil runoff	
ORGANIC CHEMICALS							
1,1 Dichloroethane (ppb)	ND	ND	5	3	No	Extraction and degreasing solvent, fumigant	
Tetrachloroethylene (PCE) (ppb)	0.5 - 0.5 / 0.50	ND	5	0.06	No	Discharge from factories, dry cleaners & auto shops	
Trichloroethylene (TCE) (ppb)	ND - 12 / 4.95	ND	5	1.7	No	Discharge from metal degreasing sites and other factories	
DISINFECTION BY PROD	UCTS, DISINFECTA	NT RESIDUALS					
Total Trihalomethanes (TTHM) (ppb) N/A	31.3 - 40 / 34.39	80	N/A	No	By-product of drinking water disinfection	
Sum of Five Haloacetic Acids (HAA5)	(ppb) N/A	2.3 - 10.3 / 6.225	60	N/A	No	By-product of drinking water disinfection	
Total Chlorine Residual (ppm)	N/A	2.54 – 2.77 / 2.65	[4.0]	[4.0]	No	Drinking water disinfectant added for treatment.	
INORGANIC CHEMICALS							
Fluoride (ppm) (naturally occurring)	0.17 – 0.59 / 0.33	0.17	2	1	No	Erosion of natural deposits; water additive that promotes strong teeth	
Nitrate as Nitrogen (ppm)	4 - 26 / 14	ND – 0.57 / 0.35	10	10	No	Runoff & leaching from fertilizer; leaching from septic tanks & sewage; erosion of natural deposits	
Perchlorates (ppb)	ND – 20 / 7	ND	6	1	No	Industrial waste discharge	
Hexavalent Chromium (ppb)	ND	ND	None	0.02	No	Industrial waste discharge; could be naturally present as well	
Barium (ppb)	74 – 95 / 83	ND	1000	2000	No	Discharge of oil drilling wastes and from metal refineries; erosion of natural deposits	
Total Chromium (ppb)	1 – 3.3 / 2.30	ND	50	100	No	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits	
Arsenic (ppb)	2.8 - 2.8 / 2.8	ND	10	0.004	No	Erosion of natural deposits; glass & electronics production wastes	
RADIONUCLIDES (testing	required every six t	o nine years)					
Gross Beta Particle Activity (pCi/L)	NR	5.82	50	(0)	No	Decay of natural and manmade deposits	
Uranium (pCi/L)	3.5 – 6.1 / 4.7	ND	20	(0)	No	Erosion of natural deposits	
Radium 226	ND - 0.059 / 0.014	0.88	N/A	0.05	No	Erosion of natural deposits	
Radium 228	0.02 - 0.294 / 0.09	0	N/A	0.019	No	Erosion of natural deposits	

The Presence of Contaminants Does Not Necessarily Indicate a Health Risk The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. The DDW requires the City to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, are more than one year old. The City also participated in unregulated contaminant monitoring. Unregulated contaminant monitoring helps EPA determine where certain contaminants occur and whether it needs to establish regulations for those contaminants. All constituents for this testing were non-detectable (ND) in our groundwater supply.

Chemical or Constituent (and reporting units)	Groundwater (24%) (Raw Water) (Range/Average)	Miramar Plant (76%) (Range/Average)	MCL	PHG (MCLG)	MCL Violation	Typical Source of Contaminant
AESTHETIC STANDARDS						
Chloride (ppm)	38 – 72 / 59.14	ND	500	NA	No	Runoff/leaching from natural deposits; seawater influence
Iron (ppb)	ND	ND	300	NA	No	Leaching from natural deposits; industrial waste
Odor Threshold (units)	ND	1	3	NA	No	Naturally occurring organic materials
Specific Conductance (mS/cm)	730 – 910 / 777.14	480	1600	NA	No	Substances that form ions when in water seawater influence
Sulfate (ppm)	76 – 120 / 88.57	50	500	NA	No	Runoff/leaching from natural deposits; industrial wastes
Total Dissolved Solids (ppm)	460 - 610 / 502.86	260	1000	NA	No	Runoff/leaching from natural deposits; seawater influence
ADDITIONAL PARAMETE	RS					
Alkalinity (as CaCO ₃) (ppm)	170 – 220 / 194.29	76 – 86 / 83.25	NA	NA	No	Measure of water quality
Calcium (ppm)	83 - 130 / 98.29	23 – 25 / 24	NA	NA	No	Measure of water quality
Magnesium (ppm)	18 - 24 / 21.86	4.9	NA	NA	No	Measure of water quality
pH (units)	7.7 – 8 / 7.84	8.5	NA	NA	No	Measure of water quality
Potassium (ppm)	1.8 – 2.4 / 2.03	1.9	NA	NA	No	Measure of water quality
Total Organic Carbon (ppm)	_	1.0 - 1.35 / 1.32	NA	NA	No	Various natural and manmade sources

Table Legend

What is a Water Quality Goal?

In addition to mandatory water quality standards, USEPA and the DDW have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guidance and directions for water management practices. The chart in this report includes three types of water quality goals:

- Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the USEPA.
- Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Public Health Goals (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

What are Water Quality Standards?

Drinking water standards established by the USEPA and DDW set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The chart in this report shows the following types of water quality standards:

- Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor. taste, and appearance of drinking water.
- Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Primary Drinking Water Standard (PDWS): MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
- Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded. triggers treatment or other requirements which a water system must follow.

- Reporting Limit (RL): The smallest concentration (or amount) of analyte that can be reported by a laboratory.
- Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.
- Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water
- Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Measurement Information

In order to ensure that tap water is safe to drink, USEPA and DDW prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.

The tables list all the drinking water contaminants that the City detected above the reporting limits during the 2022 calendar year.

The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done for the period January 1 through December 31, 2022.

How are Contaminants Measured?

 Parts per million (ppm) or • Parts per billion (ppb) or • Parts per trillion (ppt) or milligrams per liter (mg/L) micrograms per liter (µg/L) nanograms per liter (ng/L)

What Do the Abbreviations Represent?

- pCi/L = picoCuries per liter umho/cm = micromhos per centimeter
- NTU = nephelometric turbidity units ND = not detected
- NR = Not Required • NC = not collected • NL = Notification Level



- NA = not applicable