

# Norwalk **Water System**

Consumer Confidence Report on Water Quality for 2020



**Providing Quality Drinking Water in California Since 1929** 

## **About the Company**

Golden State Water Company (GSWC) is a wholly owned subsidiary of American States Water Company (NYSE:AWR). GSWC provides water service to more than 1 million people in over 80 communities throughout California. AWR also owns a contracted services subsidiary, American States Utility Services, Inc. (ASUS). ASUS provides operations, maintenance and construction management services for water and wastewater systems located on military bases throughout the country under 50-year privatization contracts with the U.S. government.



Robert Sprowls
President and
Chief Executive Officer
Golden State Water Company



Dave Schickling
General Manager,
Central District
Golden State Water Company

## **President's Message**

Dear Golden State Water Customer,

Golden State Water Company (GSWC) is pleased to present our 2021 Annual Water Quality Report (Consumer Confidence Report), providing customers with important information regarding local water quality and service during the 2020 calendar year.

GSWC is proud to be the trusted water provider serving local customers and more than 80 communities throughout California, and we appreciate that customers have peace of mind knowing we never stop working to ensure quality, reliable water is available at their taps when they need it.

We recognize the challenges many customers have faced during this pandemic period. During this unprecedented time, our continued dedication to providing the highest levels of service and care to customers has been a driving force for our team of water professionals. We take great pride in the service we provide and embrace our role as essential workers in the community.

The pandemic has impacted the community in many ways, and we will remain with customers each step of the way until normalcy is restored. In 2020, GSWC implemented a temporary moratorium on disconnections for non-payment and activated Emergency Disaster Relief Protections as a resource for customers who have suffered financial hardships directly related to COVID-19. Those protections have been extended until June 30, 2021, and we are working closely with customers who have fallen behind to help get their accounts back in good standing.

For more than 90 years, water quality has always been a top priority for GSWC. Our team of scientists, engineers and water experts is committed to protecting our water systems and ensuring the water we deliver to local homes and businesses meets the stringent standards set by the state and federal governments and is safe to drink. We aggressively monitor and test for hundreds of contaminants in each of our 37 water systems and have consistently scored among the top water companies for compliance with water quality regulations.

**GSWC** is proud to report that the water delivered to your tap continues to meet all federal and state quality standards established to protect public health and safety. Within this document, you will find information regarding local water supply sources, testing, and the steps GSWC takes to ensure our water is in compliance with standards set by the United States Environmental Protection Agency (USEPA), State Water Resources Control Board's Division of Drinking Water (DDW) and California Public Utilities Commission (CPUC).

To access the most up-to-date Water Quality Report for your area, sampling results, and to learn more about common contaminants, you can visit <a href="https://www.gswater.com/water-quality/">www.gswater.com/water-quality/</a>. If you have any questions about this report, please contact our 24-hour Customer Service Center at 1.800.999.4033 or email us at <a href="mailto:customerservice@gswater.com">customerservice@gswater.com</a>.

GSWC is constantly working toward 100 percent customer satisfaction and encourages all customers to visit **www.gswater.com** and follow us on Twitter and on Facebook at @ GoldenStateH2O.

On behalf of everyone at GSWC, thank you for allowing us the opportunity to serve you and your community.

Sincerely,

Robert Sprowls

Dave Schickling

Golden State Water is constantly working toward 100 percent customer satisfaction and we encourage you to visit www.gswater.com and follow us on Twitter and on Facebook at @GoldenStateH20

## Where Does **My Water Come From?**

Water delivered to customers in the Norwalk System is a blend of groundwater pumped from the Central Groundwater Basin and

imported water from the Colorado River Aqueduct and the State Water Project (imported and distributed by the Metropolitan Water District of Southern California). The Central Groundwater Basin is bounded on the north by the La Brea Uplift; on the east by the Elysian, Repetto, Merced and Puente hills; on the southeast by the Orange County Groundwater Basin; and on the west by the Newport-Inglewood Fault Zone.



#### Source Water Assessment

Golden State Water Company conducted a source water assessment in 2003 for each groundwater well serving the customers of its Norwalk System.

The groundwater sources are considered most vulnerable to the following activities not associated with detected contaminants: car washes, cement/ concrete plants, chemical/petroleum pipelines, construction/demolition staging areas, food processing, furniture repair/ manufacturing, hospitals, irrigated crops, office buildings/ complexes, oil, gas, geothermal wells, parking lots/malls, photo processing/printing, schools, sewer collection systems, utility station maintenance areas, water supply wells, and wood/pulp/paper processing and mills.

Groundwater sources in this system are considered most vulnerable to the following activities associated with contaminants detected in the water supply: body shops, chemical/petroleum/storage, dry cleaners, electrical/electronic manufacturing, fleet/truck/bus terminals, gas stations, junk/scrap/salvage yards, landfills/dumps, machine shops, metal plating/finishing/fabricating, motor pools, plastics/synthetics producers, railroad yards/maintenance/fueling areas, and repair shops.

A copy of the assessment may be viewed at:

State Water Board Los Angeles District Office 500 N. Central Ave., Suite 500, Glendale, CA 91203

or

Golden State Water Company 12035 Burke St., Suite 1, Santa Fe Springs, CA 90670

You may request a summary of the assessment be sent to you by contacting:

State Water Board Los Angeles District Office at 1.818.551.2004

For more details, contact Phuong Nguyen, Water Quality Engineer, at 1.800.999.4033.

In December 2002, The Metropolitan Water District of Southern California (MWD) completed a source water assessment of its Colorado River and State Water Project supplies.

Colorado River supplies are considered to be most vulnerable to the following: increasing urbanization in the watershed, recreation, urban/stormwater runoff, and wastewater.

State Water Project supplies are considered to be most vulnerable to the following: agriculture, recreation, urban/ stormwater runoff, wastewater, and wildlife.

A copy of the assessment can be obtained by contacting MWD at 1.213.217.6000.



## Distribution Water Quality Table Risk to Tap and Bottled Water For Sensitive Immune Systems Cross Connection Control Program Flushing Contact Us Connect with Us Infrastructure Investments Conserving for California

4

**Contents** 

Glossary of Terms

Source Water Assessment

How to Read Your Table

**Laboratory Analyses** 

Source Water Quality Table

In every one of our water systems, a team of highlytrained employees monitors water quality on an on-going basis to ensure that our customers are receiving high-quality water.







## **Glossary of Terms**

#### **Maximum Contaminant Level (MCL)**

The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the public health goals and maximum contaminant level goals as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

#### California Notification Level (NL)

Non-regulatory, health-based advisory levels established by the State Board for contaminants in drinking water for which an MCL has not been established.

#### **Maximum Contaminant Level Goal (MCLG)**

The level of contaminant in drinking water below which there is no known or expected risk to health. Maximum contaminant level goals are set by the United States Environmental Protection Agency (USEPA).

#### **Maximum Residual Disinfectant Level (MRDL)**

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

#### Maximum Residual Disinfectant Level Goal (MRDLG)

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

#### **Primary Drinking Water Standard (PDWS)**

MCLs, MRDLs and treatment techniques (TTs) for contaminants that affect health, along with their monitoring and reporting requirements.

#### **Public Health Goal (PHG)**

The level of a contaminant in drinking water below which there is no known or expected risk to health. Public health goals are set by the California Environmental Protection Agency (CalEPA).

#### Regulatory Action Level (AL)

The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

#### **Treatment Technique (TT)**

A required process intended to reduce the level of a contaminant in drinking water.

Delivering drinking water is serious business, and our team of scientists, engineers and water experts is dedicated to protecting our water systems and ensuring the water we deliver to local homes and businesses meets stringent standards set by the state and federal governments and is safe to drink.

| Unit of Measurement           | Unit<br>Abbreviation | Also Known as  | This can be compared to  |
|-------------------------------|----------------------|--|--|
| Parts per million (PPM)       | mg/L                 | milligrams per liter   | 1 second in 12 days  |
| Parts per billion (PPB)       | μg/L                 | micrograms per liter   | 1 second in 32 years   |
| Parts per trillion (PPT)      | ng/L                 | nanograms per liter  | 1 second in 32,000 years   |
| Grains per gallon             | grains/gallon        | a measurement for water hardness often used for sizing household water softeners | 1 grain/gal equals 17.1 mg/L of hardness                         |
| Nephelometric Turbidity Units | NTU                  | a measurement of the clarity of water.   | Turbidity in excess of 5 NTU is noticeable to the average person |
| Microsiemens per centimeter   | μS/cm                | a measurement of a solution's ability to conduct electricity                     |  |
| Picocuries per liter          | pCi/L                | a measurement of radioactivity in water  |  |

## How to Read Your Table

The highest level of a constituent allowed in drinking water.

The highest level for which the constituent has no known or expected health risks.

The consumer confidence report lets you know which constituents, if any, are in your drinking water and how this may affect your health. The constituents presented in this table were detected above the detection limit set by the State Water Resources Control Board. Below is a guide that explains each column of the table.

| The range of presence for which the constituent was detected in the drinking water. |                | a constit     | age amount o<br>uent detected<br>inking water. | d _              |                              | ost recent ests were constituent enters the drinking water. Wording provided by the USEPA. |
|---|----------------|---------------|--|------------------|------------------------------|--|
|   |                |               |  |                  |                              |  |
| Primary Standards -<br>Health Based (units)   | Primary<br>MCL | PHG<br>(MCLG) | Range of<br>Detection                          | Average<br>Level | Most Recent<br>Sampling Date | Typical Source of Constituent  |
| Substance A (mg/L)  | 50             | 0.6           | ND - 40  | 20               | 2019                         | Erosion of natural deposits; residue from some surface water treatment processes           |
| Substance B (µg/L)  | 6              | 1             | 0.1 - 2.8                                      | 1.7              | 2016                         | Discharge from petroleum refineries; fire retardants; ceramics: electronics: solder        |

| ATER MEI                                    | ETS AL   | L CURRE  | NT FEDI   | RAL AND S  | STATE REQUIREMENTS  |  |  |  |
|---|--|--|---|--|---|--|--|--|
| Norwalk Water System – Source Water Quality |  |  |   |  |   |  |  |  |
| Primary<br>MCL                              | PHG<br>(MCLG)  | Range of<br>Detection  | Average<br>Level  | Most Recent<br>Sampling Date   | Typical Source of Constituent   |  |  |  |
|   |  |  |   |  |   |  |  |  |
| TT = 1.0                                    | n/a  | n/a  | 0.04  | 2020   | Soil runoff   |  |  |  |
| TT = 95                                     | n/a  | n/a  | 100%  | 2020   | Soil runoff   |  |  |  |
|   |  |  |   |  |   |  |  |  |
| 1   | 0.6  | ND - 0.26  | 0.067   | 2020   | Erosion of natural deposits; residue from some surface water treatment proces   |  |  |  |
| 10  | 0.004  | ND - 3.3   | ND  | 2020   | Erosion of natural deposits; runoff from orchards; glass and electronics production wastes  |  |  |  |
| 1   | 2  | ND - 0.14  | ND  | 2020   | Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits  |  |  |  |
| 2.0   | 1  | 0.4 - 0.9  | 0.7   | 2020   | Erosion of natural deposits; water additive that promotes strong teeth; discharg from fertilizer and aluminum factories   |  |  |  |
| 10  | 10   | ND - 7.9   | 2.5   | 2020   | Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits   |  |  |  |
| 50  | 30   | ND - 9.6   | ND  | 2020   | Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive)   |  |  |  |
|   |  |  |   |  |   |  |  |  |
| 5   | 3  | ND - 0.69  | ND  | 2020   | Extraction and degreasing solvent; used in manufacture of pharmaceuticals, stone, clay and glass products; fumigant   |  |  |  |
|   |  |  |   |  |   |  |  |  |
| 15(b)                                       | (0)  | ND - 8   | ND  | 2020   | Erosion of natural deposits   |  |  |  |
| 50(c)                                       |  |  |   |  | Decay of natural and manmade deposits   |  |  |  |
|   |  |  |   |  | Erosion of natural deposits   |  |  |  |
| Secondary<br>MCL                            | PHG<br>(MCLG)  | Range of<br>Detection  | Average<br>Level  | Most Recent<br>Sampling Date   | Typical Source of Constituent   |  |  |  |
| 200   | n/a  | ND - 260   | 67  | 2020   | Erosion of natural deposits; residue from some surface water treatment proces   |  |  |  |
|   |  |  |   |  | Naturally-occurring organic materials   |  |  |  |
|   |  |  | -   |  | Runoff/leaching from natural deposits; seawater influence   |  |  |  |
|   |  |  | 400   | 100  | Naturally-occurring organic materials   |  |  |  |
|   |  |  | /S 10 mm/s 200  |  | Substances that form ions when in water; seawater influence   |  |  |  |
|   |  |  | the latest of   |  | Runoff/leaching from natural deposits; industrial wastes  |  |  |  |
|   |  | 1 00   | W   |  | Soil runoff  Disaff (lastice for the last describe  |  |  |  |
|   |  | D. Etc. vol.   | /   |  | Runoff/leaching from natural deposits   |  |  |  |
| Level                                       | (MCLG)   | Detection  | Level   | Sampling Date  | Typical Source of Constituent   |  |  |  |
|   | - 0  | 0 14 18  |   |  | 1   |  |  |  |
| n/a   | n/a  | 25 - 160   | 88  | 2020   |   |  |  |  |
| n/a   | n/a  | 107 - 540  | 310   | 2020   | The sum of polyvalent cations present in the water, generally magnesium and calcithe cations are usually naturally occurring  |  |  |  |
| n/a   | n/a  |  |   |  |   |  |  |  |
|   | -3 (Marie )  |  |   |  |   |  |  |  |
| n/a   | n/a  | 7.8 - 8.4  | 8.1   |  |   |  |  |  |
| n/a   | n/a  |  |   |  |   |  |  |  |
| n/a//                                       | n/a  |  |   |  | Refers to the salt present in the water and is generally naturally occurring  |  |  |  |
| Notification                                | PHG  | Range of   | Average   | Most Recent  |   |  |  |  |
| Level                                       | (MCLG)   | Detection  | Level   | Sampling Date  |   |  |  |  |
|   | (MCLG)   | ND - 4.4   | <b>Level</b><br>1.0   | Sampling Date<br>2020  |   |  |  |  |
| Level                                       | 790 LFCAC7   | CALLED TO A SECTION AND A SECTION ASSECTATION ASSECTATION ASSECTATION ASSECTATION ASSECTATION ASSECT |   | Maria Company  |   |  |  |  |
|   | TT = 1.0  TT = 95  1 10 1 2.0 10 50 5 15(b) 50(c) 20 Secondary MCL 200 15 500 3 1600 500 5 1000 Notification Level n/a n/a n/a n/a n/a n/a | TI = 1.0   | Orwalk Water Syst           Primary MCL         PHG (MCLG)         Range of Detection           TT = 1.0         n/a         n/a           TT = 95         n/a         n/a           1         0.6         ND - 0.26           10         0.004         ND - 3.3           1         2         ND - 0.14           2.0         1         0.4 - 0.9           10         10         ND - 7.9           50         30         ND - 9.6           5         3         ND - 0.69           15(b)         (0)         ND - 8           50(c)         (0)         ND - 7           20         0.43         ND - 6.7           Secondary         PHG PHG Petection         Range of Detection           15         n/a         ND - 3           500         n/a         ND - 2           1600         n/a         ND - 2           1600         n/a         A51 - 97           3         n/a         ND - 2           1600         n/a         451 - 1400           500         n/a         39 - 290           5         n/a         ND - 0.15           1000 <td>Primary MCL         PHG (MCLG)         Range of Level           TT = 1.0         n/a         Average Level           TT = 95         n/a         n/a         0.04           TT = 95         n/a         n/a         100%           1         0.6         ND - 0.26         0.067           10         0.004         ND - 3.3         ND           1         2         ND - 0.14         ND           2.0         1         0.4 - 0.9         0.7           10         10         ND - 7.9         2.5           50         30         ND - 9.6         ND           5         3         ND - 9.6         ND           15(b)         (0)         ND - 8         ND           50(c)         (0)         ND - 7         ND           20         0.43         ND - 6.7         2.9           Secondary (MCLG)         PHG Range of Level         Average Level           200         n/a         ND - 260         67           15         n/a         ND - 3         ND           500         n/a         ND - 260         67           15</td> <td>Primary MCL         PHG (MCLG)         Range of Detection         Average Level         Most Recent Sampling Date           TT = 1.0         n/a         n/a         0.04         2020           TT = 95         n/a         n/a         100%         2020           1         0.6         ND - 0.26         0.067         2020           10         0.004         ND - 3.3         ND         2020           1         2         ND - 0.14         ND         2020           2.0         1         0.4 - 0.9         0.7         2020           10         10         ND - 7.9         2.5         2020           50         30         ND - 9.6         ND         2020           50         30         ND - 9.6         ND         2020           50         3         ND - 9.6         ND         2020           50         3         ND - 9.6         ND         2020           5         3         ND - 9.6         ND         2020           50         30         ND - 7.         ND         2020           50         3         ND - 0.69         ND         2020           50         0.43         ND - 0</td> | Primary MCL         PHG (MCLG)         Range of Level           TT = 1.0         n/a         Average Level           TT = 95         n/a         n/a         0.04           TT = 95         n/a         n/a         100%           1         0.6         ND - 0.26         0.067           10         0.004         ND - 3.3         ND           1         2         ND - 0.14         ND           2.0         1         0.4 - 0.9         0.7           10         10         ND - 7.9         2.5           50         30         ND - 9.6         ND           5         3         ND - 9.6         ND           15(b)         (0)         ND - 8         ND           50(c)         (0)         ND - 7         ND           20         0.43         ND - 6.7         2.9           Secondary (MCLG)         PHG Range of Level         Average Level           200         n/a         ND - 260         67           15         n/a         ND - 3         ND           500         n/a         ND - 260         67           15 | Primary MCL         PHG (MCLG)         Range of Detection         Average Level         Most Recent Sampling Date           TT = 1.0         n/a         n/a         0.04         2020           TT = 95         n/a         n/a         100%         2020           1         0.6         ND - 0.26         0.067         2020           10         0.004         ND - 3.3         ND         2020           1         2         ND - 0.14         ND         2020           2.0         1         0.4 - 0.9         0.7         2020           10         10         ND - 7.9         2.5         2020           50         30         ND - 9.6         ND         2020           50         30         ND - 9.6         ND         2020           50         3         ND - 9.6         ND         2020           50         3         ND - 9.6         ND         2020           5         3         ND - 9.6         ND         2020           50         30         ND - 7.         ND         2020           50         3         ND - 0.69         ND         2020           50         0.43         ND - 0 |  |  |  |

(a) Our water system treats your water by adding fluoride to the naturally occurring level to help prevent dental caries in consumers. State regulations require the fluoride levels in the treated water to be maintained within a range of 0.6 - 1.2 mg/L with an optimum dose of 0.7 mg/L. (b) MCL is based on Gross Alpha minus Uranium. (c) DDW considers 50 pCi/L to be the level of concern for beta particles. (d) Odor data reported is prior to chlorination or other process and is not necessarily representative of water received by customers. (e) Manganese is a regulated contaminant but was not detected in routine samples associated with regulatory compliance and is below all regulatory standards.

ND = Not Detected CaCO3 = Calcium Carbonate

## **Laboratory Analyses**

Through the years, we have taken thousands of water samples to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants in your drinking water. The table we provide shows only detected contaminants in the water.

Even though all the substances listed here are under the Maximum Contaminant Level (MCL), we feel it is important that you know exactly what was detected and how much of these substances were present in your water. Compliance (unless otherwise noted) is based on the average level of concentration below the MCL. The state allows us to monitor for some contaminants less than once per year because the concentrations do not change frequently. Some of our data, while representative, is more than a year old.

**Aluminum** — The secondary MCL for aluminum is set for aesthetic reasons and there is no health concern associated with the aluminum levels in this water system

**Chloramination** — The water purchased by GSWC from Metropolitan Water District of Southern California (MWD) contains chloramine. Chloramine is added to the water for public health protection. Chloraminated water is safe for people and animals to drink, and for all other general uses. Three special user groups, including kidney dialysis patients, aquarium owners, and businesses or industries that use water in their treatment process, must remove chloramine from the water prior to use.

Hospitals or dialysis centers should be aware of chloramine in the water and should install proper chloramine removal equipment, such as dual carbon adsorption units. Aquarium owners can use readily available products to remove or neutralize chloramine. Businesses and industries that use water in any manufacturing process or for food or beverage preparation should contact their water treatment equipment supplier regarding specific equipment needs.

**Fluoridation** — GSWC began adding fluoride to its treated water supply in March 2013. Fluoride has been added to the water that GSWC purchases from Metropolitan Water District of Southern California (MWD) since November 2007. Customers should see no difference in the taste, color or odor of their water as a result of fluoridation. Fluoridation does not change the way you normally use water for fish, pets or cooking. Parents and guardians of children who receive fluoride supplements should consult the child's doctor or dentist. For information regarding fluoridation of your water, please visit the Division of Drinking Water's fluoridation website at https://www.waterboards.ca.gov/drinking\_water/certlic/drinkingwater/Fluoridation.html.

**Lead** — If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Golden State Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information about lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 1.800.426.4791 or at http://www.epa.gov/safewater/lead.

**Nitrate** — Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting

in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask for advice from your health care provider.

#### Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)

Per- and polyfluoroalkyl substances (PFAS) are a group of man-made chemicals that include Perfluorooctanoic Acid (PFOA), Perfluorooctane Sulfonate (PFOS) and Perfluorobutane Sulfonic Acid (PFBS). PFOA and PFOS can be found in a wide range of consumer products such as carpets, cookware and stain repellant, as they are resistant to water, grease and stains. PFOA and PFOS have also been used for suppressing certain types of fires, primarily at airfields and military bases. PFBS was developed and manufactured to replace the toxic eight-carbon chain PFOS.

While consumer products and food are a large source of exposure to these chemicals for most people, drinking water can be an additional source in the small percentage of communities where these chemicals have infiltrated water supplies. Such contamination is typically localized and associated with a specific facility, such as an industrial facility where these chemicals were produced or used to manufacture other products or an airfield at which they were used for firefighting.

PFOA and PFOS can be removed from water using a number of advanced drinking water treatment technologies, including Granular Activated Carbon (GAC), ion exchange and blending treatment processes.

On Aug. 23, 2019, the California State Water Resources Control Board (SWRCB) updated state guidelines that lower the current notification levels to 5.1 parts per trillion (PPT) for PFOA and 6.5 PPT for PFOS. On Feb. 6, 2020, the SWRCB established new response levels of 10 PPT for PFOA and 40 PPT for PFOS. On Mar. 5, 2021, the SWRCB established a response level of 500 PPT and notification level of 5,000 PPT for PFBS.

Based on the current evaluation of recent human and animal toxicity data, a lifetime of exposure to PFOA and PFOS in tap water over certain levels could result in adverse health effects including hepatotoxicity, immunotoxicity, thyroid toxicity, reproductive toxicity, cancer (e.g. testicular, kidney) and other effects. Sensitive consumers (pregnant women, nursing mothers, and infants) who may have been exposed are encouraged to consult their health care providers.

GSWC received monitoring orders from the SWRCB in 2019 and 2020 to sample for PFAS at several wells in the Norwalk system. Samples of untreated groundwater from two wells had detections of PFOA (below detection limit to 5.2 PPT) and PFOS (below detection limit to 16 PPT) in 2020; however, the groundwater from these wells is treated using GAC to remove PFOA, PFOS and other volatile organic compounds. PFOA and PFOS were not detected above the detection limit for purposes of CCR reporting in the corresponding water samples collected after treatment. Samples of untreated groundwater from the other two wells had detections of PFOA (4.8 to 8.4 PPT) and PFOS (16 to 31 PPT) in 2020. Both wells were taken out of service in 2019 and remain out of service.

**Turbidity** — Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of surface water filtration.

**Unregulated Contaminant Monitoring** — Monitoring for unregulated contaminants helps the USEPA and the State Board to determine where certain contaminants occur and whether the contaminants need to be regulated.

|   | Norwalk W  | Vater          | System – Dis  | tributi   | on Water                     | Quality  |
|---|--|----------------|---|---|------------------------------|--|
| Microbiological<br>Constituents (units)                         | Primary<br>MCL                                     | PHG<br>(MCLG)  | Value   | Value   |                              | Typical Source of Constituent  |
| Total Coliform Bacteria ≥40 Samples/Month<br>(Present / Absent) | More than 5% of<br>monthly samples are<br>positive | (0)            |   | Highest percent of monthly samples positive was 2.0 % |                              | Naturally present in the environment   |
| Disinfection Byproducts<br>and Disinfectant Residuals (units)   | Primary<br>MCL (MRDL)                              | PHG<br>(MRDLG) | Range of<br>Detection                                       | Average<br>Level                                      | Most Recent<br>Sampling Date | Typical Source of Constituent  |
| Bromate (µg/L)  | 10   | 0.1            | ND - 6.0  | 4.4   | 2020                         | Byproduct of drinking water disinfection   |
| Chlorine [as Cl2] (mg/L)  | (4.0)  | (4)            | 0.1 - 3.0   | 1.5   | 2020                         | Drinking water disinfectant added for treatment  |
| HAA5 [Sum of 5 Haloacetic Acids] (µg/L)                         | 60   | m/a            | ND - 7.4  | 5.9   | 2020                         | Byproduct of drinking water disinfection   |
| TTHMs [Total Trihalomethanes] (µg/L)                            | 80   | n/a            | 10 - 43   | 32  | 2020                         | Byproduct of drinking water disinfection   |
| Inorganic Constituents<br>(units)                               | Action<br>Level                                    | PHG<br>(MCLG)  | Sample<br>Data  | 90th %<br>Level                                       | Most Recent<br>Sampling Date | Typical Source of Constituent  |
| Copper (mg/L)   | 1.3  | 60.3           | None of the 31 samples collected exceeded the action level. | 0.08  | 2019                         | Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives                  |
| Lead sampling in schools and residential plumbing               | Action<br>Level                                    | PHG            | Sample Data   | 90th %<br>Level                                       | Most Recent<br>Sampling Date | Number Typical Source of Constituent of Schools Tested (f)   |
| Lead (μg/L)   | 15   | 0.2            | None of the 31 samples collected exceeded the action level. | ND  | 2019                         | Internal corrosion of household water plumbing systems; discharges from industrial manufacturerers; erosion of natural deposits. |

(f) The State of California made lead sampling in schools mandatory with a compliance window through 2019. ND = Not Detected

This table includes data only on constituents that were detected.



## **Risk to Tap and Bottled Water**

Drinking water, including bottled water, may reasonably be expected to contain small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at 1.800.426.4791.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the layers in the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, which can pick up substances resulting from the presence of animal or human activity.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (U.S. EPA) and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

#### **Contaminants in Drinking Water Sources May Include:**

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, and farming
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff and septic systems
- Radioactive contaminants that can be naturally occurring or be the result of oil and gas production and mining activities

## For People with Sensitive Immune Systems

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised people, such as those individuals with cancer undergoing chemotherapy, those who have undergone organ transplants, those with HIV/AIDS or other immune system disorders, some elderly populations, and infants, can be particularly at risk from infections. These people should seek advice from their health care providers.

The USEPA and Centers for Disease Control issue guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants. To obtain a copy of these guidelines, please call the USEPA's Safe Drinking Water Hotline at 1.800.426.4791.

## **Cross Connection Control Program**

Golden State Water Company's Cross Connection Control Program provides a level of certainty that the water in the company's distribution system is protected from possible backflow of contaminated water from commercial or industrial customers' premises. For additional information, visit <a href="https://www.gswater.com/protecting-our-drinking-water/">https://www.gswater.com/protecting-our-drinking-water/</a>.



## **Flushing**

Hydrant flushing is an essential maintenance procedure that all water providers must perform periodically to ensure the water delivered to customers meets state and federal drinking water standards. GSWC is using NO-DES (Neutral Output-Discharge Elimination System) flushing in several of our service areas to help flush our distribution systems sustainably.

Traditional hydrant flushing discharges hundreds of thousands of gallons of water onto the street. GSWC's NO-DES trucks and trailers offer a new maintenance technology, connecting two hydrants to a complex filtration system which cleans the water and returns it to the distribution system.

For more information about hydrant flushing, visit https://www.gswater.com/flushing.

## If You Have Questions - Contact Us

For information about your water quality or to find out about upcoming opportunities to participate in public meetings, please contact our 24-hour Customer Service Center at 1.800.999.4033. Visit us online at <a href="https://www.gswater.com">www.gswater.com</a> or email us at <a href="mailto:customerservice@gswater.com">customerservice@gswater.com</a>.

Este informe contiene información muy importante sobre su agua de beber. Tradúzcalo o hable con alguien que lo entienda bien.



#### Connect with us to learn more!

Visit www.gswater.com to:

- ♦ Access the latest Water Quality Report for your area
- Get the latest updates and news regarding the drought and state/local restrictions
- Learn more about water-use efficiency, including programs and rebates in your area
- Understand your water bill and learn about payment options
- Obtain information about programs for low-income customers (CARW)
- Sign up to receive email updates about your water service

For additional information, please contact our 24-hour Customer Service Center at **1.800.999.4033** or email us at **customerservice@gswater.com**.

### Infrastructure Investments

Water providers have a duty to maintain the local water infrastructure to ensure that the delivery of reliable, quality water is not compromised. At GSWC, we take that responsibility seriously.

In 2020, GSWC installed 103,994 feet of pipeline, 1,623 service lines and 282 fire hydrants throughout the state. Proactive system investments like these are critical to protect the quality of water we serve to the customers and to avoid the costly and sometimes dangerous effects of deferring maintenance.

Customers interested in learning more about current and completed infrastructure projects in their service areas are encouraged to visit their service area's webpage at www.gswater.com.



A drought-tolerant garden.

## **Conserving for California**

It's important that all Californians continue using water responsibly, as many parts of our state are experiencing various levels of drought. We must all work together to protect available water supplies. As Californians, it is our duty to make conservation a way of life and protect this precious and scarce resource.

GSWC is proud to be your conservation partner. It is important that we all work together to incorporate water-use efficiency into our daily lives.

To learn more about conservation programs and/or wateruse restrictions in your area, please visit www.gswater.com/ conservation or call 1.800.999.4033.