Consumer Confidence Report Certification Form

(To be submitted with a copy of the CCR)

Wate	r Syste	m Name:	City of Montebello - San Gabriel Valley Water Company								
Wate	r Syste	m Number:	CA 1910								
Furt	The water system named above hereby certifies that its Consumer Confidence Report was distributed on (date) to customers (and appropriate notices of availability have been given). Further, the system certifies that the information contained in the report is correct and consistent with the compliance monitoring data previously submitted to the State Water Resources Control Board, Division of Drinking Water (DDW).										
Certi	fied by:	Name:									
		Signat	ure:	hevenguy							
		Title:		Water Quality Super	intendent		-				
		Phone	Number:	(626) 448-6183	Date	e: June 28, 2019	20				
				d and good-faith efforts appropriate:	taken, please com	plete this page by checking	all				
			_	ail or other direct deliv	very methods (atta	ch description of other dire	ect				
\boxtimes	CCR Deliv		ited using onsumer (Confidence Report (wat		n the Guidance for Electron g electronic delivery metho					
\boxtimes		d faith" efforwing method		used to reach non-bill	paying consumers	. Those efforts included t	he				
	\boxtimes	Posting content/up	osting the CCR at the following URL: www.sgvwater.com/wp-ontent/uploads/2019/06/COM-2018-CCR-FINAL.pdf Mailing the CCR to postal patrons within the service area (attach zip codes used)								
		_									
		Publication	ng the availability of the CCR in news media (attach copy of press release) on of the CCR in a local newspaper of general circulation (attach a copy of the notice, including name of newspaper and date published)								
		_		ublic places (attach a lis	•	1100)					
			very of multiple copies of CCR to single-billed addresses serving several persons, such partments, businesses, and schools								
		_		ity organizations (attach	•	· ·					
				CR in the electronic city opy of the article or not		ctronic community newslett	ter				
			announce	nnouncement of CCR availability via social media outlets (attach list of social							
				a list of other methods used)							
	For sy	ystems servii	ng at least	t 100,000 persons: Pos	ted CCR on a publ	icly-accessible internet site	at				
	the following URL: www										

	For privately-owned utilities: Delivered the CCR to the California Public Utilities Commission
	Consumer Confidence Report Electronic Delivery Certification
	er systems utilizing electronic distribution methods for CCR delivery must complete this page by king all items that apply and fill-in where appropriate.
	Water system mailed a notification that the CCR is available and provides a direct URL to the CCR on a publicly available website where it can be viewed (attach a copy of the mailed CCR notification). URL: www.sgvwater.com/wp-content/uploads/2019/06/COM-2018-CCR-FINAL.pdf
	Water system emailed a notification that the CCR is available and provides a direct URL to the CCR on a publicly available site on the Internet where it can be viewed (attach a copy of the emailed CCR notification). URL: www
	Water system emailed the CCR as an electronic file email attachment. Water system emailed the CCR text and tables inserted or embedded into the body of an email, not as an attachment (attach a copy of the emailed CCR).
	Requires prior DDW review and approval. Water system utilized other electronic delivery method that meets the direct delivery requirement.
	ide a brief description of the water system's electronic delivery procedures and include how the r system ensures delivery to customers unable to receive electronic delivery.
A no	tification that the CCR is available via a direct URL to the CCR is embedded in the
custo	omers' water bill. Hard copies were hand delivered to customers that did not receive the bill
such	as apartments, businesses, and schools.

This form is provided as a convenience and may be used to meet the certification requirement of section 64483(c) of the California Code of Regulations.

\$48.080

\$88.24

\$88,24

SAN GABRIEL VALLEY WATER COMPANY City of Montebello Water System

11142 Garvey Avenue El Monte, Ca 91733-2498

Customer Service Hours:

Phone Number/Email:

Monday -Friday 8:00 AM - 5:00 PM 1-626-448-6183 customerservice@sgvwater.com

Special Message

Your 2018 Consumer Confidence Report is now available. To view your report, please go to:

https://www.sgvwater.com/wp-content/uploads/2019/06/COM-2018-CCR-FINAL.pdf

This report contains important information about your drinking water. For a translation of this report, speak to someone regarding this report or to request a paper copy of the report to be mailed to you, please call (626) 448-6183.

Este informe contiene informacion importante de su aqua potable. Para la traduccion de su informe, hable con alquien con de este asunto o solicite una copia del informe que se le enviara por correo, llame al (626) 448-6183.

此报告包含有关您的饮用水的重要信息。如果您需要中文翻译版, 讨论报告相关内容,或需要报告的打印件,请致电626-448-6183

Service Information

04/23/2018 - 06/22/2018 60 04/22/2019 - 06/21/2019 60

Meter Number	Reading Dates From To			Meter I Previous	Reading Preser	Usage		
22546992	04/22	/2019 06	3/21/201	9 6124	6136	12		
	Cor	mpare You	ır Month	ly Water				
Jnit = 100 Cubic Feet (CCF) 1 CCF = 748 Gallons	П							
O) s 15		- X	<u>FL</u>		Г	Previous		
2 8 10	-			-111-		Year		
Cut 2						Current		
50 50 50 50 50 50 50 50 50 50 50 50 50 5		100				Year		
n -	- PUG	, T)	, S		APR.	N N		
BILLING PERIO	D	BILLING	•	TOTAL U		AVG DAILY USAGE IN CCF		

Account Information

Customer Name: Account Number: Service Address: Customer Class: Connection No.:



Connection No.: M10870
Rate Schedule: MTB-01
Meter Size: 3/4 INCH
Date of Presentation (Date of Bill): 06/24/2019
PAST DUE DATE: 07/12/2019

Current Charges

SERVICE CHARGE QUANTITY CHARGES

Tier 1 12 CCF @ \$3.347 \$40.164

TOTAL CURRENT WATER CHARGES

Amount Now Due

Previous Balance \$84.90 05/06/2019 Payment, Thank you \$-84.90

TOTAL CURRENT WATER CHARGES \$88.24

TOTAL AMOUNT NOW DUE

DO NOT PAY THIS AMOUNT

\$88.24 will automatically be deducted from your Bank Account on or about 07/08/2019

PLEASE HELP CONSERVE WATER Please see other side for addresses of Company offices and payment methods.

Form No 3

06/24/2019

07/12/2019

Please return this portion along with your payment.

SAN GABRIEL VALLEY WATER COMPANY City of Montebello Water System PO Box 5970 • El Monte, CA 91734-1970

Customer Service Hours:

Monday -Friday 8:00 AM - 5:00 PM Phone Number: 1-626-448-6183

customerservice@sgvwater.com

□R M10870

\$88.24
Amount Now Due

Account Number: Service Address:

PAST DUE DATE:

Date of Presentation (Date of Bill):

THIS BILL IS NOW DUE AND PAYABLE

'DO NOT PAY - AUTOPAY*

Amount Enclosed

* This amount will be deducted from your account on 07/08/2019

GAB0624A AUTO 5-DIGIT 90640 7000002816 00.0012.0025 2755/1

իդիկիո<u>վիկրկները հերուկիկիր</u> |||Ագորիգ||օ|||





<u> ԱյիսՈրԻինինիգիգրինիիներերիուհիկուվիգինի</u>

SAN GABRIEL VALLEY WATER COMPANY CITY OF MONTEBELLO WATER SYSTEM PO BOX 5970 EL MONTE, CA 91734-1970

CITY OF MONTEBELLO WATER SYSTEM SAN GABRIEL VALLEY WATER COMPANY -CONSUMER CONFIDENCE REPORT--YEAR 2018-

This report contains important information about your drinking water. If necessary, have someone who understands it translate or explain it to you. Este informe contiene información muy importante sobre su agua potable. Si, necesario, tradúzcalo o hable con alguien que lo entienda bien.

此份有关你的食水报告,内有重要资料和讯息,请找他人为你翻译及解释清楚。

The source of water provided to the City of Montebello's ("City") customers north of Whittier Boulevard (North Water System) is treated local groundwater purchased from San Gabriel Valley Water Company ("San Gabriel"). San Gabriel's source of water is groundwater produced from the Main San Gabriel Basin. The source of water provided to the City's customers south of Whittier Boulevard (South Water System) is groundwater from the Central Basin.

All water samples were collected by state-certified employees of San Gabriel. Samples were analyzed by state-certified independent laboratories and the results were forwarded to the State Water Resources Control Board ("State Board"). The following report provides detailed information about your water quality and how it compares to state and federal standards. The water supplied by City of Montebello complies with all state and federal safe drinking water standards and regulations.

DETECTED WATER QUALITY CONSTITUENTS - GROUNDWATER

				Pr	imary Stan	dards					
				North Water System*				Water Sys			
				· (Gro	undwater)			oundwater)		
Microbiological	Units	PHG (MCLG)	MCL	Highest Number of Positive Samples Collected		Sample Year	Highest Number of Positive Samples Collected		Sample Year	Likely Source of Detected Constituent	
Total Coliform Bacteria	Positive	(0)	1 (a)	0		2018	0		2018	Naturally present in the environment	
	- 2		11 10 0		Radiologic	al		a familiar in	15 0 170		
Water Quality Constituent	Units	PHG (MCLG)	MCL	Range	Average	Sample Year	Range	Average	Sample Year	Likely Source of Detected Constituent	
Gross Alpha	pCi/L	(0)	15	ND - 10,10	2.30	2013-18	ND	ND	2016	Erosion of natural deposits	
Gross Beta	pCi/L	(0)	50	4.00 - 6.00	5,00	2014	NR	NR		Decay of natural and man-made deposits	
Uranium	pCi/L	0.43	20	ND - 10.00	3.20	2010-18	0.15	0,15	2017	Erosion of natural deposits	
	100		TOTAL STATE	Service Control	Inorganic	S	DOM: HERE	14 140			
Aluminum (b)	ppb	600	1,000	ND - 110.00	3.24	2016-18	ND	ND	2018	Erosion of natural deposits; residue from some surface water treatment processes	
Arsenic	ppb	0.004	10	ND - 2,90	1.45	2016-18	ND	ND	2018	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes	
Barium	ppb	2,000	1000	ND - 210,00	61.29	2016-18	ND	ND	2018	Discharges of oil drilling wastes and from metal refinenes; erosion of natural deposits	
Fluoride	ppm	1	2	0.16 - 0.91	0.37	2016-18	0,30	0.30	2018	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories	
Nitrate as (Nitrogen)	ppm	10	10	ND - 8.20	5.24	2016-18	1.90	1.90	2018	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits	
Nitrite as (Nitrogen)	ppm	1	1	ND - 0,47	<0.40	2016-18	ND	ND	2018	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits	
		7 1	S 1 5 5 5	E (0) E (1)	Organic:	S					
Tetrachloroethylene	ppb	0.06	5	ND - 0.86	<0,50	2018	ND	ND	2018	Discharge from factories, dry cleaners, and auto shops (metal degreaser)	
Trichloroethylene	ppb	1,7	5	ND - 0,56	<0.50	2018	NR	NR		Discharge from metal degreasing sites and other factories.	
	OK / 17"	III-COX SA		Secondary Sta	ndards (Ae	sthetic St	andards)	Street Street	Vice in the	PARTY CONTRACTOR AND	
Aluminum (b)	ppb	600	200	ND - 110.00	3.24	2016-18	ND	ND	2018	Erosion of natural deposits; residue from some surface water treatment processes	
Chloride	ppm	NS	500	4,20 - 110.00	32,62	2016-18	43.00	43.00	2018	Runoff/leaching from natural deposits; seawater influence	
Color	units	NS	15	ND	ND	2018	ND - 3,00	0.13	2018	Naturally-occurring organic materials	
Foaming Agent (MBAS)	ppb	NS	500	ND	ND	2018	ND	ND	2018	Municipal and industrial waste discharges	
Odor Threshold	units	NS	3	1.00	1.00	2018	1,00	1.00	2018	Naturally-occurring organic materials	
Specific Conductance	µmho/cm	NS	1600	320.00 - 950.00	574.33	2016-18	480.00	480.00	2018	Substances that form ions when in water; seawater influence	
Sulfate	ppm	NS	500	16.00 - 140.00	57.43	2016-18	59.00	59.00	2018	Runoff and leaching from natural deposits; Industrial wastes	
Total Dissolved Solids	ppm	NS	1000	200 - 640.00	378.44	2016-18	270.00	270.00	2018	Runoff and leaching from natural deposits	
Turbidity (c)	NTU	NS	5	ND - 0.68	<0.10	2018	ND - 0.39	<0.10	2018	Soil runoff	
I REPORT OF SIX			V -		on By Prod		NAME OF TAXABLE PARTY.	150		what we have the service and the	
Total Organic Carbon	ppm	NS	TT	0.54 - 1.86	0.97	2018	NR	NR		Various natural and manmade sources	

				Additional	Jonsuluent	s (Ulliegu	iateu)			
Alkalinity (CaCO3)	ppm	NS	NS	140.00 - 240.00	185.00	2016-18	96.00	96,00	2018	Unknown
Calcium	mag	NS	NS	28.00 - 100.00	61.70	2016-18	39.40	39.40	2018	Unknown
Chlorodifluoromethane	dqq	NS	NS	ND - 0.14	0.02	2014-15	NR	NR		Unknown
Cobalt	gpb	NS	NS	ND-1.30	0.04	2014-15	NR	NR		Unknown
Hardness (CaCO3)	ppm	NS	NS	86-330.00	216,61	2016-18	132.00	132.00	2018	Runof and leaching from natural deposits
Hexavalent Chromium	ppb	0,02	10	ND - 7,10	3,23	2014-18	ND	ND	2014	Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities; erosion of natural deposits
Magnesium	nnm.	NS	NS	4.10 - 26.00	14.25	2016-18	8.21	8.21	2018	Unknown
Molybdenum	ppm	NS NS	NS	1.00 - 19.00	4.06	2014-18	NR	NR	2010	Unknown
pH	ppb units	NS NS	NS	7.37 - 8.10	7.79	2016-18	7.01	7.01	2018	Unknown
Potassium		NS	NS	1.10 - 5.00	2.88	2016-18	3.10	3.10	2018	Unknown
Sodium	ppm	NS NS	NS	10.00 - 92.00	34.00	2016-18	36.00	36,00	2018	Runof and leaching from natural deposits
Strontium	ppm	NS NS	NS	240.00 - 660.00	476.80	2014-15	NR	NR	2010	Unknown
	ppb		NS	ND - 9.30	3.50	2014-15	NR	NR		Unknown
Vanadium	ppb	NS								Olikilowii
The District of the Control of the C		Sept 1991 A	Un	regulated Cons	stituents wi	in Notifica	tuon Levels	\$		
Constituents	Units	PHG (MCLG)	NL	Range	Average	Sample Year	Range	Average	Sample Year	Likely Source of Detected Constituent
1,4-Dioxane (d)	ppb	NS	1	NR	NR		ND-0.90	<0,50	2018	Industrial solvent or solvent stabilizer for chlorinated solvents or volatile organic compounds
Boron	ppb	NS	1,000	150.00	150,00	2016	NR	NR		Runoff and leaching from natural deposits; industrial wastes
Chlorate	ppb	NS	800	55,00 - 460.00	190.29	2014-15	NR	NR		Runoff and leaching from natural deposits; industrial wastes
THE RESERVOIS	HIELDER	DISINE	ECTANT/D	ISINFECTION E	Y-PRODUC	TS (NORT	TH AND SO	UTH SYST	TEMS)	
Water Quality Constitu	Units	PHG (MCLG) [MRDLG]	MCL [MRDL]	Range				Sample Year	Likely Source of Detected Constituent	
Total Trihalomethanes		ppb	NS	80	2.40-22.00		12.	20	2018	By-product of drinking water disinfection
Haloacetic Acids		ppb	NS	60	ND - 2.20		1.1	10	2018	By-product of drinking water disinfection
Chlorine Residual (North)		ppb	[4]	[4]	0,80-1.48		1,12 2018		2018	Drinking water disinfectant added for treatment
Chlorine Residual (South)		ppb	[4]	[4]	0.54-1.64		1,04 2018		2018	Drinking water disinfectant added for treatment
	2 12 20	III LEE	LEAD AND	COPPER MON	TORING (N	ORTH AN	D SOUTH S	YSTEMS)	الكانظا	
	W-11-2	Regulatory		CALLED TO COMPANY		ANDLEBONA				
Water Quality Constituent	Water Quality Constituent Units		Sample Year		90th Percentile		Number of Samples Exceeding the Action Level		eeding the	Likely Source of Detected Constituent
Lead ppb		15	2017		ND		0			Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper ppb		1300		2017	280.00		0			Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
	50.50	Fall Albeit	LEAD AND	COPPER MON	TORING (N	ORTH AN	D SOUTH S	YSTEMS)	1984 188	The second of the second
Water Quality Constituent Units		Action Level	Sample Year		Range	Average	Number of Schools Requested Lead Sampling			Likely Source of Detected Constituent
Lead	ppb	15		2018	ND-2.30	1.00	1			Internal corrosion of household water plumbing systems; discharges from industrial

Additional Constituents (Unregulated)

Pursuant to Title 22 of the California Code of Regulations, Lead and Copper monitoring for the City's North and South Water Systems was completed in 2017 with the collection of 22 samples. The next sampling event will commence in 2020.

THE UNITED STATES ENVIRONMENTAL PROTECTION AGENCY ("USEPA") AND STATE BOARD REQUIRE SAN GABRIEL VALLEY WATER COMPANY TO PROVIDE THE FOLLOWING INFORMATION:

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, and mining.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

manufacturers; erosion of natural deposits.

- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Montebello is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/lead.

Nitrate: Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 ppm may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

This Consumer Confidence Report reflects changes in drinking water regulatory requirements during 2018. All water systems are required to comply with the state Total Coliform Rule. Beginning April 1, 2016, all water systems are also required to comply with the federal Revised Total Coliform Rule. The new federal rule maintains the purpose to protect public health by ensuring the integrity of the drinking water distribution system and monitoring for the presence of microbials (i.e., total coliform and E. coli bacteria). The U.S. EPA anticipates greater public health protection as the new rule requires water systems that are vulnerable to microbial contamination to identify and fix problems. Water systems that exceed a specified frequency of total coliform occurrences are required to conduct an assessment to determine if any sanitary defects exist. If found, these must be corrected by the water system.

In order to ensure that tap water is safe to drink, the USEPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Additional Water Quality Information

San Gabriel Valley Water Company completed groundwater source assessments in 2002 and new assessments were completed in 2005, 2008 and 2017 for new sources added to the system. Groundwater sources are considered vulnerable to discharge from industry, factories, landfills, dry cleaners, automobile repair shops, gas stations, high density housing, fleet truck and bus terminals, underground storage tanks, and sewer collection systems. Copies of the groundwater source assessments are available for review at San Gabriel Valley Water Company's main office. All groundwater sources are disinfected before the water is distributed to the customers.

In addition to the constituents listed in this report, San Gabriel Valley Water Company conducted monitoring for over 100 additional constituents and the results show none of those constituents were detected in the water. Included in this additional monitoring were constituents for which the State Board and USEPA have not yet set standards. The State Board allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. For additional water quality information, contact: Hai-Van Nguyen, Water Quality Superintendent at htnguyen@sgvwater.com or at (626) 448-6183, or write to San Gabriel Valley Water Company, Post Office Box 6010, El Monte, California 91734-2010.

Definitions and Footnotes:

Level 1 Assessment = A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system

- MCL = Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- MCLG = Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the
- MRDL = Maximum Residual Disinfectant Level: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.
- MRDLG = Maximum Residual Disinfectant Level Goal: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
 - ND = None Detected
 - NL = Notification Level: The concentration level of a contaminant in drinking water delivered for human consumption that the department has determined, based on available scientific information, does not pose a significant health risk but warrants notification if it is exceeded.
 - NR = Not Required
 - NS = No Standard
 - NTU = Nephelometric Turbidity Units
 - pCi/L = picocuries per Liter
 - PHG = Public Health Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
 - ppb = parts per billion
 - ppm = parts per million
 - unit = Unit of Measure
 - TT = Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
- µmho/cm = micromhos per centimeter
 - (a) = When less than 40 routine samples are collected per month, no more than 1 of the samples may be positive within that month.
 - (b) = Aluminum has both primary and secondary standards,
 - (c) = Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants.
 - (d) = According to USEPA, some people who use water containing 1,4-dioxane in excess of the Notification Level over many years may experience liver or kidney problems and may have an increased risk of getting cancer, based on studies in laboratory animals.
 - (e) = Regulatory Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
 - * = The water quality data for the North Water System includes detected constituents from MWD and San Gabriel.
 - ** = Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, waterborne pathogens may be present or that a potential pathway exists through which contamination may enter the drinking water distribution system. We found coliforms indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessment(s) to identify problems and to correct any problems that were found during these assessments. During the past year we were required to conduct one Level 1 assessment. One Level 1 assessment was completed. In addition, we were required to take one corrective action and we completed the correction action.
 - < = Detected but the average is less than than California's Detection Limits for the Purposes of

This report along with other important information can be found on San Gabriel's website at www.sgvwater.com/city-of-montebello-water-system-customers-information