

CITY OF SANTA MONICA WATER RESOURCES DIVISION

^{City of} Santa Monica[®]

ANNUAL WATER QUALITY REPORT JUNE 2019

TO DOWNLOAD THIS REPORT VISIT **WATERQUALITY.SMGOV.NET**

Dear Community Members,

On behalf of the City of Santa Monica, I am pleased to present this Annual Drinking Water Quality Report which provides a summary of water quality data for 2018. We are pleased to report that throughout 2018, Santa Monica Water once again met and exceeded all federal and state drinking water standards.

The City of Santa Monica Water Resources Division aims to continue its goal of providing guality and sustainable drinking water to its residents now, and into the future. In addition to ensuring that our water is safe to drink, we are also engaged in ensuring that we can always meet your water needs, even during times of drought. A comprehensive update to the Santa Monica Sustainable Water Master Plan was presented to City Council in 2018 and we are now well on our way to achieving water self-sufficiency by 2023. The benefits of becoming water self-sufficient when compared to relying on imported water include: long-term cost benefits for ratepayers, establishment of a diverse, sustainable and drought resilient local water supply, and reduction of the City's water supply energy footprint. The plan consists of three components: water conservation efforts to permanently reduce water demand, developing sustainable and drought resilient alternative water supplies, and expanding local groundwater production within sustainable yield limits.

Our efforts to expand and improve the City's water supply and treatment technology will ensure that we can continue to deliver clean and safe drinking water and will help us achieve our water self-sufficiency goal. On behalf of the City of Santa Monica Public Works Department and the employees of the Water Resources Division, thank you for allowing us to serve you.

Sincerely,

Susan Cline Department of Public Works

The City of Santa Monica Water Resources Division values transparency, we hope that you find this report clear and easy to understand. If you have any questions, please call us at **(310) 434-2672**.

El Departamento de Recursos de Agua de la ciudad de Santa Monica valora una gestión transparente; por consiguiente, esperamos que encuentre este informe claro y fácil de entender. Si usted tiene alguna pregunta, por favor comuníquese al **(310) 434-2672**.

Santa Monica's Water Source And Treatment System



The City of Santa Monica currently obtains approximately 75% of its water from local groundwater wells within the City and in West Los Angeles. The City extracts its water from three sub-basins within the Santa Monica Basin (Charnock, Olympic, and Arcadia Sub-basins), with the Charnock Sub-basin being a local supply since 1924!

Over 20 years ago,

Methyl tert-Butyl Ether (MTBE) and Tert-Butyl Alcohol (TBA), compounds once used as gasoline additives, were detected in three of the Charnock Sub-basin wells. These contaminants found their way into the groundwater via Leaking Underground Storage Tanks from various gasoline stations within the Charnock Sub-basin. In response, the City of Santa Monica established the Charnock Well Field Restoration Project. The treatment from this project uses virgin Granular Activated Carbon (GAC) filtration, from coconut shells, to successfully treat MTBE and TBA concentrations to levels well below the Maximum Contaminant Level (MCL) of 5 ppb.

| TO PUT THESE UNITS INTO CONTEXT: |
|--|
| One part per billion (ppb) = 1 second in 31.7 years = 1 teaspoon in 1.3 million gallons |
| One part per million (ppm) = 1 second in 11.6 days = 1 teaspoon in 1,302 gallons |


The treated water from the Charnock Well Field is then sent to the Arcadia Treatment Plant, and along the way it blends with water from the Olympic and Arcadia Sub-basin wells. Once the water arrives at the Arcadia Treatment Plant, it undergoes a treatment process that includes Iron/ Manganese removal, filtration, Reverse Osmosis (RO) softening, aeration, disinfection, and fluoridation.

Softening is the process of removing scale-forming calcium and magnesium from hard water. RO performs softening by forcing hard water through membranes with very small pores, sized from 0.0001 - 0.001micrometers.

The complete treatment process is further outlined on the following pages.



SANTA MONICA WATER TREATMENT PROCESS



4

CHARNOCK WELL FIELD Charnock Wells

Groundwater contaminated with the gasoline additive MTBE is pumped up from 400 feet below ground surface.



Greensand Filtration The well water is filtered through greensand media to remove iron and manganese which would foul the carbon filters.

GAC Filtration The MTBE is removed by filtering through Granular Activated Carbon (GAC) filters.

Pump to Treatment Plant The filtered water is combined with the flow of other wells and pumped to the Santa Monica Water Treatment Plant

SANTA MONICA WATFR TREATMENT **PLANT**

Pretreatment

To protect the sensitive Reverse Osmosis (RO) filters, the combined well flow is filtered again through greensand and cartridge filters to remove more iron, manganese and any remaining sediment.



Reverse Osmosis Filtration

Water Quality **Adjustments**

The mineral content is adjusted to the desired softness. The pH is adjusted, fluoride is added and the water undergoes final disinfection with chloramine.

Reverse Osmosis Filtration Filtration through a three-stage Reverse Osmosis

(RO) membrane system softens the water by removing minerals (calcium and magnesium). RO uses pressure to force water through membranes with pores so small the minerals can't pass through.

Aeration and Storage

The final step, aeration, uses the existing air stripping technology in the five million gallon reservoir to remove any remaining volatile

groundwater contaminants such as trichloroethene (TCE).



Santa Monica residents and businesses receive water for everyday use. Water conservation by end users is key to ensuring water reliability and sustainability.

The remaining 25% of Santa Monica's drinking water is purchased from Metropolitan Water District (MWD). Treated MWD water is blended with some of our locally produced water, and then distributed to our residents. MWD imports water from two separate sources. One is the Colorado River water, which is delivered from Lake Havasu through a 242-mile-long aqueduct and originates as snowmelt from mountainous regions in Utah, Wyoming, and Colorado. The second is from the State Water Project, which is delivered through the 441-mile-long California Aqueduct and originates in the Sacramento-San Joaquin Delta. Water from the aqueducts is filtered at MWD's six treatment plants and undergoes extensive treatment before entering Santa Monica's system.

For more information about the City's treatment facilities, please call the Water Resources Division (see back cover for contact information).

Background on Drinking Water Contaminants

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.**
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturallyoccurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (U.S. EPA) and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants



in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

** You can help protect source water purity by controlling what enters storm drains and the water table. The following sites provide guides on how you can protect Drinking Water Sources:

www.epa.gov/sourcewaterprotection/easy-things-youcan-do-protect-drinking-water-sources

www.epa.gov/sourcewaterprotection/what-you-cando-protect-source-water

Information on environmentally friendly products is available at www.sustainablesm.org/buygreen

To report storm drain pollution, please contact the City's Wastewater Department. See back cover for contact information.

Source Water Vulnerability Assessments

Between 2000 and 2012, the California Division of Drinking Water (DDW) completed Source Water Vulnerability Assessments for all the City's groundwater wells. The assessments are required for all water utilities nationwide to evaluate the vulnerability of drinking water sources for "possible contaminating activities." Vulnerabilities most commonly associated with contamination include commercial, industrial, urban runoff and municipal activities. Based on the vulnerability assessments, Santa Monica Wells #3 and #4 located mid-city, Arcadia Wells #4 and #5, and Charnock Wells #13, #16, #18, #19 and #20, located in West L.A. are considered most vulnerable to commercial. industrial, residential, and municipal activities. Santa Monica Well #1, located on the north side of the city, Wells #3 and #4, and the Arcadia Wells are considered most vulnerable by their proximity to sewer collection systems, although monthly analyses have detected no related contamination.

For more information, please contact the Water Resources Division (see back cover for contact information).

In March and June 2012, MWD completed a source water assessment of its Colorado and State Project supplies. Based upon the vulnerability assessments, the Colorado River and State Project supplies are most vulnerable to contamination resulting from recreation, urban/storm water runoff, increasing urbanization in the watershed, and waste water.

A copy of the assessment can be obtained by contacting MWD (see back cover for contact information).

Ensuring the Quality of Santa Monica's Water Supply

Permission and oversight to operate a community water system is granted annually by the California Division of Drinking Water (DDW) and the U.S. Environmental Protection Agency (U.S. EPA).

Santa Monica's water supply undergoes constant methodical testing and monitoring for quality before reaching your tap. This includes weekly, monthly, quarterly, semi-annual, annual, and triennial monitoring. The following are some of our water quality management practices: operating and maintaining optimum performance of the source wells, treatment plants, and distribution system; managing reservoirs to meet demand; and testing the water at over 100 locations throughout City's distribution system monthly. We look for more than 100 substances including microorganisms, pesticides, herbicides, asbestos, lead, copper, petroleum-based products, and by-products of industrial and water treatment processes. As a result, we conduct more than 10,000 laboratory tests each year.

2019 Triennial Public Health Goal (PHG) Report

Every three years, a new Santa Monica Water PHG report is presented. A PHG is the concentration of a contaminant in drinking water that poses no significant health risk if consumed for a lifetime, and the standards are below Maximum Contaminant Levels (MCLs). PHGs are not enforceable because the Best Available Technology to reach such low levels has not been defined and may not be available. PHG reports inform consumers of the possible risks posed by the presence of certain contaminants at levels below the enforceable MCLs.

More details about PHGs and the City's current water quality are included in the 2019 City of Santa Monica Report on Water Quality Relative to Public Health Goals. The report will be received and filed at a public hearing by the Santa Monica City Council on Tuesday, October 22, 2019. Public comments are welcome at the hearing. The PHG report is publicly available at the City Clerk's office in City Hall, the Main Library, the Water Resources Division office, and online at:

www.smgov.net/departments/publicworks/water.aspx

Water Quality Data Tables

We are pleased to report that this year, Santa Monica Water continues to meet and exceed all U.S. EPA and State Drinking Water Health Standards. The following data tables compare our water quality with Drinking Water Health Standards. The data is organized by source of water in two categories, each with two sub-parts:

Local Groundwater

 Arcadia Treatment Plant: Collects water from 9 wells, completes treatment, and sends to distribution.

 Santa Monica Well #1: Treats supply at the source and pumps directly into distribution.

- Metropolitan Water District (MWD)
 - Weymouth Plant
 - Jensen Plant

The results are presented in two tables: Primary Drinking Water Quality Results and Secondary Drinking Water Quality Results. The primary results cover contaminants that may affect the public's health. These contaminants include hazardous chemicals, metals, bacteria, and radioactivity. The secondary results cover parameters that may affect the aesthetics of the water, such as taste, appearance, and odor. These parameters include turbidity, minerals, and pH among others.

For questions regarding water quality, call the Water Resources Division (see back cover for contact information). CITY OF SANTA MONICA WATER RESOURCES DIVISION

SUMMARY OF RESULTS FOR PRIMARY DRINKING WATER STANDARDS FOR 2018

| Parameter | PHG/ [MCLG]/ {MRDLG} | State MCL/ {MRDL} | LO(WELL Arcadia Average | WATER | SM WE Average | LL #1(a) Range | IMPORTED SURFACE WATER Weymouth Plant Average Range | | ° | | Dates Sampled if other than 2018(b) | Meets Std | MAJOR SOURCES IN DRINKING WATER |
|---|----------------------------|---------------------------|-----------------------------------|----------------|------------------|-------------------------------------|--|-----------------------------------|------------|----------------------|--|--------------|--|
| | | | PI | RIMARY DR | INKING WA | ATER STAND | DARDS (M | ANDATORY | HEALTH-R | ELATED STA | NDARDS) | | |
| <u>Clarity</u> Maximum Turbidity (NTU) | NS | 95% < 0.3 | N/A | N/A | N/A | N/A | 0.04 | 100% ≤ 0.3 | 0.06 | 100% ≤ 0.3 | | Y | Soil runoff |
| <u>Microbiological</u> Total Coliform Bacteria | [0] | 5% | | Highest p | ercent of mon | thly samples po | ositive was 0.8 | 32% Range: N | D - 0.82% | | | Y | Naturally present in the environment |
| (% positive samples/month) Fecal Coliform/E. Coli | [0] | (c) | | | City-w | ide Maximum: | 0 Positive Samples | | | Y | Human and animal fecal waste | | |
| <u>Organic Chemical</u> Methyl tert-Butyl Ether (MTBE) (ppb) | 13 | 13(5*) | ND | ND | ND | ND | ND | ND | ND | ND | | Y | Leaking underground storage tanks |
| Trichloroethylene (ppb) <u>Disinfection</u> | 1.7 | 5 | 0.5 | ND - 0.7 | ND | ND | ND | ND | ND | ND | | Y | Discharge from metal degreasing sites |
| Byproducts & Residuals Total Trihalomethanes (ppb) | NS | 80 | | | , | ide LRAA: 16.9 | 0 | - 40.2 | | | | Y | By-product of drinking water chlorination |
| Haloacetic Acids (ppb) Total Chlorine/Chloramines (ppm) | NS {4} | 60 {4} | | | City-wide | vide LRAA: 1.7 Average: 1.39 | Range: ND - 2.8 | | | Y Y | By-product of drinking water chlorination Drinking water disinfectant added for treatment | | |
| Bromate (ppb) Total Organic Carbon | 0.1 N/A | 10 TT | N/A N/A | N/A N/A | N/A N/A | N/A N/A | 5.2 2.6 | ND - 6.4 2.0 - 2.6 | 5 2.4 | ND - 10 2.1 - 2.8 | | Y | By-product of drinking water ozonation |
| Inorganic Chemicals Aluminum (ppm) | 0.6 | 1 (0.2*) | ND | ND | ND | ND | ND | ND - 0.075 | 0.11 | ND - 0.22 | | Y | Erosion of natural deposits; used in water treatment process |
| Arsenic (ppb) Barium (ppm) | 0.004 2 | 10 1 | ND 0.02 | ND 0.02 | 0.6 0.06 | 0.6 0.06 | ND ND | ND ND | ND 0.12 | ND 0.12 | | Y Y | Erosion of natural deposits Discharge from oil and metal industries; Erosion of natural deposits |
| Chromium [Total] (ppb) Chromium 6 (ppb) Copper (d) (ppm) | [100] 0.02 0.3 | 50 NS AL=1.3 (1.0*) | ND 0.2 | ND 0.2 | ND 1.7 | ND 1.7 ercentile: 0.20 | ND ND | ND ND of 32 exceeded | ND ND | ND ND | 2016 | Y Y Y | Discharge from steel and pulp mills; natural deposits erosion Naturally occuring; industrial waste discharge Corrosion of household plumbing systems |
| Fluoride After Treatment (ppm) Lead (d) (ppb) | 0.3 1 0.2 | 2 AL=15 | | | Control R | lange: 0.6 - 1.2 ercentile: 3.16 | Citywide R | ange: 0.3 - 1.0 of 46 exceeded | | | 2010 | Y Y | Water additive for dental health Corrosion of household plumbing systems |
| Nitrate (as N) (ppm) | 10 | 10 | 0.7 | 0.6 - 0.9 | 2.4 | 1.9 - 3.3 | 0.5 | 0.5 | ND | ND | | Ŷ | Runoff from fertilizer use; leaching from sewage; erosion of natural deposits |
| Perchlorate (ppb) Radionuclides | 1 | 6 | ND | ND | ND | ND | ND | ND | ND | ND | | Y | Industrial waste discharge |
| Alpha emitters (pCi/l) Beta/photon emitters (pCi/l) | [0] [0] | 15 50 | ND N/A | ND N/A | ND N/A | ND N/A | ND ND | ND - 3 ND | ND ND | ND ND | | Y Y | Erosion of natural deposits Decay of natural and man-made deposits |
| Combined Radium (pCi/l) Uranium (pCi/l) | [0] [0] 0.43 | 5 20 | ND 2.3 | ND 2.0 -2.7 | ND 0.8 | ND 0.8 | ND ND | ND ND -1 | ND ND | ND ND | | Y Y | Erosion of natural deposits Erosion of natural deposits |

KEY TO ABBREVIATIONS

Primary Drinking Water Standards = MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

PHG = Public Health Goal, The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

MCLG = Maximum Contaminant Level Goal, The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

MCL = Maximum Contaminant Level, The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

MRDL = Maximum Residual Disinfectant Level, The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG = Maximum Residual Disinfectant Level Goal, The level of a drinking water disinfectant below

FOR ADDITIONAL WATER QUALITY QUESTIONS, CONTACT JACK MIYAMOTO, LEAD CHEMIST AT (310) 434-2672

which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

- LRAA = Locational Running Annual Average. The running annual average is based on monitoring location.
- AL = Regulatory Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

N/A = Not Applicable

NS = No Standard

- ND = Monitored for but Not Detected
- NTU = Nephelometric Turbidity Units used to measure cloudiness of drinking water.
- TT = Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water. Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ppb = parts per billion, or micrograms per liter (µg/l)
ppm = parts per million, or milligrams per liter (mg/l)

pCi/l = picocuries per liter

* = secondary standard

- (a) = SM Well#1 is pumped into a transmission line, is blended with Imported Surface Water and enters the system at 19th St. & Idaho Ave.
- (b) = The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than a year old.
- (c) = Two consecutive Total Coliform-positive samples, one of which contains Fecal Coliform/E. Coli constitutes an acute MCL violation. No violations occurred for 2018.
- (d) = The MCL has been replaced with a treatment technique requiring agencies to optimize corrosion control. Results given are from first draw, at-the-tap monitoring performed every three years.
- (e) = 13 public Schools and 1 private school have requested lead sampling in 2018.

CITY OF SANTA MONICA WATER RESOURCES DIVISION

Summary of Results for Secondary Drinking Water Standards for 2018

| Parameter | PHG/ [MCLG] | State MCL | WEL | OCAL L WATER adia Plant Range | SM W Average | /ELL #1(a) Range | IMPORTED SURFACE WATER Weymouth Plant Average Range | | SURFACE WATER Weymouth Plant | | SURFACE WATER Weymouth Plant | | SURFACE WATER Weymouth Plant | | SURFACE WATER Weymouth Plant | | SURFACE WATER Weymouth Plant | | SURFACE WATER Weymouth Plant | | SURFACE WATER Weymouth Plant | | SURFACE WATER Weymouth Plant | | SURFACE WATER Weymouth Plant | | SURF | PORTED ACE WATER sen Plant Range | Dates Sampled if other than 2018(b) | | MAJOR SOURCES IN DRINKING WATER |
|--|----------------|--------------|------|--|-----------------|---------------------|--|-----------|---------------------------------|-------------|---------------------------------|---|---|--|---------------------------------|--|---------------------------------|--|---------------------------------|--|---------------------------------|--|---------------------------------|--|---------------------------------|--|------|---|--|--|------------------------------------|
| SECONDARY DRINKING WATER STANDARDS (AESTHETIC STANDARDS) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Chemical Parameters | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Chloride (ppm) | NS | 500 | 38 | 33 - 43 | 106 | 104 - 109 | 56 | 54 - 57 | 96 | 96 - 97 | | Y | Runoff/leaching from natural deposits; industrial wastes | | | | | | | | | | | | | | | | | | |
| Color (units) | NS | 15 | <5 | <5 | <5 | <5 -12 | ND | ND -1 | ND | ND -1 | | Y | Naturally-occurring organic materials | | | | | | | | | | | | | | | | | | |
| Iron (ppb) | NS | 300 | 30 | 14 - 48 | 12 | 12 | ND | ND | ND | ND | | Y | Leaching from natural deposits; industrial wastes | | | | | | | | | | | | | | | | | | |
| Manganese (ppb) | NS | 50 | ND | ND - 4.0 | 2.3 | 2.2 - 2.3 | ND | ND | ND | ND | | Y | Leaching from natural deposits | | | | | | | | | | | | | | | | | | |
| Odor- Threshold (units) | NS | 3 | <1 | <1 | <1 | <1 | 2(c) | 1 -4 (c) | 3 (c) | 3(c) | | Y | Naturally-occurring organic materials; chlorine | | | | | | | | | | | | | | | | | | |
| Specific Conductance (µmho/cm) | NS | 1600 | 491 | 429 - 529 | 1288 | 241 - 1335 | 436 | 428 - 444 | 954 | 897 - 1,010 | | Y | Substances that form ions when in water; seawater influence | | | | | | | | | | | | | | | | | | |
| Sulfate (ppm) | NS | 500 | 77 | 68 - 86 | 248 | 230 - 264 | 44 | 43 - 46 | 213 | 190 - 236 | | Y | Runoff/leaching from natural deposits; industrial wastes | | | | | | | | | | | | | | | | | | |
| Total Dissolved Solids (ppm) | NS | 1000 | 294 | 262 - 328 | 958 | 958 | 242 | 239 - 244 | 596 | 553 - 639 | | Y | Runoff/leaching from natural deposits | | | | | | | | | | | | | | | | | | |
| Turbidity (NTU) | — | 5 | 0.11 | 0.07 - 0.17 | 0.4 | 0.14 - 0.76 | ND | ND | ND | ND | | Y | Soil runoff | | | | | | | | | | | | | | | | | | |

| UNREGULATED CHEMICALS REQUIRING MONITORING | | | | | | | | | | | |
|--|----|--------|-----|-----------|-----|-----------|-----|-----|-----|-----|------|
| Chlorate (ppb) | NS | NL=800 | 280 | 180 - 390 | 540 | 510 - 570 | 29 | 29 | 32 | 32 | 2015 |
| Chlorodifluoromethane (ppb) | NS | NS | ND | ND | 0.6 | 0.6 | N/A | N/A | ND | ND | 2015 |
| Molydenum (ppb) | NS | NS | 2.8 | 2.4 - 3.2 | 2.1 | 2.0 - 2.1 | N/A | N/A | N/A | N/A | 2015 |
| Strontium (ppb) | NS | NS | 280 | 200 - 370 | 630 | 620 - 630 | N/A | N/A | N/A | N/A | 2015 |
| Vanadium (ppb) | NS | NL=50 | 0.8 | 0.6 - 1.0 | 2.4 | 2.3 - 2.4 | ND | ND | ND | ND | 2015 |

| ADDITIONAL PARAMETERS | | | | | | | | | | |
|-------------------------------------|----|---------|-----|-----------|-----|-----------|-----|-----------|-----|-----------|
| Alkalinity (ppm) | NS | NS | 107 | 92 - 117 | 325 | 317 - 335 | 72 | 68 - 76 | 112 | 107 - 117 |
| Boron (ppb) | NS | NL=1000 | 150 | 150 | 210 | 210 | 140 | 140 | 130 | 130 |
| Calcium (ppm) | NS | NS | 40 | 34 - 47 | 122 | 120 - 126 | 20 | 19 - 21 | 63 | 57 - 69 |
| Hardness (as CaCO3) (ppm) | NS | NS | 162 | 142 - 179 | 550 | 543 - 556 | 89 | 84 - 94 | 254 | 233 - 274 |
| Magnesium (ppm) | NS | NS | 16 | 16 | 57 | 57 | 9.7 | 9.5 -9.9 | 24 | 23 - 26 |
| pH (units) | NS | NS | 8.2 | 8.0 - 8.4 | 7.1 | 6.9 - 7.2 | 8.5 | 8.4 - 8.5 | 8.1 | 8.1 - 8.2 |
| Potassium (ppm) | NS | NS | 1 | 1.0 - 1.1 | 10 | 10 | 2.4 | 2.4 -2.5 | 4.7 | 4.4 - 5.0 |
| Radon (pCi/l) | NS | NS | ND | ND | 360 | 360 | ND | ND | ND | ND |
| Sodium (ppm) | NS | NS | 39 | 38 - 39 | 85 | 85 | 46 | 45 - 46 | 98 | 94 - 103 |
| 1, 4-Dioxane (ppb) | NS | NL=1 | 1.3 | 1.0 - 1.5 | ND | ND | N/A | N/A | N/A | N/A |
| N-Nitrosodimethylamine (NDMA) (ppt) | 3 | NL=10 | N/A | N/A | N/A | N/A | ND | ND | 2.2 | 2.2 |
| tert-Butyl Alcohol (TBA) (ppb) | NS | NL=12 | ND | ND | N/A | N/A | ND | ND | ND | ND |
| | | | | | | | | | | |

FOR ADDITIONAL WATER QUALITY QUESTIONS, CONTACT JACK MIYAMOTO, LEAD CHEMIST AT (310) 434-2672

KEY TO ABBREVIATIONS

- Secondary Drinking Water Standard = An MCL that applies to any contaminant in drinking water that adversely affects the taste, odor, or appearance of the water.
- PHG = The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
- MCLG = Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.
- MCL = Maximum Contaminant Level, The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- NL = Notification Level, or the concentration of a contaminant that the California Department of Public Health has determined does not pose not a significant health risk, but warrants notification.
- PDWS = Primary Drinking Water Standard: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
- and water treatment requirements. MRDL = Maximum Residual Disinfectant Level: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- MRDLG = Maximum Residual Disinfectant Level Goal: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- AL = Regulatory Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
- TT = Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
- Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.
- N/A = Not Applicable NS = No Standard
- ND = Monitored for, but Not Detected
- NTU = Nephelometric Turbidity Units used to measure cloudiness of drinking water.
- ppb = parts per billion, or micrograms per liter (ug/l)
 ppm = parts per million, or milligrams per liter (mq/l)
- ppt = parts per trillion, or nanograms per liter (ng/l)

umho/cm = micromhos per centimeter

- < = less than
- (a) = SM Well#1 is pumped into a transmission line, is blended with Imported Surface Water and enters the system at 19th St. & Idaho Ave.
- (b) = The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than a year old.
- (c) = MWD has developed a flavor-profile analysis method that can more accurately identify odor occurences.

Facts about Radon

Radon is a radioactive gas that you cannot see, taste, or smell. It is found throughout the U.S. Radon can move up through the ground and into a home through cracks and holes in the foundation. Radon can build up to high levels in all types of homes. Radon can also get into indoor air when released from tap water from showering, washing dishes, and other household activities. Compared to radon entering the home through soil, radon entering the home through tap water will in most cases be a small source of radon in indoor air. Radon is a known human carcinogen. Breathing air containing radon can lead to lung cancer. Drinking water containing radon may also cause increased risk of stomach cancer. If you are concerned about radon in your home, test the air in your home. Testing is inexpensive and easy. You should pursue radon removal for your home if the level of radon in your air is 4 picocuries per liter of air (pCi/L) or higher. There are simple ways to fix a radon problem that are not too costly. For additional information, call your State radon program (1-800-745-7236), the U.S. EPA Safe Drinking Water Act Hotline (1-800-426-4791), or the National Safety Council Radon Hotline (1-800-767-7236).

Information is also available at the California EPA website: www.cdph.ca.gov/Programs/CEH/DRSEM/Pages/EMB/ Radon/Radon.aspx



Answers to the Most Commonly Asked Questions About Your Tap Water

What affects the taste of my water?

The taste of drinking water is affected by its mineral content as well as the presence of chloramine, which is used to protect against potential bacterial contamination. Sometimes plumbing can cause a metallic flavor, especially if the water has been sitting in the pipes for many hours.

How hard is my water?

The water delivered to our customers has an average hardness of 162 ppm. To convert to grains per gallon, divide the hardness in ppm by 17.1. The average hardness in our water is 9.47 grains per gallon.

What type of disinfectant is in my water?

A low level of chloramine disinfectant is added to your tap water to protect from waterborne pathogens. Chloramine is formed when a small amount of ammonia is added to chlorinated water. This type of disinfectant is very stable and reduces the formation of disinfection by-products in your water. These by-products are an unintended consequence of the disinfection process but are far below the allowable limit in Santa Monica water. We carefully monitor the amount of the chloramine disinfectant to protect the quality of your water.

Is the City's water fluoridated?

The City of Santa Monica is required by state law to add fluoride to drinking water to help prevent dental decay in consumers. Current regulations require fluoride levels in the treated water be maintained between 0.6 to 1.2 ppm with an optimum dose of 0.7 ppm. Our monitoring showed that fluoride levels in the treated water distribution system averaged 0.77 ppm.

According to the American Dental Association and CDC, it is safe to use optimally fluoridated water for preparing infant formula. If an infant is primarily fed infant formula prepared with fluoridated water, there may be an increased chance for mild enamel fluorosis, but enamel fluorosis does not affect the health of the infant or the health of the infant's teeth. To lessen this chance, deionized, purified, distilled or demineralized bottled water can be used. If you have additional questions about fluoride, contact your health provider.

Additional information can be found at the State Board website: www.waterboards.ca.gov/drinking_water/certlic/ drinkingwater/Fluoridation.shtml

or the CDC website: www.cdc.gov/fluoridation website.



What about lead from my plumbing?

The lead contamination that made the news in Flint, Michigan is highly unlikely in Santa Monica. The quality of our source water is much different than Flint's, and our corrosion control processes comply with state drinking water regulations. A pool of "high risk" homes, which were plumbed before the ban on lead in solder, have been tested every three years since 1992 and has continually indicated there is little tendency of our water to leach lead out of plumbing. The next round of testing is scheduled this year in 2019.

If your home plumbing contains lead, there is a limited potential for lead to leach into your water. Fortunately, the minerals in our water help to protect against pipe corrosion, greatly reducing the potential of lead entering the water. These minerals form a film called "scale" that prevents water from coming into direct contact with home plumbing. The most common place to find lead in household plumbing is in chrome-plated brass faucets and fixtures. California enacted stricter regulations for plumbing fixtures in 2010 further reducing the potential for lead leaching from household plumbing.

If present, however, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Santa Monica Water Resources Division is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. To get your water tested, please call the Water Quality Office*. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline* or at www.epa.gov/safewater/lead.

Do I really need to buy a water filter or home treatment system?

The decision to buy a water filter or home treatment system is a matter of personal preference. Our water meets or exceeds rigid state and federal health standards. If you decide to buy a filter or system, be a smart shopper and do some homework. Any treatment device you buy should be registered with the National Sanitation Foundation (NSF). Contact NSF toll free at (800) 673-6275 or visit www.nsf.org.

What about bottled water?

Again, the decision is yours. You may find that keeping a pitcher of tap water in your refrigerator is a low-cost, water-thrifty alternative to buying more expensive bottled water, and it's far better for the environment. Even when the bottle is reused or recycled, the petrochemicals used in creating the bottle and the transportation of the water have a significant impact on the environment.

Water Conservation

Thanks to our customers and City programs, Santa Monica has taken prudent and responsible measures to improve water conservation that complement several 2018 initiatives approved by the California State legislature. The following are the City's current conservation goals, and measures being taken to achieve them:

- 20% Water Usage Reduction (from 2013 usage): We are maintaining a Stage 2 Water Supply Shortage status with the goal of counteracting long-term local impacts of both the 2012-2017 drought and the ongoing climate change. Realization of this goal requires all Santa Monica water customers (residential, commercial, industrial, and the City) to reduce water consumption by 20% from their 2013 usage. Overall, the City is meeting the 20% reduction target and we urge everyone to continue their conservation efforts; it makes a difference!
- Water Self-Sufficiency by 2023: This will ensure a sustainable and resilient water supply for the future by phasing out our reliance on high cost MWD imported water and relying completely on local groundwater and recycled water for our supply.

Below are some great ways you can contribute to our community's goals:

- Cash for Grass: Replace your water-thirsty turf grass with a beautiful climate and drought tolerant garden and receive rebates of \$3.50 per square foot of switched turf. Visit sustainablesm.org/rebates
- Check your irrigation system: Adjust your irrigation timer's watering schedule each season to prevent over-watering. Visit *www.lacoastalgardens.com* for a guide on watering your drought-wise garden. Adjust sprinklers to eliminate overspray and run off or convert to a drip-irrigation system.
- Follow watering restrictions: Use sprinklers before 10am or after 4pm.
- Water-wise appliance rebates: Receive a Rain Harvest Rebate by capturing precious rainwater with a rain barrel or cistern. Also receive rebates for highefficiency toilets, urinals, clothes washers and irrigation controllers. Visit www.sustainablesm.org/rebates
- Free low flow devices: Contact the Conservation Office* for free low-flow shower heads, faucet aerators, and automatic shut-off hose nozzles.
- Free Water Use Consultations: Contact the Conservation Office* to request that a City water conservation expert visit and recommend water reduction methods for your home or business.

- Immediately repair leaks: About 14% of water is lost through leaks. Check toilets by putting a few drops of food coloring into the tank. If the bowl fills with coloring, a leak exists. Periodically check sinks, shower/ bathtub, pipes, hose bibs and joints for leaks. Use your water meter to check for leaks: turn off all faucets, water-using appliances and irrigation; check your meter; if the dial shows any movement, you may have a leak.
- Water-wise behaviors: Turn off water when brushing your teeth or shaving and wash only full loads of laundry and dishes. Limit showering to 5 minutes.

For more information on any of our conservation programs mentioned above, contact the Conservation Office,* *visit www.sustainablesm.org/water*, or email *savewater@smgov.net*.



WE NEED YOU!

Public involvement is fundamental to ensuring that we are meeting our water supply demand, water quality goals, and the highest customer service level. We welcome your feedback and invite you to get involved with the City of Santa Monica in the following ways:

- · Participate in conservation events
- · Attend board and community meetings
- Sign up for the newsletters and alerts
- Please let us know how we are doing.

For information on these opportunities, please call Water Resources and the Office of Sustainability and the Environment.* For a digital copy of this report, please visit: *waterquality.smgov.net*.

Where Can I Get More Information?

City of Santa Monica Public Works and Water Resources Division Offices:

| Water Resources/Water Quality (| (310) | 434-2672 |
|---------------------------------|-------|----------|
| 24-Hour Water Emergencies (| (310) | 434-2672 |
| Wastewater (| (310) | 458-8532 |
| Lead Chemist (| (310) | 434-2672 |
| Billing Office (| (310) | 458-8224 |

Visit our website: www.smgov.net/departments/publicworks/ water.aspx

Santa Monica City Council Meetings: 2nd & 4th Tuesdays of each month Council Chamber 1685 Main Street, Santa Monica www.smgov.net/cityclerk/agendas.apsx

| City of Santa Monica Office of | of Sustainability and |
|--------------------------------|-----------------------|
| the Environment | (310) 458-2213 |
| Conservation Office | (310) 458-8972 |
| www.sustainablesm.org | |

U.S. Environmental Protection Agency Office of Ground Water & Drinking Water Safe Drinking Water Hotline (800) 426-4791

www.epa.gov/safewater/dwhealth.html water.epa.gov/drink/guide



Water Resources Division P.O. Box 2200 1685 Main Street Santa Monica, CA 90406-2200

This brochure is printed with vegetable-based inks on paper made from recycled paper.