

Annual Drinking Water Quality Report

- Quality
- Value
- Reliability




City of
SOUTH PASADENA
Public Works

Your 2020 South Pasadena Water Quality Report

Introduction

The City of South Pasadena (City) is committed to keeping you informed about the quality of your drinking water. This report is provided to you annually. It includes information describing where your drinking water comes from, the constituents found in your drinking water and how the water quality compares with the regulatory standards.



City of South Pasadena — Water System Pressure Zone Map

Where Does My Drinking Water Come From?

The water supply for the City comes from three sources: (1) groundwater pumped from wells in the Main San Gabriel Groundwater Basin, (2) surface water imported by Metropolitan Water District of Southern California (Metropolitan) from the Colorado River and from Northern California, and (3) groundwater from the City of Pasadena, which includes Metropolitan water, that is supplied to only the City's Pasadena Zone. Metropolitan filters imported surface water and adds chloramines, a combination of chlorine and ammonia, as a residual disinfectant. The City adds chlorine without ammonia, called free chlorine, to groundwater pumped from wells. A residual amount of free chlorine and chloramines in the distribution system helps prevent microorganisms from growing in the pipes.

Questions about your water? Contact us for answers.

For more information or questions regarding this report, please contact the Public Works Department at 626-403-7240.

Regularly scheduled meetings of the City of South Pasadena City Council are held on the first and third Wednesday of each month at 7:30 p.m. at 1424 Mission Street, South Pasadena, California 91030. The meetings provide an opportunity for public participation in decisions that may affect the quality of your drinking water.

This report contains important information about your drinking water. Translate it, or speak with someone who understands it.

Este informe contiene información muy importante sobre su agua potable. Para más información o traducción, por favor contacte al departamento de obras públicas al 626-403-7240.

此份有關你的食水報告，內有重要資料和訊息，請找他人為你翻譯及解釋清楚。

Constant Monitoring Ensures Continued Excellence

What Is in My Drinking Water?

Your drinking water is tested by certified professional water system operators and certified laboratories to ensure its safety. The City routinely tests drinking water from its wells and distribution system pipes for bacterial and chemical contaminants while Metropolitan is responsible for testing its treated surface water purchased by the City.

The City of Pasadena is responsible for testing its groundwater purchased by the City for only the Pasadena Zone. The charts in this report show the average and range of concentrations of the constituents tested in your drinking water during year 2020 or from the most recent tests.

The State Water Resources Control Board, Division of Drinking Water (DDW) allows the City to monitor for some contaminants less than once per year because the concentra-



tions of these contaminants in groundwater do not change frequently. Some of our data, although representative, are more than one year old.

The chart lists all the contaminants **detected** in your drinking water that have federal and state drinking water standards.

Detected unregulated contaminants of interest are also included. We are proud to report that during 2020, the drinking water provided by the City to your home met or surpassed all federal and state drinking water standards. We remain dedicated to providing you with a reliable supply of high quality drinking water.

What Contaminants May be Present in the Sources of My Drinking Water?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- ◆ **Microbial contaminants**, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- ◆ **Inorganic contaminants**, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- ◆ **Pesticides and herbicides**, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- ◆ **Radioactive contaminants**, that can be naturally-occurring or be the result of oil and gas production and mining activities.
- ◆ **Organic chemical contaminants**, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application and septic systems.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the United States Environmental Protection Agency's (USEPA) Safe Drinking Water Hotline (1-800-426-4791).

ABOUT SOUTH PASADENA PUBLIC WORKS

We Provide More Than Just Water!

The Public Works Department is responsible for streets, public buildings, water, sewer systems, street lighting, and park maintenance. For a name change, or to start water service, call the Finance Department at (626) 403-7250.



Because California's main water sources have been severely impacted by record dry conditions in recent years, we encourage everyone to become more conservation conscious.

Visit www.bewaterwise.com to learn more about water savings, and the **South Pasadena Environmental Programs** website for additional information about water conservation rebates:


www.southpasadenaca.gov/rebates.

We Comply with All State & Federal Water Quality Regulations

Are There Any Precautions the Public Should Consider?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).



Drinking Water Fluoridation

Metropolitan joined a majority of the nation's public water suppliers by adding fluoride to drinking water in order to prevent tooth decay. The average fluoride level in Metropolitan's treated water is 0.7 milligrams per liter (mg/L). The City does not add additional fluoride to the local water because fluoride occurs naturally in groundwater.

As shown on the water quality chart, the average fluoride concentration in the City's groundwater is 0.91 mg/L, while the average fluoride concentration in the City of Pasadena's groundwater that is supplied to only the Pasadena Zone is 0.8 mg/L.

About Lead in Tap Water

If present, elevated levels of lead can cause serious problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.

DDW enforces the Lead and Copper Rule, which follows the USEPA's Lead and Copper Rule, and is used to protect the public's drinking water from metals that can adversely affect public health. The Lead and Copper Rule requires water systems to monitor lead and copper levels at the consumers' taps. In accordance

with the Lead and Copper Rule, the City collected the latest lead and copper samples from 32 residences during 2018; lead was detected in the samples collected from one residence but it did not exceed the regulatory Action Level, while copper was detected in the samples collected from 23 residences but none exceeded the regulatory Action Level. Therefore, the City is in compliance with the Lead and Copper Rule.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the USEPA Safe Drinking Water Hotline or at www.epa.gov/lead.

Nitrate in Tap Water

Although nitrate in your drinking water never exceeds the MCL of 10 mg/L, nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies.

If you are caring for an infant, or you are pregnant, you should ask for advice from your health care provider.

Source Water Assessments


Imported (Metropolitan) Water Assessment

Every five years, Metropolitan is required by DDW to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters.

The most recent watershed sanitary surveys of Metropolitan's source water supplies from the Colorado River was updated in 2015 and the State Water Project was updated in 2016.

Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/stormwater runoff, wildlife, agriculture, recreation, and wastewater.

USEPA also requires Metropolitan to complete one Source Water Assessment (SWA) that utilizes information collected in the watershed sanitary surveys. Metropolitan completed its SWA in December 2002. The SWA is used to evaluate the vulnerability of water sources to contamination and helps determine whether more protective measures are needed.



A copy of the most recent summary of either Watershed Sanitary Survey or the SWA can be obtained by calling Metropolitan at (800) CALL-MWD (225-5693).

Groundwater Assessment

In accordance with the federal Safe Drinking Water Act, an assessment of the drinking water sources for the City was completed in December 2002.

The assessment concluded that the City's groundwater wells are considered most vulnerable to the following activities or facilities associated with contaminants detected in the water supply: dry cleaners, gasoline stations, automobile repair shops, high density housing and medical/dental office/clinics. In addition, the groundwater wells are considered most vulnerable to the following facility not associated with contaminants detected in the water supply: leaking underground storage tanks.

A copy of the complete assessment is available at the City of South Pasadena Public Works Department at 1414 Mission Street, South Pasadena, California 91030.

You may request a summary of the assessment to be sent to you by contacting the Public Works Department at 626-403-7240.

An assessment of the drinking water sources for the City of Pasadena's water system was completed in August 2002. The wells in the City of Pasadena were found to be most vulnerable to contamination from automobile gasoline stations, repair shops and body shops; underground storage tanks; and military installations. A copy of the complete assessment is available at Pasadena Water and Power, 150 South Los Robles Avenue, Suite 200, Pasadena, California.



Chart Legend

What are Water Quality Standards?

In order to ensure that tap water is safe to drink, the USEPA and DDW prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water standards established by USEPA and DDW set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The charts in this report show the following types of water quality standards:

- ◆ **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.
- ◆ **Secondary MCLs** are set to protect the odor, taste, and appearance of drinking water.
- ◆ **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- ◆ **Primary Drinking Water Standard:** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.
- ◆ **Regulatory Action Level (AL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
- ◆ **Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.
- ◆ **Notification Level (NL):** An advisory level which, if exceeded, requires the drinking water system to notify the governing body of the local agency in which users of the drinking water reside (i.e. city council, board of directors, and county board of supervisors).

What is a Water Quality Goal?


In addition to mandatory water quality standards, USEPA and DDW have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The charts in this report include three types of water quality goals:

- ◆ **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by USEPA.
- ◆ **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- ◆ **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

How are Contaminants Measured?

Water is sampled and tested throughout the year. Contaminants are measured in:

- ◆ parts per million (ppm) or milligrams per liter (mg/L)
(3 drops in 42 gallons - a large bathtub)
- ◆ parts per billion (ppb) or micrograms per liter (µg/L)
(1 drop in 14,000 gallons - an average swimming pool)
- ◆ parts per trillion (ppt) or nanograms per liter (ng/L)
(1 drop in 14,000,000 gallons - an average lake)



City of South Pasadena 2020 Water Quality (Table 1 of 2)

Constituents and Measurement Units	MCL or [MRDL]	PHG (MCLG) or [MRDLG]	DLR	SOUTH PASADENA GROUNDWATER			PASADENA GROUNDWATER (Pasadena Zone Only)			METROPOLITAN IMPORTED WATER			Typical Origins
				Result ^(a)	Range	Most Recent Test	Result ^(a)	Range	Most Recent Test	Result ^(a)	Range	Most Recent Test	
Primary Drinking Water Standards – Health-Related Standards													
Filter Effluent Turbidity (NTU) ^(b)	TT = 1 NTU TT = 95% of samples ≤0.3 NTU	NA	NA							0.04	–	Continuous Testing	Soil runoff
				NR				NR		100%	–		
Microbiological													
Total Coliforms	5.0%	(0)	NA	0%	0%	Weekly	MCL Compliance Determined from Testing in the South Pasadena Distribution System			MCL Compliance Determined from Testing in the South Pasadena Distribution System			Naturally present in the environment
Disinfectant and Disinfection Byproducts ^(c)													
Total Trihalomethanes (TTHM) (µg/L)	80	NA	1	3.4	ND – 6.2	Quarterly	MCL Compliance Determined from Testing in the South Pasadena Distribution System			MCL Compliance Determined from Testing in the South Pasadena Distribution System			By-product of drinking water disinfection
Haloacetic acids (five) (HAA5) (µg/L)	60	NA	1 – 2	ND	ND – 1.6	Quarterly							By-product of drinking water disinfection
Chloramines Residual as Cl2 (mg/L)	[4]	[4]	NA	1.4	0.72 – 2.1	Weekly							Drinking water disinfectant
Chlorine Residual as Cl2 (mg/L)	[4]	[4]	NA	0.53	0.2 – 1.9	Weekly							Drinking water disinfectant
Organic Chemicals													
1,2,3 Trichloropropane (µg/L)	0.005	0.0007	0.005	ND	ND	Weekly	ND	ND	2020	ND	ND	2020	Discharge from industrial or agricultural activities
Carbon Tetrachloride (ng/L)	500	100	500	ND	ND	2020	ND	ND	2020	ND	ND	2020	Discharge from industrial activities
cis-1,2-Dichloroethylene (µg/L)	6	100	0.5	ND	ND	2020	ND	ND	2020	ND	ND	2020	Discharge from industrial activities
Tetrachloroethylene (PCE) (µg/L)	5	0.06	0.5	1.7	1.1 – 2.2	2020	ND	ND – 1.3	2020	ND	ND	2020	Discharge from industrial activities
Trichloroethylene (TCE) (µg/L)	5	1.7	0.5	1.1	0.57 – 1.5	2020	ND	ND – 1.4	2020	ND	ND	2020	Discharge from industrial activities
Inorganic Chemicals													
Aluminum (mg/L)	1	0.6	0.05	ND	ND	2019	ND	ND	2020	0.149	0.08 – 0.21	2020	Used for filtration treatment of surface water
Arsenic (µg/L)	10	0.004	2	ND	ND	2019	ND	ND – 2.1	2020	ND	ND	2020	Erosion of natural deposits
Barium (mg/L)	1	2	0.1	ND	ND	2019	ND	ND – 0.14	2020	0.11	0.11	2020	Erosion of natural deposits
Bromate (µg/L)	10	0.1	1		NR			NR		2	ND – 4.2	2020	Byproduct of drinking water disinfection
Copper (mg/L) ^(d)	AL = 1.3	0.3	0.05	0.33	0 / 32 Samples Exceeded the AL	2018	MCL Compliance Determined from Testing in the South Pasadena Distribution System				NR		Corrosion of household plumbing system
Fluoride (mg/L) Naturally-occurring	2	1	0.1	0.91	0.86 – 0.92	2019	0.8	0.5 – 1.1	2020		NR		Erosion of natural deposits
Fluoride (mg/L) Treatment-related	2	1	0.1		NR			NR		0.7	0.6 – 0.8	2020	Water additive for dental health
Lead (µg/L) ^(d)	AL = 15	0.2	5	ND	0 / 32 Samples Exceeded the AL	2018	MCL Compliance Determined from Testing in the South Pasadena Distribution System				NR		Corrosion of household plumbing system
Nitrate as N (mg/L)	10	10	0.4	5.2	3.7 – 6.4	Monthly	4.8	ND – 7.6	2020	ND	ND	2020	Leaching from fertilizer use
Perchlorate (µg/L)	6	1	4	ND	ND	2020	ND	ND – 4.1	2020	ND	ND	2020	Discharge from industrial activities
Radioactivity													
Combined Radium (pCi/L)	5	(0)	1	ND	ND	2016	ND	ND – 1.4	2018	ND	ND – 2	2020	Erosion of natural deposits
Gross Alpha Particle Activity (pCi/L)	15	(0)	3	3.3	ND – 6.5	2016	8	5 – 11	2018	ND	ND	2020	Erosion of natural deposits
Gross Beta Particle Activity (pCi/L)	50	(0)	4		NR			NR		4	ND – 6	2020	Decay of natural and man-made deposits
Uranium (pCi/L)	20	0.43	1	1.6	1.4 – 1.8	2016	10	3 – 15	2018	2	1 – 3	2020	Erosion of natural deposits
Secondary Drinking Water Standards – Aesthetic Standards, Not Health-Related													
Aluminum (µg/L) ^(e) water	200	600	50	ND	ND	2019	ND	ND	2020	149	80 – 210	2020	Used for treatment of MWD surface
Color (Units)	15	NA	NA	ND	ND	2018	ND	ND	2020	1	1	2020	Naturally occurring organic materials
Chloride (mg/L)	500	NA	NA	18	16 – 19	2018	61	19 – 96	2020	93	93	2020	Runoff/leaching from natural deposits
Iron (µg/L)	300	NA	100	ND	ND	2018	ND	ND – 310	2020	ND	ND	2020	Leaching from natural deposits; industrial wastes
Odor-Threshold (Units)	3	NA	1	ND	ND	2018	ND	ND	2020	2	2	2020	Naturally occurring organic materials
Specific Conductance (µmho/cm)	1,600	NA	NA	350	330 – 360	2018	661	500 – 890	2020	966	963 – 968	2020	Substances that form ions in water
Sulfate (mg/L)	500	NA	0.5	47	40 – 54	2018	107	33 – 211	2020	213	211 – 215	2020	Runoff/leaching from natural deposits
Total Dissolved Solids (mg/L)	1,000	NA	NA	270	260 – 280	2020	409	300 – 560	2020	590	587 – 593	2020	Runoff/leaching from natural deposits
Turbidity (NTU)	5	NA	0.1	0.22	0.13 – 0.3	2018	0.7	0.15 – 1.8	2020	ND	ND	2020	Soil runoff

City of South Pasadena 2020 Water Quality (Table 2 of 2)

Constituents and Measurement Units	MCL or [MRDL]	PHG (MCLG) or [MRDLG]	DLR	SOUTH PASADENA GROUNDWATER			PASADENA GROUNDWATER (Pasadena Zone Only)			METROPOLITAN IMPORTED WATER			Typical Origins
				Result ^(a)	Range	Most Recent Test	Result ^(a)	Range	Most Recent Test	Result ^(a)	Range	Most Recent Test	
Unregulated Chemicals													
Alkalinity (mg/L)	NA	NA	NA	90	86 – 93	2018	175	120 – 200	2020	118	118 – 119	2020	Runoff/leaching from natural deposits
Calcium (mg/L)	NA	NA	NA	21	18 – 23	2018	71	58 – 100	2020	65	65	2020	Runoff/leaching from natural deposits
Chromium, Hexavalent (µg/L)	NA	0.02	1	2.3	1.2 – 3.3	2019	4	1.7 – 8.8	2020	ND	ND	2020	Erosion of natural deposits; industrial waste discharge
Magnesium (mg/L)	NA	NA	NA	5.5	4.4 – 6.5	2018	20	13 – 32	2020	26	25 – 26	2020	Runoff/leaching from natural deposits
pH (pH units)	NA	NA	NA	7.9	7.9	2018	6.8	6.6 – 7	2020	8.1	8.1	2020	Runoff/leaching from natural deposits
Potassium (mg/L)	NA	NA	NA	1.6	1.5 – 1.7	2018	2.2	1.5 – 2.9	2020	4.6	4.5 – 4.6	2020	Runoff/leaching from natural deposits
Other Constituents of Interest													
Hardness as CaCO ₃ (mg/L)	NA	NA	NA	74	63 – 84	2018	260	200 – 380	2020	262	256 – 268	2020	Runoff/leaching from natural deposits
Sodium (mg/L)	NA	NA	NA	42	34 – 49	2018	37	24 – 53	2020	95	93 – 97	2020	Runoff/leaching from natural deposits
Unregulated Chemicals Requiring Monitoring													
Manganese (µg/L) ^(f)	SMCL = 50	NA	NA	4.3	0.58 – 8	2019	NR			3	1.2 – 3.7	2019	Erosion of natural deposits
Unregulated Chemicals Requiring Monitoring in the Distribution System													
Haloacetic acids (HAA5) (µg/L)	NA	NA	NA	0.42	ND – 1.5	2019	Testing in the South Pasadena Distribution System			Testing in the South Pasadena Distribution System			Byproducts of drinking water disinfection
Haloacetic acids (HAA6Br) (µg/L)	NA	NA	NA	0.43	ND – 1.5	2019							Byproducts of drinking water disinfection
Haloacetic acids (HAA9) (µg/L)	NA	NA	NA	0.54	ND – 2.2	2019							Byproducts of drinking water disinfection

NOTES:

mg/L = parts per million or milligrams per liter; **AL** = Action Level; **ND** = Not Detected at DLR;

µg/L = parts per billion or micrograms per liter; **DLR** = Detection Limit for Purposes of Reporting;

NA = No Applicable Limit or Data; **pCi/L** = picoCuries per liter; **NL** = Notification Level;

MCL = Maximum Contaminant Level; **µmho/cm** = micromhos per centimeter;

MCLG = Maximum Contaminant Level Goal; **MRDL** = Maximum Residual Disinfectant Level;

PHG = Public Health Goal; **NTU** = Nephelometric Turbidity Units; **NR** = Not Required to be Sampled;

MRDLG = Maximum Residual Disinfectant Level Goal; **SMCL** = Secondary MCL

(a) The results reported in the table are average concentrations of the constituents detected in your drinking water during year 2020 or from the most recent tests, except for filter effluent turbidity, TTHM, HAA5, chlorine residual, chloramine residual, lead, and copper which are described below.

(b) Turbidity is a measure of the cloudiness of the water, an indication of particulate matter, some of which might include harmful microorganisms that are difficult to detect, such as the parasites *Giardia* and *Cryptosporidium*. Consistently low turbidity in Metropolitan's filtered water indicates complete removal of any harmful microorganisms that may be present. The table gives the highest single turbidity measurement

that was recorded and the lowest monthly percentage of samples meeting the requirements of the surface water treatment technique.

(c) Samples were collected in the City of South Pasadena distribution system. The running annual averages and the range of the individual results for chlorine residuals, TTHM and HAA5 are reported.

(d) Thirty-two lead and copper samples were collected in September 2018 and October 2018 at residential taps. The 90th percentile concentration is reported in the table. Out of 32 residences sampled, copper was detected at or above the DLR in 23 samples but none exceeded the Action Level. Out of 32 residences sampled, lead was detected above the DLR in one sample, but none exceeded the Action Level. During 2020, no school submitted a request to be sampled for lead.

(e) Aluminum also has a secondary MCL of 200 µg/L.

(f) Manganese is regulated with a secondary standard of 50 µg/L but was not detected, based on the DLR of 20 µg/L. Manganese was included as part of the unregulated chemicals requiring monitoring.

For more information or questions, please contact Public Works Department, City of South Pasadena, 825 Mission Street, South Pasadena, California 91030. Telephone: (626) 403-7240.

Water Conservation: Be Water Wise All Year Long

After navigating three major droughts in as many decades, California has once again plunged into drought. The state is entering its second year of drought and 2021 is shaping up to be historically dry. But Southern California is more prepared than ever, thanks to sound planning, smart investments and a conservation ethic that has become a way of life. We must continue to plan for future challenges, including persistent drought and climate change, by modernizing existing infrastructure and investing in new, innovative and sustainable efforts to build and store supplies and reduce demands.

Conserving water in our homes and businesses remains vitally important. There are many areas within our homes where we can save water, particularly outdoors, where our gardens and lawns receive almost 60% of all the water we use.

To learn more about the drought or to find useful tips for how to conserve water, visit:

www.SaveOurWater.com

To learn about programs and rebated devices that can help save water, visit:

www.BeWaterWise.com



Water Conservation Tips for Inside Your Home

Install aerators on the kitchen faucet

Reduces flow to less than 1 gallon per minute

Soak pots and pans instead of letting water run while you scrub them clean

Saves water and makes the job easier

Collect water used to wash fruits and vegetables

Use it to water your houseplants

Cook food in as little water as possible

Saves water and helps retain food nutrients

Keep a pitcher of drinking water in the refrigerator

Saves gallons of water and it's always cold

Wash only full loads of laundry and dishes

Saves up to 50 gallons per week

Install low-flow shower heads

Saves 2.5 gallons per shower

Buy water-saving devices like premium high-efficiency toilets and clothes washers. Many of them are eligible for rebates and you'll save many gallons of water per day.

Complete rebate information is available on the web at www.BeWaterWise.com

Useful Conservation Tips for Saving Water Outside Your Home

Check your sprinkler system and correct for overspray and broken sprinkler heads to ensure only your lawn is watered

Saves 12-15 gallons each time you water

Use a broom instead of a hose
It takes very little time to sweep and the water savings add up



Water plants in the early morning
Reduces evaporation and ensures deeper watering

Plant drought-resistant trees and plants
Saves about 30-60 gallons per 1,000 sq. ft. each time you water

Choose drip irrigation for your trees, shrubs, flowers and vegetables

Saves up to 15 gallons each time you water


Use mulch around trees and plants to reduce evaporation, improve the soil & prevent weeds

Saves about 20-30 gallons per 1,000 sq. ft. each time you water

Information about additional water saving steps and devices are available on the web and some of these are eligible for substantial rebates. In addition, water your garden deeply to promote healthier, stronger plants. Regular pruning will help your plants use water more efficiently. You won't need to water as often, either.

How Residential Water is Used throughout Southern California

Outdoor watering of lawns and gardens makes up approximately 60% of home water use. By cutting your outdoor watering by 1 or 2 days a week, you can dramatically reduce your overall water use.



● Showers & Baths: 8% ● Toilets: 11% ● Leaks: 7%
● Clothes Washers: 9% ● Dishwashers: 1% ● Faucets: 6%

Data is representative of average consumption; your water usage may vary.

Want Additional Information?

There's a wealth of information on the internet about Drinking Water Quality and water issues in general, especially the drought and conservation. Some good sites — both local and national — to begin your own research are:

City of South Pasadena Water: www.southpasadenaca.gov

U.S. Environmental Protection Agency: www.epa.gov/safewater

State Water Resources Control Board, Division of Drinking Water:
www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/publicwatersystems.shtml

Metropolitan Water District of Southern California: www.mwdh2o.com

Drought and Water Conservation Tips:
www.BeWaterWise.com ● www.SaveOurWater.com

Rebate Information, Water Saving Resources:
www.SoCalWaterSmart.com



City of South Pasadena Public Works Department

1414 Mission Street • South Pasadena, California 91030

www.southpasadenaca.gov