



2025 Consumer Confidence Report on
Water Quality for 2024

Annual Water Quality Report

Liberty Utilities –
Bellflower/Norwalk
PWS Number 1910211



Message from the President

Liberty is committed to providing customers with safe, quality drinking water. We are proud to present this Water Quality Report (Consumer Confidence Report) that shares detailed information regarding local water service and our compliance with state and federal water quality standards during the 2024 calendar year.

Liberty makes appropriate investments each year to deliver water that meets the safety standards established by the California State Water Resources Control Board's Division of Drinking Water (DDW), the California Public Utilities Commission (CPUC), and the United States Environmental Protection Agency (EPA). We invest responsibly to maintain the local water infrastructure because a strong infrastructure is key to delivering quality water. The water we deliver to your home or business is thoroughly tested by independent laboratories, and data is provided to DDW to verify compliance with primary and secondary state and federal water quality standards.

We know our customers rely on us for water that is safe to drink, and we take this responsibility seriously. At Liberty, "Sustaining Energy and Water for Life" is more than a tagline. Our employees live in the community and take pride in providing quality water and reliable service to you and your neighbors.

If you have any questions about this report, please don't hesitate to contact us at 800-727-5987.

On behalf of the entire Liberty family, thank you for being a valued customer and neighbor. We are proud to be your water provider.

Sincerely,

Moses Thompson

President, Liberty California/Arizona/Texas

This report contains important information about your drinking water. Please contact Liberty at (800) 727-5987 for assistance in Spanish.

Este informe contiene información muy importante sobre su agua para beber. Favor comunicarse con Liberty al (800) 727-5987 para asistirlo en Español.

To request a printed copy of this report, please call us at 1-800-727-5987. This report can also be found at www.libertyenergyandwater.com.

Where Does My Water Come From? Communities Served


In 2024, Liberty Utilities – Bellflower/Norwalk system obtained 87.6% of its source water from the Metropolitan Water District of Southern California (MWD). The MWD imports water from the Colorado River Aqueduct and the Sacramento–San Joaquin Delta by way of the State Water Project. An additional 12.4% came from wells that pump groundwater from the Central Basin Aquifer.

About the Metropolitan Water District of Southern California

MWD is a consortium of 26 cities and water districts that provides drinking water to nearly 19 million people in parts of Los Angeles, Orange, San Diego, Riverside, San Bernardino, and Ventura counties. The mission of the MWD is to provide its service area with adequate and reliable supplies of high-quality water to meet present and future needs in an environmentally and economically responsible way. MWD continues to add storage and conservation resources to its already diverse water supply portfolio to ensure a reliable water supply well into the future. Further, MWD continues to invest in water quality improvements, including the addition of ozone as a treatment process, and the expansion of its treatment capacity that will provide excellent quality water. For more information about MWD, visit their website at www.mwdh2o.com.

Two Sources of Imported Water

The Bellflower/Norwalk system receives the majority of its water from the MWD Diemer Filtration Plant in Yorba Linda. In 2024, the Diemer Plant source water consisted of 0 to 100% State Water Project supply, and 0 to 100% Colorado River Water supply.



Source Water Assessment

The 1996 Safe Drinking Water Act amendments required states to perform an assessment of potentially contaminating activities near drinking water sources of all water utilities. Liberty completed the Source Water Assessment in 2017. Liberty's wells are considered most vulnerable to the following activities: high-density housing; septic systems – low and high density; parks; irrigated crops; golf courses; sewer collection systems; gas stations; roads and streets; railroads; stormwater injection wells; storm drain discharge points; stormwater detention facilities; agricultural and irrigation water wells; historic grazing; historic waste dumps and landfills; machine shops; and leaking underground storage tanks.

A copy of the complete assessment is available at Liberty's Downey office and the SWRCB office in Glendale. You may request a summary of the assessment by contacting Andrea Covarrubias at Liberty at 562-545-1149; or by contacting Mr. Yuji Marsh, SWRCB sanitary engineer, at 818-551-2066.



What are Drinking Water Standards?

Drinking water standards are the regulations set by the USEPA to control the level of contamination in the nation's drinking water. The USEPA and the SWRCB are the agencies responsible for establishing drinking water quality standards in California. This approach includes assessing and protecting drinking water sources; protecting wells and surface water; making sure water is treated by qualified operators; ensuring the integrity of the distribution system; and making information about water quality available to the public. The water delivered to your home meets the standards required by the USEPA and the SWRCB.



This report describes those contaminants that have been detected in the analyses of almost 200 different potential contaminants, nearly 100 of which are regulated by the USEPA and the SWRCB.

Liberty is proud to tell you that there have been no contaminants detected that exceed any federal or state drinking water standards. Hundreds of samples analyzed every month by Liberty's contract certified laboratory assures that all primary (health-related) and secondary (aesthetic) drinking water standards are being met. Sample results are available in the Table that is part of this report.

This report is intended to provide information for all water users. If received by an absentee landlord, a business, or a school, please share the information with tenants, employees or students. We are happy to make additional copies of this report available. You may also access this report on the Liberty web page at www.libertyenergyandwater.com.

Substances That Could be in Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. These substances are also called contaminants.

Contaminants that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic Contaminants, such as salts and metals, which can be naturally- occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from

gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (U.S. EPA) and the State Water Resources Control Board (State Water Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA Safe Drinking Water Hotline at 1-800-426-4791 or visiting their website at <https://www.epa.gov/safewater>. For information on bottled water visit the USFDA website at www.fda.gov.

Do I Need to Take Special Precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their healthcare providers. The USEPA and Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Important Health Information

Lead – If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Liberty is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 1-800-426-4791 or at <http://www.epa.gov/lead>.

Liberty has completed an inventory of the material of the service lines. If you would like to know what material your service line is made of, please contact our office at 1-800-727-5987.

Liberty completes lead tap sampling at customer premises every three years. If you would like to know the results of the last monitoring or you would like to participate in the next monitoring round, please contact us at 1-800-727-5987.

1,4- Dioxane – In 2011, Liberty, along with other water utilities in the Central Basin aquifer, sampled all wells for 1,4-dioxane at the request of the SWRCB. While 1,4-dioxane is not a regulated chemical, SWRCB had set a Notification Level (NL) of 1 part per billion (ppb) in 2010. In 2024, Liberty found 1,4-dioxane in one active well in the Bellflower/Norwalk system. SWRCB does not recommend that Liberty remove this well from service until it exceeds 10 times the NL. Little scientific data are available on the long-term effects of 1,4-dioxane on human health, although the USEPA has listed it as a probable human carcinogen. Besides this notice, the only action required was notification of the Bellflower, Norwalk,

an Artesia City Council and the County Board of Supervisors. This was done on May 17, 2024.

Per- and polyfluoroalkyl substances (PFAS) –

Please note that there are thousands of different PFAS, some of which have been more widely used and studied than others. Scientific research suggests that exposure to certain PFAS may lead to adverse health outcomes. Research is still ongoing to determine how exposure to these different PFAS chemicals occurs and how they can affect human health.

Perfluorooctanoic acid (PFOA) exposures resulted in increased liver weight and cancer in laboratory animals. Perfluorooctanesulfonic acid (PFOS) exposures resulted in immune suppression and cancer in laboratory animals. Perfluorohexane sulfonic acid (PFHxS) exposures resulted in decreased total thyroid hormone in male rats. For information on PFOA, PFOS, and other PFAS, including possible health outcomes, you may visit these websites: <https://www.epa.gov/pfas>.

Chloramines

To help prevent waterborne diseases, Liberty adds small amounts of chlorine to its groundwater supply in accordance with state and federal regulations.

Liberty also purchases water from the Metropolitan Water District (MWD). MWD applies a different disinfectant, called chloramine, to their water supply. Chloramine is a combination of chlorine and ammonia. You are receiving this information because Liberty purchases water from MWD, and we want you, our customer, to be informed about chloramine.

Chloramine does not pose a health hazard to the general population. Chloramine has been used as a disinfectant for municipal water supplies since the early 1900s and is safe for drinking, bathing, cooking, and other normal uses.

Two specific groups, however, may need to take extra precautions with chloraminated water – kidney dialysis patients and fish hobbyists. While chloraminated water does not pose a risk to kidney dialysis patients who drink, cook, or bathe in it, those who use kidney dialysis machines may want

to take special precautions or consult their physician for the appropriate type of water treatment to remove chloramines from the water used for dialysis. Customers who maintain fishponds, tanks, or aquariums should also make necessary adjustments in water quality treatment, as chloramines are toxic to fish. Contact your local pet store or fish shop for additional assistance. For more information on chloramines, call Liberty at (800) 727-5987 or visit

<https://www.epa.gov/dwreginfo/chloramines-drinking-water>.

Drinking Water Fluoridation

Fluoride has been added to U.S. drinking water supplies since 1945. Of the 50 largest cities in the U.S., 43 fluoridate their drinking water. Liberty treats your water by adding fluoride to the naturally occurring level to help prevent dental caries in consumers. State regulations require the fluoride levels in the treated water to be maintained within a range of 0.6 mg/L to 1.2 mg/L with an optimum dose of 0.7 mg/L. Our monitoring showed that the fluoride levels in the treated water ranged from 0.2 mg/L to 0.8 mg/L, with an average of 0.7 mg/L. Information about fluoridation, oral health, and current issues is available from https://www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/Fluoridation.html



Unregulated Contaminant Monitoring Regulation (UCMR)

The Safe Drinking Water Act requires the USEPA to identify unregulated contaminants for potential regulation. Every five years, the USEPA identifies a list of unregulated chemicals to be monitored by the nation's water utilities over a three-year period. The current monitoring cycle (UCMR-5) is from 2023 – 2025. If a constituent is detected, the results from this monitoring are included in this report. Once the USEPA has compiled this occurrence data

nationally, they are required to determine if there is a meaningful opportunity for increased health protection of drinking water through regulation of these contaminants.

How Might I Become Actively Involved?

If you would like to observe the decision-making process that affects drinking water quality or if you have any further questions about your drinking water report, please call us at 1-800-727-5987 to inquire about scheduled meetings or contact persons.

Testing Results

During the year, Liberty collects water samples to determine the presence of any radioactive, biological, inorganic, or organic contaminants. All of the substances listed in the table below tested under the Maximum Contaminant Level (MCL). Liberty believes it is important you know what was detected, and how much of the substance was present. The state allows the monitoring of certain substances less than once a year because the concentrations of these substances do not change frequently. If a substance was tested and there was no detection, it is not listed in this table. You can find Definitions, Terms and Abbreviations related to this Table in the next section for easy reference.

Bellflower/Norwalk 2024 Annual Water Quality Report								
PRIMARY STANDARDS – Health Based								
DISTRIBUTION SYSTEM								
Disinfectant Residuals	Violation? (Yes/No)	Primary MCL (MRDL)	PHG (MRDLG)	Range of Detection	Average	Most Recent Sampling Date	Typical Source of Constituent	
Chlorine [as Cl ₂] (ppm)	No	(4.0)	4	0.31-2.89	2.06	2024	Drinking water disinfectant added for treatment	
Disinfection By-Products ^{(a)(b)}	Violation? (Yes/No)	Primary MCL	PHG (MCLG)	Range of Detection	Average	Most Recent Sampling Date	Typical Source of Constituent	
TTHMs [Total of Four Trihalomethanes] (ppb)	No	80	N/A	ND - 46	55	2024	Byproduct of drinking water disinfection	
HAA5 [Total of Five Haloacetic Acids] (ppb)	No	60	N/A	ND - 12	23	2024	Byproduct of drinking water disinfection	
Fluoridation	Violation? (Yes/No)	Primary MCL	PHG (MCLG)	Range of Detection	Average	Most Recent Sampling Date	Typical Source of Constituent	
Fluoride (ppm) [Treatment Added] - Fluoridated area	No	2.0	1	0.2 – 0.8	0.7	2024	Fluoride added for treatment	
Lead and Copper (Residential Internal Plumbing)	Violation? (Yes/No)	Action Level	PHG (MCLG)	Sample Data	Range of Detection	90th Percentile Level	Most Recent Sampling Date	Typical Source of Constituent
Copper (ppm)	No	1.3	0.3	0 of the 31 samples collected exceeded the action level.	ND - 0.3	ND	2022	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead (ppb)	No	15	0.2	0 of the 31 samples collected exceeded the action level.	ND	.08	2022	Internal corrosion of household plumbing systems; discharges from industrial manufacturers; erosion of natural deposits

SOURCE WATER									
Turbidity ^(c)	Violation? (Yes/No)	Primary MCL	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Highest single measurement of the treated surface water (NTU)	No	TT = 1.0	N/A	0.06	N/A	N/A	N/A	2024	Soil runoff
Lowest percent of all monthly readings less than 0.3 NTU (%)	No	TT = 95	N/A	100	N/A	N/A	N/A	2024	Soil runoff
Inorganic Constituents	Violation? (Yes/No)	Primary MCL	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Aluminum (ppm)	No	1	0.6	ND - 0.11	N/A	N/A	N/A	2024	Erosion of natural deposits; residual from some surface water treatment processes
Fluoride (ppm) [Naturally occurring]	No	2.0	1	0.6 – 0.8	0.7	0.4	0.4	2024	Oil and metal refineries discharge; natural deposit erosion
Barium (ppb)	No	1,000	2,000	124	124	1	1	2024	Oil and metal refineries discharge; natural deposits erosion
Organic Constituents	Violation? (Yes/No)	Primary MCL	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
cis-1,2-Dichloroethylene (c-1,2-DCE) (ppb)	No	6	13	ND	ND	0.7 – 1	0.9	2024	Discharge from industrial chemical factories; major biodegradation byproduct of TCE and PCE groundwater contamination
Radioactive Constituents	Violation? (Yes/No)	Primary MCL	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Combined Radium 226/228 (pCi/L)	No	5	(0)	ND	ND	2	2	2019	Erosion of natural deposits
Gross Alpha Activity (pCi/L)	No	15	(0)	ND - 5	ND	3	3	2024	Erosion of natural deposits
Gross Beta Activity (pCi/L)	No	50	(0)	ND - 5	4	N/A	N/A	2024	Decay of natural and man-made deposits
Uranium (pCi/L)	No	20	0.43	ND - 3	1	4	4	2024	Erosion of natural deposits

SECONDARY STANDARDS – Aesthetics

SOURCE WATER

	Violation? (Yes/No)	Secondary MCL	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Aluminum (ppb)	No	200	N/A	ND – 0.11	N/A	ND	ND	2024	Erosion of natural deposits; residual from some surface water treatment processes
Chloride (ppm)	No	500	N/A	93 - 116	104	72	72	2024	Runoff/leaching from natural deposits; seawater influence
Color (units)	No	15	N/A	1 - 2	2	ND	ND	2024	Naturally-occurring organic materials
Odor---Threshold (units)	No	3	N/A	1	1	1	1	2024	Naturally-occurring organic materials
Specific Conductance (µS/cm)	No	1600	N/A	888 – 1,070	979	950	950	2024	Substances that form ions when in water; seawater influence
Sulfate (ppm)	No	500	N/A	196 - 253	224	160	160	2024	Runoff/leaching from natural deposits; industrial wastes
Total Dissolved Solids (ppm)	No	1000	N/A	556 - 686	621	640	640	2024	Runoff/leaching from natural deposits

OTHER CONSTITUENTS

	Violation? (Yes/No)	Notification Level	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
Alkalinity as CaCO ₃ (ppm)	N/A	N/A	N/A	105 - 123	114	240	240	2024	Runoff/leaching of natural deposits; carbonate, bicarbonate, hydroxide, and occasionally borate, silicate, and phosphate
Calcium (ppm)	N/A	N/A	N/A	58 - 78	68	120	120	2024	Runoff or leaching from natural deposits
Hardness [as CaCO ₃] (ppm)	N/A	N/A	N/A	235 - 305	270	380	380	2024	Runoff/leaching from natural deposits; sum of polyvalent cations, generally magnesium and calcium present in the water
Hardness [as CaCO ₃] (grains/gallon)	N/A	N/A	N/A	13.7 – 17.8	15.8	22.2	22.2	2024	
Magnesium (ppm)	N/A	N/A	N/A	22 - 29	26	21	21	2024	Runoff or leaching from natural deposits
pH (pH units)	N/A	N/A	N/A	8.2	8.2	7.9	7.9	2024	Hydrogen ion concentration
Potassium (ppm)	N/A	N/A	N/A	4.4 – 5.4	4.9	4.4	4.4	2024	Runoff or leaching from natural deposits
Sodium (ppm)	N/A	N/A	N/A	90 - 116	103	58	58	2024	Salt present in the water; naturally occurring

UNREGULATED CHEMICAL MONITORING


	Violation? (Yes/No)	Notification Level	PHG (MCLG)	Range of Detection for MWD	Average Level for MWD	Range of Detection for LU Sources	Average Level for LU Sources	Most Recent Sampling Date	Typical Source of Constituent
1,4-Dioxane (ppb)	N/A	1	N/A	N/A	N/A	2	2	2024	Used as a solvent or solvent stabilizer in manufacture and processing of paper, cotton, textile products, automotive coolant, cosmetics and shampoos
Boron (ppb)	N/A	1000	N/A	140	140	N/A	N/A	2024	Runoff/leaching from natural deposits; industrial wastes
Chlorate (ppb)	N/A	800	N/A	77	77	N/A	N/A	2024	Byproduct of drinking water chlorination; industrial processes
Lithium (ppb)	N/A	N/A	N/A	32 - 47	40	ND	ND	2024	Naturally-occurring; used in electrochemical cells, batteries, and organic syntheses and pharmaceuticals
Perfluorooctanesulfonate Acid (PFOS) (ppt)	N/A	6.5	N/A	ND	ND	27 - 29	28	2024	Industrial chemical factory discharges; runoff/leaching from landfills; used in fire-retarding foams and various industrial processes.
Perfluorooctanoic Acid (PFOA) (ppt)	N/A	5.1	N/A	ND	ND	2.6 – 3.3	2.9	2024	
Perfluorohexanesulfonic Acid (PFHxS) (ppt)	N/A	3	N/A	ND	ND	6.5 – 7.1	6.7	2024	
Perfluoro-N-Butanoic acid (PFBA) (ppt)	N/A	N/A	N/A	ND	ND	3.7 – 4.4	4.1	2024	
Perfluorobutanesulfonic Acid (PFBS) (ppt)	N/A	N/A	N/A	ND	ND	ND – 2.1	1.0	2024	Industrial chemical factory discharges; runoff/leaching from landfills; used in fire-retarding foams and various industrial processes.

(a) = Compliance is based on the running annual arithmetic average of quarterly averages of all samples collected during 2024.

(b) = The TTHM and HAA5 average is the highest of the Locational Annual Running Average (LRAA) for the year.

(c) = Turbidity is a measure of the cloudiness of the water and is a good indicator of water quality and filtration performance.

**Meets/
Exceeds
Regulations**





Definitions, Terms and Abbreviations

AL: Action Level, or the concentration of a contaminant which, when exceeded, triggers treatment or other requirements which a water system must follow.

Contaminant: Any physical, chemical, biological, or radiological substance or matter in water.

HAA5: Haloacetic Acids (mono-, di- and tri-chloroacetic acid, and mono- and di- bromoacetic acid) as a group.

Herbicide: Any chemical(s) used to control undesirable vegetation.

LRAA: Locational Running Annual Average, or the locational average of sample analytical results for samples taken during the previous four calendar quarters.

MCLG: Maximum Contaminant Level Goal is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

MCL: Maximum Contaminant Level is the highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

MCL: Maximum Contaminant Level, or the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MRDL: Maximum Residual Disinfectant Level is the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG: Maximum Residual Disinfectant Level Goal, is the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

N/A: not applicable.

ND: not detectable at testing limits.

NTU: Nephelometric Turbidity Unit, used to measure cloudiness in drinking water.

pCi/L: picocuries per liter, a measure of radioactivity.

PDWS: Primary Drinking Water Standards are MCLs, MRDLs, and treatment techniques (TTs) for contaminants that affect health, along with their monitoring and reporting requirements.

Pesticide: Generally, any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest.

ppb: parts per billion or micrograms per liter.

ppm: parts per million or milligrams per liter.

ppt: parts per trillion or nanograms per liter.

PHG: Public Health Goal is the level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

RAA: Running Annual Average, or the average of sample analytical results for samples taken during the previous four calendar quarters.

Range of Results: Shows the lowest and highest levels found during a testing period, if only one sample was taken, then this number equals the Highest Test Result or Highest Value.

SMCL: Secondary Maximum Contaminant Level, or the secondary standards that are non-enforceable guidelines for contaminants and may cause cosmetic effects (such as skin or tooth discoloration) or aesthetic effects (such as taste, odor or color) in drinking water. EPA recommends these standards but does not require water systems to comply

TT: Treatment Technique, or a required process intended to reduce the level of a contaminant in drinking water.

TTHM: Total Trihalomethanes (chloroform, bromodichloromethane, dibromochloromethane, and bromoform) as a group.

Conservation Tips for Consumers

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- ✓ Take short showers – a 5-minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- ✓ Shut off water while brushing your teeth, washing your hair, and shaving and save up to 500 gallons a month.
- ✓ Use a water-efficient showerhead. They are inexpensive, easy to install, and can save you up to 750 gallons a month.
- ✓ Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- ✓ Water plants only when necessary.
- ✓ Fix leaking toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- ✓ Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- ✓ Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- ✓ Visit <https://www.epa.gov/watersense> for more information.

Contact Information

For information about this report, or your water quality in general, please contact Liberty's office at 1-800-727-5987 or Andrea Covarrubias, Water Quality Specialist at (562) 545-1149.