2018 Consumer Confidence Report

Water System Name:	Ventana Inn & Spa	Report Date: 6/15/2019					
	ter quality for many constituents as repring for the period of January 1 - Dec	equired by state and federal regulations. This report shows cember 31, 2018.					
Este informe contiene	información muy importante sobre su agua	a potable. Tradúzcalo ó hable con alguien que lo entienda bien.					
Type of water source(s)	in use: Wells & Surface Sources						
Name & location of sou	ame & location of source(s): Lower Well, Campground Well, Well 59, Upper Well, Post Creek, Lower Springs &						
	McCarty Springs						
Drinking Water Source	Assessment information: Most of the	he sampling results listed in Tables 3, 4, and 5 within this					
report are from untreate	ed well water. All of the untreated well	ll water then passes through a filtration plant before					
being delivered to the c	ustomer.						
Time and place of regul	arly scheduled board meetings for pul	blic participation: N/A					
For more information, or	contact: Carmel Lahaina Utility Servi	ices, Inc. Phone: (831)-659-3595					

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the state Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 –	SAMPLING	RESULTS	S SHOWING T	HE DETECT	TION OF (COLIFORM BACTERIA
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation	MCL		MCLG	Typical Source of Bacteria
Total Coliform Bacteria	(In a mo.)	0	More than 1 sample in a month with a detection		0	Naturally present in the environment
Fecal Coliform or E. coli	(In the year)	0	A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform or <i>E. coli</i>		0	Human and animal fecal waste
TABLE 2	- SAMPLIN	G RESUL	TS SHOWING	THE DETE	CTION OF	LEAD AND COPPER
Lead and Copper (complete if lead or copper detected in the last sample set)	No. of samples collected	90 th percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant
Copper <i>ppm</i> (2018)	5	0.052	0	1.3 mg/L	0.17	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead ppb (2018)	5	3.35	0	15 μg/L	2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
	TABLE 3	- SAMPLI	NG RESULTS	FOR SODIU	J M AND H	ARDNESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium ppm	2018	14.5	10-21	none	none	Generally found in ground & surface water
Hardness ppm	2018	237.8	188-291	none	none	Generally found in ground & surface water

^{*}Any violation of an MCL or AL is asterisked. Additional information regarding the violation is provided later in this report.

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Aluminum (ppm)	2018	0.025	ND-0.091	1000	600	Erosion of natural deposits; residue from some surface water treatment processes
Antimony (ppb)	2018	ND	ND	6	20	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Arsenic (ppb)	2018	ND	ND	10	0.004	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Barium (ppm)	2018	0.023	0.012-0.033	1	2	Discharge of oil drilling wastes and from metal refineries; erosion of natural deposits
Chromium (ppb)	2018	ND	ND	50	(100)	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
Copper (ppm)	2018	0.005	ND – 0.018	AL=1.3	0.17	Internal corrosion of house hold plumbing systems; erosion of natural deposits; leaching from wood preservatives
Fluoride (ppm)	2018	0.16	0.1-0.2	2	1	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Gross Alpha Particle Activity	2016	2.38	1.12-3.59	15	0	Erosion of natural deposits
Haloacetic Acids (ppb)	2018	2	2	60	N/A	By-product of drinking water disinfection
Nitrate as NO3 (ppm)	2018	0.83	ND-4.9	45	45	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Perchlorate (ppb)	2018	ND	ND	6	6	Perchlorate is an inorganic chemical used i solid rocket propellant, fireworks, explosives, flares, matches, and a variety o industries. It usually gets into drinking water as a result of environmental contamination from historic aerospace or other industrial operations that used or use store, or dispose of perchlorate and its salts
Selenium (ppb)	2018	ND	ND	50	50	Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive)
TTHMs (Total Trihalomethanes) (ppb)	2018	2	2	80	N/A	By-product of drinking water disinfection
Turbidity	2018	1.9	ND-4.8	TT	N/A	Soil runoff

TABLE 5 – DETECTION OF CONTAMINANTS WITH A <u>SECONDARY</u> DRINKING WATER STANDARD							
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant	
Chloride (ppm)	2018	18	10-42	500	N/A	Runoff/leaching from natural deposits; industrial wastes	
Color	2018	6.8	ND - 15	15	N/A	Natural- occurring organic materials	
Iron (ppb)	2018	354.25*	97-622	300	N/A	Leaching from natural deposits; industrial wastes	
Manganese (ppb)	2018	42	ND - 60	50	N/A	Leaching from natural deposits	
Odor (TON)	2018	ND	ND	3	N/A	Naturally-occurring organic materials	
Sulfate (ppm)	2018	31	27-36	500	N/A	Runoff/leaching from natural deposits' industrial wastes	
Total Dissolved Solids (TDS) (ppm)	2018	323	291-349	500	N/A	Runoff/leaching from natural deposits	
Specific Conductance (E.C.) (μS/cm)	2018	488.6	449-531	1,600	N/A	Substances that form ions when in water; seawater influence	
Zinc (ppm)	2018	0.007	ND-0.021	5	NA	Runoff/leaching from natural deposits; industrial wastes	

^{*}Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

TABLE 6 -	TABLE 6 – VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT							
Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language				
Iron	Average levels for 2018 are 354.25 ppb, exceeding the SMCL of 300 ppb.	2018	Reduced during filtration	There are no mandatory standard health effects language for these constituents because secondary MCLs are set on the basis of aesthetics.				

For Water Systems Providing Ground Water as a Source of Drinking Water

TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLES							
Microbiological Contaminants (complete if fecal-indicator detected) Total No. of Detections Sample MCL [MRDL] MCL (MCLG) [MRDLG] Typical Source of Contaminant							
E. coli	0	N/A	0	(0)	Human and animal fecal waste		
Enterococci	N/A	N/A	TT	n/a	Human and animal fecal waste		
Coliphage	N/A	N/A	ТТ	n/a	Human and animal fecal waste		

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

	SPECIAL NOTICE OF FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLE
N/A	
	SPECIAL NOTICE FOR UNCORRECTED SIGNIFICANT DEFICIENCIES
N/A	

	VIOLATION OF GROUND WATER TT						
TT Violation Explanation Duration Actions Taken to Correct the Violation Language							
N/A	N/A	N/A	N/A	N/A			

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES					
Treatment Technique ^(a) (Type of approved filtration technology used)	Treatment techniques include polymer-added inline filtration, pressure sand filtration, Strainrite filtration technology, and post-chlorination				
Turbidity Performance Standards (b) (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 – Be less than or equal to 0.1 NTU in 95% of measurements in a month. Treatment plant turbidity is monitored continually and logged daily.				
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	100%				
Highest single turbidity measurement during the year	0.076 NTU				
Number of violations of any surface water treatment requirements	None				

- (a) A required process intended to reduce the level of a contaminant in drinking water.
- (b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

Summary Information for Violation of a Surface Water TT

VIOLATION OF A SURFACE WATER TT							
TT Violation Explanation Duration Actions Taken to Correct the Violation Language							
N/A	N/A	N/A	N/A	N/A			

Summary Information for Operating Under a Variance or Exemption

N/A			

^{*} Any violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below.