2018 Consumer Confidence Report

Water System Name: Lake Berryessa Resort Improvement District (LBRID) Report Date: July 1, 2019

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2018 and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse Lake Berryessa Resort Improvement District a 707-253-4351 para asistirlo en español.

Type of water source(s) in use:	Surface Water, Creek
Name & general location of source(s):	Putah Creek, approximately ¼ mile south of the Water Treatment Facility.
Drinking Water Source Assessment information:	The Lake Berryessa Resort Improvement District monitors for contaminants in your drinking water according to Federal and State laws. The tables that follow show the results of our monitoring for the period January 1 st to December 31 st , 2018. Source water assessments are performed on a periodic basis by the State Water Resources Control Board, Division of Drinking Water Programs (formerly CDPH) as part of the Drinking Water Source Assessment Program (DWSAP). Finished water assessments are also performed periodically. Copies of both assessments are available at the LBRID administration office in downtown Napa.
	All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It is important to remember that the presence of these contaminants does not necessarily pose a health risk.
	A Drinking Water Source Assessment was completed for the surface water source for the LBRID water system in March 2003 by CDPH and a Watershed Sanitary Survey was completed in 2018. If you would like a copy of the completed assessment or survey, please call the LBRID administration office in downtown Napa to have a copy mailed to you.
	According to the assessment, your water source is most vulnerable to contamination from boats and personal watercraft, confirmed leaking underground fuel storage tanks, known contaminant plumes, historic and active gas stations, wastewater treatment plants, historic and active mining operations, and animal feeding operations.
Time and place of regularly scheduled board meetings for public participation:	The Napa County Board of Supervisors functions as the Board of Directors of your Resort Improvement District. Regular monthly meetings are typically held on the first Tuesday of each month, however, special meetings can be held as the need to meet arises.
	Should any member of the community wish to become more involved with District issues, or wish to receive regular updates on District issues, please contact the main office at 707-253-4351 to be directed to the appropriate staff person.
For more information, contact:	Annamaria Martinez, Assistant EngineerPhone:(707) 259-8378Annamaria.martinez@countyofnapa.org

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (μg/L) **ppt**: parts per trillion or nanograms per liter (ng/L) **ppq**: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- *Radioactive contaminants*, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

TABLE 1 - SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA						
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria	
Total Coliform Bacteria (state Total Coliform Rule)	(In a mo.)	1	1 positive monthly sample	0	Naturally present in the environment	
Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule)	(In the year)	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive		Human and animal fecal waste	
<i>E. coli</i> (federal Revised Total Coliform Rule)	(In the year)	0	(a)	0	Human and animal fecal waste	
		rm-positive and either is <i>E. co</i> coliform-positive repeat sam	<i>bli</i> -positive or system fails to take ple for <i>E. coli</i> .	repeat sam	ples following <i>E. coli</i> -positive	

Lead and Copper	Sample Date	No. of Samples Collected	90 th Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	09/23 – 09/26/16	6	< 0.005	0	0.015	0.2	Not applicable	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	09/23 – 09/26/16	6	0.1095	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

TABLE 3 – SAMPLING RESULTS FOR SODIUM AND HARDNESS							
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant	
Sodium (ppm)	07/02/2018	6.0		none	none	Salt present in the water and is generally naturally occurring	
Hardness (ppm)	07/02/2018	190		none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring	

TABLE 4	TABLE 4 – DETECTION OF CONTAMINANTS WITH A <u>PRIMARY</u> DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant	
Aluminum (ppb)	07/02/2018	57		1000	600	Erosion of natural deposits; residue from some surface water treatment processes	
Antimony (ppb)	07/02/2018	< 6.0		6	20	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder	
Arsenic (ppb)	07/02/2018	2.6		10	0.0004	Erosion of natural deposits; runoff from orchards	
Barium (ppb)	07/02/2018	220		1000	2.0	Erosion of natural deposits	
Beryllium (ppb)	07/02/2018	< 1.0		4	1	Discharge from metal refineries, coal-burning factories, and electrical, aerospace, and defense industries	
Cadmium (ppb)	07/02/2018	< 1.0		5	0.04	Internal corrosion of galvanized pipes; erosion of natural deposits; discharge from electroplating and industrial chemical factories, and metal refineries; runoff from waste batteries and paints	
Chromium (ppb)	07/02/2018	1.9		50	1.0	Erosion of natural deposits	
Fluoride (ppm)	07/02/2018	0.12		2.0	1.0	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
Mercury (ppb)	07/02/2018	< 1.0		2	1.2	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills and cropland	
Nickel (ppb)	07/02/2018	< 10.0		100	12	Erosion of natural deposits; discharge from metal factories	
Nitrate (ppm)	07/02/2018	< 0.4		10	2.0	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits	
Selenium (ppb)	07/02/2018	< 5.0		50	30	Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive)	
Thallium (ppb)	07/02/2018	< 1.0		2	0.1	Leaching from ore-processing sites; discharge from electronics, glass, and drug factories	

TABLE 5 -	TABLE 5 - DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant	
Chloride (ppm)	07/02/2018	6.7		500	N/A	Runoff/leaching from natural deposits	
Color (color units) * (treated water)	Jan, July, Oct 2018	3 - 5		15	N/A	Naturally occurring organic materials	
Copper (ppb)	07/02/2018	< 50.0		1000	N/A	Erosion of natural deposits	
Foaming Agents (MBAS) (ppm)	07/02/2018	< 0.05		0.5	N/A	Municipal and industrial waste discharges	
Iron (ppb)	07/02/2018	200		300	N/A	Leaching from natural deposits; industrial wastes	
Manganese (ppb) *	07/02/2018	220		50	N/A	Leaching from natural deposits	
Odor (TON) * (treated water)	Jan, July, Oct 2018	1 - 35		3	N/A	Naturally occurring organic materials	
Silver (ppb)	07/02/2018	< 10.0		100	N/A	Runoff/leaching from natural deposits	
Specific Conductance (umhos/cm)	07/02/2018	390		1600	N/A	Runoff/leaching from natural deposits	
Sulfate (ppm)	07/02/2018	19		250	N/A	Runoff/leaching from natural deposits	
Total Dissolved Solids (ppm)	07/02/2018	230		1000	N/A	Runoff/leaching from natural deposits	
Zinc (ppb)	07/02/201	< 50.0		5000	N/A	Runoff/leaching from natural deposits	

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

The Napa Berryessa Resort Improvement District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATI	ON OF A MCL, MRDL, AL, TT,	OR MONITORING AN	ID REPORTING REQUIREMENT				
Violation	Explanation	Duration	Actions Taken to Correct the Violation				
1. Total and Fecal Coliform Detections	In September 2018, routine testing indicated the presence of both Total and Fecal Coliform Organisms.	September 2018	Staff was notified of the presence of total and fecal coliforms within 24 hours after the sample was taken in September. Operators immediately increased disinfection in the distribution system, began flushing the area where the original sample was taken in order to move the disinfectant through the system, and resampled within 24 hours of notification. All repeat samples were clear of total and fecal coliforms organisms.				
HEALTH EFFECTS LANGUAGE FOR TOTAL AND FECAL COLIFORM ORGANISMS	Coliforms are bacteria that are naturally present in the environment and are used as an indicat that other, potentially harmful, waterborne pathogens may be present or that a potential pathw exists through which contamination may enter the drinking water distribution system. We fou coliforms indicating the need to look for potential problems in water treatment or distributio. When this occurs, we are required to conduct assessment(s) to identify problems and to correct any problems that were found during these assessments. Fecal coliforms and <i>E. coli</i> are bacteria whose presence indicates that the water may be contaminate with human or animal wastes. Microbes in these wastes can cause short-term effects, such as diarrh cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, you children, some of the elderly, and people with severely compromised immune systems. As coliform occurs naturally in the environment it is important to note that a positive coliform test for a water system can be caused by true bacterial contamination of the water, or it can be caused by various external factors including erroneous sampling techniques, dirty sampling bottles, poorly disinfected sample taps, lab errors, etc. As all repeat sampling was negative for both total and fecal coliform organisms, the water system was not in violation of the MCL.						
2. Apparent Color	No raw water samples were tested for color in 2018, however, samples from 2017 exceeded the secondary MCL of 15 Color Units.	2018	Treatment is performed on the raw water prior to distribution to customers to eliminate natural color in raw water. Treated water tested for Apparent Color throughout the year showed levels of color well below the MCL of 15 Color Units.				
HEALTH EFFECTS LANGUAGE FOR COLOR	Onits.the MCL of 15 Color Units.Color testing is a useful indicator of water quality even though water with color testing results that are below the MCL is not necessarily safe to drink. Color is also an indicator of the effectiveness of different kinds of treatment. As color falls under secondary drinking water standards, it is not considered to present a risk to public health. The violation of the color MCL in the raw water is from naturally occurring organic materials						
3. Odor	No raw water samples were tested for color in 2018, however, raw samples from 2017, and one treated water sample in 2018 exceeded the secondary MCL of 3 TON.	July 2018	Treatment is performed on the raw water prior to distribution to customers to eliminate natural odor in raw water. In order to reduce the nuisance odor problems that are not removed during treatment, staff has adjusted coagulant levels to assist with the removal of odor causing organic matter prior to treatment.				
HEALTH EFFECTS LANGUAGE FOR ODOR	that are below the MCL is no effectiveness of different kin standards, it is not considere	to treatment.Odor testing is a useful indicator of water quality even though water with odor testing resultsthat are below the MCL is not necessarily safe to drink. Odor is also an indicator of theeffectiveness of different kinds of treatment. As odor falls under secondary drinking waterstandards, it is not considered to present a risk to public health. The violation of the odor MCL inthe raw water is from naturally occurring organic materials					

4. Manganese	The raw water manganese threshold was found at levels that exceeded the secondary MCL of 50 ppb.	July 2018	Treatment is performed on raw water prior to distribution to customers to reduce the level of manganese in raw water. In the past, treated water tested for the presence of manganese, has shown a reduction in the level of manganese well below the MCL.			
HEALTH EFFECTS LANGUAGE FOR MANGANESE	water. Manganese is necessa undesirable effects on certai Environmental Protection A aesthetics-based Secondary (micrograms per liter), or 50	Manganese is a naturally occurring mineral found in rocks, soil and groundwater, and surface water. Manganese is necessary for proper nutrition and is part of a healthy diet, but can have undesirable effects on certain sensitive populations at elevated concentrations. The United States Environmental Protection Agency (EPA) and the CA Division of Drinking Water have set an aesthetics-based Secondary Maximum Contaminant Level (SMCL) for manganese of 50 ug/L (micrograms per liter), or 50 parts per billion. Drinking water may naturally have manganese and, when concentrations are greater than 50				

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES				
Treatment Technique ^(a) (Type of approved filtration technology used)	Immersed Membrane, Disinfection			
	Turbidity of the filtered water must:			
Turbidity Performance Standards ^(b) (that must be met through the water treatment process)	1 – Be less than or equal to 0.10 NTU in 95% of measurements in a month.			
	2 – Not exceed 2.0 NTU for more than eight consecutive hours.			
	3 – Not exceed 5.0 NTU at any time.			
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	93.9% (November 2018 – Filter Train 1)			
Highest single turbidity measurement during the year	0.625 (11/13/18)			
Number of violations of any surface water treatment requirements	0			

(a) A required process intended to reduce the level of a contaminant in drinking water.

(b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

Summary Information for Violation of a Surface Water TT

VIOLATION OF A SURFACE WATER TT							
TT ViolationExplanationDurationActions Taken to Correct the ViolationHealth Effects Language							
N/A							

Description of Water Treatment Process - Your water is treated by filtration and disinfection. Filtration removes particles suspended in the source water. Particles typically include clays and silts, natural organic matter, iron and manganese, and microorganisms. Your water is also treated by disinfection. Disinfection involves the addition of chlorine or other disinfectants to kill bacteria and other microorganisms (viruses, cysts, etc.) that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.epa.gov/watersense for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Cross Connection Control Survey

The purpose of this survey is to determine whether a cross-connection may exist at your home or business. A cross connection is an unprotected or improper connection to a public water distribution system that may cause contamination or pollution to enter the system. We are responsible for enforcing cross-connection control regulations and insuring that no contaminants can, under any flow conditions, enter the distribution system. If you have any of the devices listed below please contact us at 707-259-8600, so we can discuss the issue, and if needed, survey your connection and assist you in isolating it if that is necessary.

- Boiler/ Radiant heater (water heaters not included)
- Underground lawn sprinkler system
- Pool or hot tub (whirlpool tubs not included)
- Additional source(s) of water on the property
- Decorative pond
- Watering trough