Consumer Confidence Report Certification Form

(to be submitted with a copy of the CCR)

(To certify electronic delivery of the CCR, use the certification form on the State Board's website at http://www.swrcb.ca.gov/drinking_water/certlic/drinkingwater/CCR.shtml)

Water Syst	em Name:	Mumm Napa Valley					
Water System Number:		28-01024					
April 4, 20 certifies th	19 to custome at the inform	above hereby certifies that its Consumer Confidence Report was distributed or its (and appropriate notices of availability have been given). Further, the system nation contained in the report is correct and consistent with the compliance sly submitted to the State Water Resources Control Board, Division of Drinking					
Certified b	y: Name	: Gyillermo Solariy					
	Signa	ture: Maintenance Manager					
	Title:	License #45382					
	Phone	Number: 707-967-7724 Date: 4/4/19					
items that a CCR used:	<i>pply and fill-i</i> was distributc CCR was di	very used and good-faith efforts taken, please complete the below by checking all in where appropriate: ed by mail or other direct delivery methods. Specify other direct delivery methods stributed to all users of the Mumm Napa Valley water system by email. Those access to email were provided a hard copy.					
Goo follo	d faith" effor wing methods	ts were used to reach non-bill paying consumers. Those efforts included the					
	Posting the	CCR on the Internet at www					
		CCR to postal patrons within the service area (attach zip codes used)					
	Publication	the availability of the CCR in news media (attach copy of press release) of the CCR in a local newspaper of general circulation (attach a copy of the otice, including name of newspaper and date published)					
		CCR in public places (attach a list of locations)					
	Delivery of as apartment	multiple copies of CCR to single-billed addresses serving several persons, such ts, businesses, and schools					
		community organizations (attach a list of organizations)					
	Other (attack	a list of other methods used)					
For sy the fo	ystems serving llowing addre	g at least 100,000 persons: Posted CCR on a publicly-accessible internet site at ss: www					
☐ For in	vestor-owned	utilities: Delivered the CCR to the California Public Utilities Commission					
		nience for use to meet the certification requirement of the California Code of Regulations, section 64483(c).					

2018 Consumer Confidence Report

Water System Name: Mumm Napa Valley Report Date: ASpril 4, 2019

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2018 and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse Mumm Napa Valley a 8445 Silverado Trail, Rutherford CA 94573 para asistirlo en español.

这份报告含有关于您的饮用水的重要讯息。请用以下地址和电话联系 Mumm Napa Valley以获得中文的帮助: 8445 Silverado Trail, Rutherford CA 94573 707-967-7724

Ang pag-uulat na ito ay naglalaman ng mahalagang impormasyon tungkol sa inyong inuming tubig. Mangyaring makipag-ugnayan sa Mumm Napa Valley 8445 Silverado Trail, Rutherford CA 94573 o tumawag sa 707-967-7724 para matulungan sa wikang Tagalog.

Báo cáo này chứa thông tin quan trọng về nước uống của bạn. Xin vui lòng liên hệ Mumm Napa Valley tại 8445 Silverado Trail, Rutherford CA 94573 để được hỗ trợ giúp bằng tiếng Việt.

Tsab ntawv no muaj cov ntsiab lus tseem ceeb txog koj cov dej haus. Thov hu rau Mumm Napa Valley ntawm 8445 Silverado Trail, Rutherford CA 94573 rau kev pab hauv lus Askiv.

Type of water source(s) in use: One groundwater well	
Name & general location of source(s): Well is located in the vineya	ard; just south of winery building
Drinking Water Source Assessment information: See California De	
Time and place of regularly scheduled board meetings for public partic	icipation: n/a
For more information, contact: Oakville Pump Service	Phone: 707-944-2471

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Permissions from the State Water Resources Control Board (State Board) to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of
 industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff,
 agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria
Total Coliform Bacteria (state Total Coliform Rule)	(In a mo.) 0	0	1 positive monthly sample	0	Naturally present in the environment
Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule)	(In the year) 0	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive		Human and animal fecal waste
E. coli (federal Revised Total Coliform Rule)	(In the year)	0	(a)	0	Human and animal fecal waste

(a) Routine and repeat samples are total coliform-positive and either is *E. coli*-positive or system fails to take repeat samples following *E. coli*-positive routine sample or system fails to analyze total coliform-positive repeat sample for *E. coli*.

TABLE 2	TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER									
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of Samples Collected	90 th Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant		
Lead (ppb)	9/25/18	5	ND	0	15	0.2		Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits		
Copper (ppm)	9/25/18	5	0.155 mg/L	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		

SWS CCR Form Revised February 2019

	TABLE 3	- SAMPLING R	ESULTS FOR	SODIUM A	ND HARD	NESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	8/3/17	17 mg/L		None	None	Salt present in the water and is generally naturally occurring
Hardness (ppm)	8/3/17	160 mg/L		None	None	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring
TABLE 4 – DET	ECTION O	F CONTAMINA	ANTS WITH A	<u>PRIMARY</u>	DRINKING	WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Arsenic	1/18/17	2.4 ug/L	N/A	10		Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Chromium	1/18/17	1.4 ug.L	N/A	50		Some people who use water containing chromium in excess of the MCL over many years may experience allergic dermatitis.
Hexavalent Chromium-6	1/18/17	2.3 ug/L	N/A	10		Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production and textile manufacturing factories; erosion of natural deposits.
Nitrate	2/8/18	0.41 mg/L	N/A	45		Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Fluoride	1/18/17	0.22 mg.L	N/A	2		Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum
					:	factories
TABLE 5 – DETE	CTION OF	CONTAMINAN	NTS WITH A <u>S</u>	ECONDAR	<u>Y</u> DRINKIN	
TABLE 5 – DETE Chemical or Constituent (and reporting units)	Sample Date	CONTAMINAN Level Detected	NTS WITH A <u>S</u> Range of Detections	ECONDAR SMCL	Y DRINKIN PHG (MCLG)	factories
Chemical or Constituent	Sample		Range of	T	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from
Chemical or Constituent (and reporting units)	Sample Date 8/3/17 8/3/17	Level Detected	Range of Detections N/A N/A	SMCL	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate	Sample Date 8/3/17	Level Detected 11.4 208 mg/L	Range of Detections	SMCL	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate Calcium	Sample Date 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L	Range of Detections N/A N/A	smcL none none 15.00	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate	Sample Date 8/3/17 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L 4 Units 10	Range of Detections N/A N/A N/A	smcL none none	PHG	factories IG WATER STANDARD Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids Erosion of natural deposits Indicative of elevated levels of dissolved
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate Calcium Color Chloride	Sample Date 8/3/17 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L 4 Units 10 mg/L	Range of Detections N/A N/A N/A N/A	none none none 15.00 Units 500	PHG	factories IG WATER STANDARD Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids Erosion of natural deposits Indicative of elevated levels of dissolved organic material Runoff/leaching from natural deposits;
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate Calcium Color	Sample Date 8/3/17 8/3/17 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L 4 Units 10	Range of Detections N/A N/A N/A N/A N/A N/A	none none none 15.00 Units 500 mg/L none	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids Erosion of natural deposits Indicative of elevated levels of dissolved organic material Runoff/leaching from natural deposits; seawater influence Erosion of natural deposits.
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate Calcium Color Chloride	Sample Date 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L 4 Units 10 mg/L	Range of Detections N/A N/A N/A N/A N/A N/A N/A N/	none none none 15.00 Units 500 mg/L	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids Erosion of natural deposits Indicative of elevated levels of dissolved organic material Runoff/leaching from natural deposits; seawater influence Erosion of natural deposits. Naturally-occurring organic materials
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate Calcium Color Chloride Magnesium Total Dissolved Solids	Sample Date 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L 4 Units 10 mg/L 26 mg/L 250 mg/L	Range of Detections N/A N/A N/A N/A N/A N/A N/A N/	none none none 15.00 Units 500 mg/L none 1000 mg/L 5.00	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids Erosion of natural deposits Indicative of elevated levels of dissolved organic material Runoff/leaching from natural deposits; seawater influence Erosion of natural deposits.
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate Calcium Color Chloride Magnesium Total Dissolved Solids Turbidity	Sample Date 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L 4 Units 10 mg/L 26 mg/L 250 mg/L 0.37 NTU	Range of Detections N/A N/A N/A N/A N/A N/A N/A N/	none none none 15.00 Units 500 mg/L none 1000 mg/L	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids Erosion of natural deposits Indicative of elevated levels of dissolved organic material Runoff/leaching from natural deposits; seawater influence Erosion of natural deposits. Naturally-occurring organic materials
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate Calcium Color Chloride Magnesium Total Dissolved Solids Turbidity Alkalinity	Sample Date 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L 4 Units 10 mg/L 26 mg/L 250 mg/L 0.37 NTU 171 mg/L	Range of Detections N/A N/A N/A N/A N/A N/A N/A N/	none none none 15.00 Units 500 mg/L none 1000 mg/L 5.00	PHG	Indicative of elevated levels of dissolved organic material Runoff/leaching from natural deposits; seawater influence Erosion of natural deposits. Naturally-occurring organic materials Measure of cloudiness in water
Chemical or Constituent (and reporting units) Aggressiveness Index Bicarbonate Calcium Color Chloride Magnesium Total Dissolved Solids Turbidity	Sample Date 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17 8/3/17	11.4 208 mg/L 22 mg/L 4 Units 10 mg/L 26 mg/L 250 mg/L 0.37 NTU	Range of Detections N/A N/A N/A N/A N/A N/A N/A N/	none none none 15.00 Units 500 mg/L none 1000 mg/L 5.00	PHG	Typical Source of Contaminant Used to predict whether water quality degradation may occur from asbestos/cement pipe dissolution Anions of weak acids that contribute to the capacity of water to neutralize acids Erosion of natural deposits Indicative of elevated levels of dissolved organic material Runoff/leaching from natural deposits; seawater influence Erosion of natural deposits. Naturally-occurring organic materials Measure of cloudiness in water Erosion of brass & copper piping.

SWS CCR Form Revised February 2019

TABLE 6 – DETECTION OF UNREGULATED CONTAMINANTS										
Chemical or Constituent (and reporting units)	I I AVAI HATACTAN I VALITURATION I AVAI I MAGITO HITACTA I GORGIAGO									
None to report.	(and reporting units) Date Detections									

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Mumm Napa Valley is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT							
Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language			
None to report.							

SWS CCR Form Revised February 2019

For Water Systems Providing Groundwater as a Source of Drinking Water

TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUNDWATER SOURCE SAMPLES								
Microbiological Contaminants (complete if fecal-indicator detected) Total No. of Detections Sample Dates MCL [MRDL] PHG (MCLG) [MRDLG] Typical Source of Contaminant								
E. coli	(In the year)	Monthly	0	(0)	Human and animal fecal waste			
Enterococci	(In the year)	Monthly	TT	N/A	Human and animal fecal waste			
Coliphage	(In the year) 0	Monthly	TT	N/A	Human and animal fecal waste			

Summary Information for Fecal Indicator-Positive Groundwater Source Samples, Uncorrected Significant Deficiencies, or Groundwater TT

SPECIAL	NOTICE OF FECAL IND	OICATOR-POSITIVE	GROUNDWATER SOURCE S	SAMPLE
None to report.				
	SPECIAL NOTICE FOR	UNCORRECTED SIG	GNIFICANT DEFICIENCIES	
None to report.				
	VIOLA	TION OF GROUNDY	VATER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
None to report.				