

# ENVIRONMENTAL UTILITIES 2021 WATER QUALITY REPORT



# About this report

We're pleased to present you with this annual report on city-provided drinking water. As in past years, water quality results have met state and federal standards. The safety and protection of our water system continue to be a top priority as we regularly implement vulnerability assessments and security measures.

Under the guidelines provided by the U.S. Environmental Protection Agency (EPA) and the State Water Resources Control Board, Division of Drinking Water, the City of Roseville monitors and tests the drinking water from the source to tap. Information provided in this report is for the water provided January through December 2020, and includes details about where your water comes from, what it contains, and how it compares to the standards set by the regulatory agencies.

We hope that this report will provide the answers to any questions you may have about the drinking water supplied by the City of Roseville. You can obtain additional information by contacting the Environmental Utilities at (916) 774-5750 or visiting **roseville.ca.us/eu**.



Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

roseville.ca.us/eu



# Water sources

Drinking water (tap water and bottled water) sources include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from animals' presence or from human activity. In 2021, both surface water and groundwater was supplied by Roseville.

We maintain a water distribution system that contains pipelines throughout the city ranging in size from four inches to over five feet in diameter. Staff collects water samples throughout the system and tests weekly basis to ensure quality maintained during delivery to customers.

# Surface water—Roseville

The surface water source from Folsom Lake is snowmelt water that flows from the Sierra Nevada Mountains. The melting snow flows into the North, middle, and South Forks of the American River and is ultimately stored in Folsom Lake. The Folsom Lake water is conveyed to, and treated at, Roseville's 100 million gallon per day (MGD) water treatment plant. The treatment process comprises coagulation, sedimentation, filtration and disinfection. Fluoride is added for residents' dental health and pH is adjusted to reduce corrosion.

# Surface water—PCWA

As part of a regional water use agreement, the City of Roseville receives up to 10 MGD of treated surface water from Placer County Water Agency's (PCWA) Foothill-Sunset water treatment plant. Water from PCWA originates in the Sierra snowpack from the Yuba-Bear and American River watersheds. The source water travels through a network of canal systems operated and maintained by PCWA and PG&E before reaching the water treatment plant. The Foothill-Sunset water treatment plant uses coagulation, high rate settling via micro sand flocculation, filtration and disinfection. Water is fluoridated at the entry port to Roseville. The CCR for this water can be found on PCWA's website: pcwa.net/services/waterquality.



# **Roseville groundwater sources**

The City of Roseville's ability to utilize its groundwater supply is imperative as it provides water reliability to Roseville's customers during times of dry conditions – often resulting in surface water curtailments or other emergencies that severely limit the City's use of surface water.

Currently, the City maintains 4 production wells equipped for aquifer storage and recovery (ASR) and one non-ASR production wells. In total, these 5 groundwater production wells provide an alternate supply to the City's primary surface water supply.

The ASR functionality of production wells enables the City to artificially recharge excess treated surface water through

well injection during years when surface water supplies are abundant, and store this water deep beneath the City in aquifers for use (i.e. pumping or extraction) from the same wells during years when additional water supplies are necessary.

Groundwater exists in the pore space between grains of sediment that make up aquifers which predominately consists of layers of continuous sands and gravels. Groundwater is naturally recharged as a result of rainfall and infiltration of surface water running through creeks, rivers, and streams largely from snowmelt. This rainfall and surface water naturally recharges the groundwater system through the saturation of surface soil and continues to filter downward and into the aquifers beneath the City. The groundwater supplied meets all water quality and health standards just like treated surface water, but may have aesthetic (i.e. largely taste) differences and sometimes is noticeable to some consumers.

Two-thirds of Californians, along with half of all Americans (more than 95 percent for rural Americans) get their household water supplied from groundwater. In addition, groundwater provides approximately 40% of the State's water supply in normal hydrology years and approximately 60% in dry years. In 2021, Roseville supplied 479 Million gallons of ASR-sourced groundwater as part of our updated well maintenance program.



# Water source protection

A community's drinking water supply is valuable and needs protection. The quality and reliability of source water can have a significant impact on a community's economy and quality of life. The city actively participates in several source water protection programs.

# **American River Watershed Sanitary Survey**

This is an ongoing project in partnership with the San Juan Water District, El Dorado Irrigation District, Placer County Water Agency, City of Sacramento, Carmichael Water District and County of Sacramento, keeping us up-to-date on developments in the American River watershed. The 2018 American River Watershed Sanitary Survey assessed the potential water quality contamination activities in the watershed. They evaluated treatment processes and source water protection programs to remove these contaminants from our drinking water.

The American River Watershed is considered most vulnerable to the following activities associated with contaminants detected in the water supply: Folsom Lake State Recreation Area facilities (marina, restrooms, recreational areas, parking lots and storm drains) and residential sewer and septic systems.

The American River Watershed is also considered vulnerable to the following activities not associated with any detected contaminants: illegal activities and dumping, fertilizer, pesticide and herbicide application, and high-density housing developments.

# **Keep the Waters Clean Campaign**

This source water protection program protects water quality by encouraging boaters and other recreational users of the Sacramento River to use pump outs and public restrooms rather than the river to dispose of wastes. This program is in partnership with the City of Sacramento, County of Sacramento and the East Bay Municipal Utility District.

# Drinking water source assessment program

The city also has completed source water assessments on the groundwater wells to determine if there were any potentially contaminating activities present. There have been no contaminants detected in the water supply for the groundwater wells; however, all wells are still considered vulnerable to activities located near the water source. The wells are considered most vulnerable to the following activities not associated with any detected contaminants: sewer collection systems and chemical/petroleum processing/storage.

# **Public participation**

The Environmental Utilities Department routinely reports at the City of Roseville Public Utilities Commission meetings held on the fourth Tuesday of each month at 6 p.m. in the City of Roseville Council Chambers. The public is welcome to attend.

# Terms and abbreviations used in this report

**MCL—Maximum Contaminant Level**: The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

**MCLG—Maximum Contaminant Level Goal**: The level of a contaminant in drinking water below which there is no known, or expected, risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

**PHG—Public Health Goal**: The level of a contaminant in drinking water below which there is no known, or expected, risk to health. PHGs are set by the California Environmental Protection Agency.

**MRDL— Maximum Residual Disinfectant Level**: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

**MRDLG—Maximum Residual Disinfectant Level Goal**: The level of a drinking water disinfectant below which there is no known, or expected, risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**NTU—Nephelometric Turbidity Units**: a measurement of the clarity of water.

**ppb**: parts per billion. A measurement of the concentration of a substance in the water. One penny in \$10,000,000 would be 1 ppb.

**ppm**: parts per million. A measurement of the concentration of a substance in the water. One penny in \$10,000 would be 1 ppm.

**Primary Drinking Water Standard**: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.

**Secondary Drinking Water Standards**: Limits for substances that may affect consumer acceptance of water, but are not otherwise harmful. Secondary MCLs are set to address the taste, odor, and appearance of drinking water.

**TT—Treatment Technique**: A required process intended to reduce the level of a contaminant in drinking water.

**μS/cm—microsiemen (μS) per centimeter**: A measurement of water's ability to conduct electrical current.

# Things you should know about drinking water

- Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at (800) 426-4791.
- Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno- compromised persons such as individuals with cancer, undergoing chemotherapy, individuals who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/ Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.
- The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

If you would like to have more information on items related to water quality issues visit the EPA website at water.epa.gov/drink or the California Department of Drinking Water website at waterboards.ca.gov/drinking\_water/programs.

# **Statement on lead**

Infants, young children, and pregnant women are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of the materials used in your home's plumbing. If your water faucet has not been used for several hours, you can minimize the potential for lead exposure by flushing the faucet for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested. Additional information is available from the USEPA Safe Drinking Water Hotline (800) 426-4791 or at epa.gov/safewater/lead.

# Unregulated Contaminant Monitoring Rule (UCMR3) results

USEPA requires public water systems to collect data for unregulated constituents in drinking water supplies under the Unregulated Contaminant Monitoring Rule 3. Currently, these constituents have no drinking water standards but may be regulated in the future. More information on this USEPA program can be found at http://water.epa.gov/lawsregs/rulesregs/sdwa/ ucmr/ucmr3/index.cfm. The City of Roseville water was tested in 2013 and 2014. While some constituents were detected, none at any level of human health concern.



# Contaminants that may be present Sin source water include:

- Microbial contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural application and septic systems.
- Radioactive contaminants can be naturally occurring or be the result of oil and gas production and mining activities.
- In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the California Department of Drinking Water prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.
- The City of Roseville is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at (800) 426-4791, or by visiting epa.gov/safewater/lead.

# Footnotes

(1) Fluoride is added in order to help prevent dental cavities. The optimal fluoride level is 0.7 ppm.

(2) For Total Coliform Bacteria the highest percentage of positive samples collected in any month is reported as the average. The MCL is 5% of monthly samples are positive. Coliforms are bacteria that are naturally present in the environment and are used as indicators that other, potentially harmful, bacteria may be present.

(3) There are no PHGs, MCLGs or mandatory standard health effects language for constituents with secondary drinking water standards because secondary MCLs are set on the basis of aesthetics.



To help Roseville sustain its water supply, we are encouraging customers to adopt and continue water use efficiency practices and limit the amount of water used for any given purpose.

Please take advantage of the valuable tips, rebate information, and educational material the city offers and join in our effort to reduce our use by following these simple steps:



# **Reduce your outdoor irrigation**

Outdoor irrigation can account for up to 60% of your total water use.

# **Check for leaks**

Drips and breaks can waste hundreds of gallons of water each day. For more information, check out the "how-to videos" at roseville.ca.us/savewater.

# Schedule a Water Wise House Call



Let our experts analyze your water use and provide you with water-saving tips and devices free of charge. Schedule your appointment or call today at: roseville.ca.us/housecall or (916) 774-5761.

# **Commercial customers**



Schedule a water-use review. We'll perform a thorough assessment of indoor and outdoor use to identify inefficiencies and make recommendations for improvement. Call (916) 774-5761 to schedule your appointment today.

### Report water waste at roseville.ca.us/waterwaste



Your eyes and ears are essential to help the city identify potential problem areas and educate our residents about unnecessary water waste.

# Water quality analysis results for 2021\*

$ \begin{array}{ c c c c c c } \hline left (a) & (100 a Cl) $	Water source monitoring										
Tubalay (NTI)The same same same same same same same sam	Substance	MCL				Lake Year of			Year of	Violation	Typical source
nom10N0N02000.010.010.00N0From fertiler and alimnum factors from fertiler and alimnum factors for all Variant Variant Variant All Variant Variant All Variant Variant All Variant Variant All Variant Variant All Variant All Variant Variant All Variant All Varian	Turbidity (NTU)	TT = 95% of samples			0.01 - 0.15	2021	0.61	0.15 - 0.97	2019	No	Runoff/leaching from natural deposits
Cachor (gem) (Gran Alpha Partial)INO		2.0	1	ND	ND	2020	0.37	0.2 - 0.63	2019	No	Erosion of natural deposits; discharge from fertilizer and aluminum factories
Actering (CA)in 0in 0<			none	1.5	0.9 - 3.2	2021			N/A	No	Runoff/leaching from natural deposits
Barlum (mg/L)12NDND20200.03ND-0.162018NoRuo Ruo Riflaching from natural depos Ruo Ruo Ruo Riflaching from natural depos Ruo Ruo Ruo Riflaching from natural depos Ruo Ruo Riflaching from natural de		15	0	ND	ND	2021	1.6	1.6	2019	No	Runoff/leaching from natural deposits
Nitrate as NG3 (mg/L)1010NDND20210.866.5.2 · 1.32021NoRundff(sching from natural deposite is lowing from is surfice in the serific tanks, and sewage regit tanks, and sewage regits tanks, and se	Radium (pCi/L)	5	0.05	ND	ND	2021	0.11	ND - 0.44	2019	No	Runoff/leaching from natural deposits
Nirate as N3 (mg/L)1010NDNDND20210.866.52 · 132021Nodegrafity featuring from fertilizer, supplications, and serving for featuring for featu	Barium (mg/L)	1	2	ND	ND	2020	0.03	ND - 0.16	2018	No	Runoff/leaching from natural deposits
Verture ve	Nitrate as NO3 (mg/L)	10	10	ND	ND	2021	0.86	0.52 - 1.3	2021	No	deposits; leaching from fertilizer,
Channe ignin CanadaSouInde2.32.32.32.3010.26.33.010.910.910.0deposits seawate influence deposits seawate influence seawate influence sea					Results of Mor	itoring for Seco	ndary Drinking V	Vater Standards			
Solids (ppm) (spend)(100)(none57572020330(40-53)2012(NoRuforth/secking from natural depose solids (spend)Specific conductation (sycm)(none)(none)7877-792021432(150-90)2019, 2021(NoSubstances that form ions with in way substances that form ions with ions with in way substances that form ions with ions with ions with in way substances th	Chloride (ppm)	500	none	2.8	2.8	2020	102	6.3 - 250	2016-19	No	
(a)(a)(b)(		1000	none	57	57	2020	350	140 - 650	2021	No	Runoff/leaching from natural deposits
Alkalinit (ppm) Calcium (ppm)nonenonenone282820206433-1402019,2021NoRundff/leaching from natural depos Rundff/leaching from natural depos Rundff/leaching from natural deposMagnesium (ppm)nonenone1.41.4202010.65 - 232019,2021NoRundff/leaching from natural depos Rundff/leaching from natural deposSolum (ppm)nonenonenoneND20200.45ND-272016-19NoRundff/leaching from natural depos Rundff/leaching from natural deposSolum (ppm)nonenone8.47.9 -9.620207.67.3 -7.92019,2021NoRundff/leaching from natural deposTotal Hardness (ppm)nonenone8.47.9 -9.620207.67.3 -7.92016-19NoRundff/leaching from natural deposSulfate as S04 (mg/L)500noneA.44.420201.74.5 -2502016-19NoRundff/leaching from natural deposRundff/leaching fromnatural deposRundff/leaching from natural deposRundff/leaching from natural deposRundff/leaching from natural deposRundff200nonenone1.11.120201.71.1 -122016-18NoRundff/leaching from natural deposRundffRundff1.11.120201.71.1 -122016-18NoRundff/leaching from natural deposRundffNoRundff/leaching from natural deposRundff/leaching from natural depo		1600	none	78	77 - 79	2021	432	150 - 960	2019, 2021	No	Substances that form ions within water
Calcium (ppm)         none         none         1.4         2.020         31.8         13 - 62         2019, 2021         No         Runoff/leaching from natural depos           Magnesium (ppm)         none         none         No         Runoff         No         Runoff/leaching from natural depos           Sobasium (ppm)         none         none         No         No         Runoff/leaching from natural depos           Sodium (ppm)         none         none         Runoff         Runoff         No         Runoff/leaching from natural depos           Sodium (ppm)         none         none         Runoff         Runoff         No         Runoff/leaching from natural depos           Sodium (ppm)         none         none         Runoff         Runoff         Runoff         Runoff/leaching from natural depos           Substance         none         none         Runoff         Magnesity         Runoff         Runoff         Runoff/leaching from natural depos           Substance         None         Runoff/leaching from natural depos         Runoff         Runoff/leaching from natural depos           Substance         MCL         Runoff         Siban         Magnesity         Runoff         Runoff         Runoff/leaching from natural depos           Gepmin	Bicarbonate (ppm)	none	none	34	34	2020	78	33 - 120	2019, 2021	No	Runoff/leaching from natural deposits
Magnesium (ppm)         none         none         1.4         1.4         2020         10.6         5-23         2019, 2021         No         Runoff/leaching from natural depose           Potassium (ppm)         none         none         ND         ND         2020         0.45         ND-27         2016-19         No         Runoff/leaching from natural depose           Sodium (ppm)         none         none         0.06         3.5         2020         7.6         7.3 r.79         2019, 2021         No         Runoff/leaching from natural depose           Total Hardness (ppm)         none         none         8.4         7.9 - 9.6         2020         7.6         7.3 r.79         2019, 2021         No         Runoff/leaching from natural depose           Sulfate as SO4 (mg/L)         500         none         4.4         4.4         2020         17.7         5.3 a37         2016-19         No         Runoff/leaching from natural depos           Langeler Index         none         1.1         1.1         2020         17.7         1.1.2         2016-18         No         Runoff/leaching from natural depos           Langeler Index         none         1.1         1.0         2020         4.3         -3452         2016-18         No	Alkalinity (ppm)	none	none	28	28	2020	64	33 - 140	2019, 2021	No	Runoff/leaching from natural deposits
Potassium (ppm)nonenoneNDND20200.45ND - 2.72016-19NoRunoff/leaching from natural deposeSodium (ppm)nonenone3.53.520203.5.212 - 792019.2021NoRunoff/leaching from natural deposeJell (pl units)nonenone8.47.9 - 9.620207.67.3 - 792019NoRunoff/leaching from natural deposeTotal Hardness (ppm)nonenone4.44.44202017.75.3.372016-19NoRunoff/leaching from natural deposeSulfate as SO4 (mg/L)500none4.44.44202017.75.3.372016-19NoRunoff/leaching from natural deposeIn(pb)300none1111202017.711-122016-18NoRunoff/leaching from natural deposeAggressive Indexnone1111202011.711-122016-18NoRunoff/leaching from natural deposeLangeler Indexnone1111202011.711-122016-18NoRunoff/leaching from natural deposeTotal Trihalomethane (ppm)6012DistanceRange1616800Runoff800Runoff/leaching from natural deposeTotal Trihalomethane (ppm)60220-5817.751.42020No800800Choire Residual (ppm)4.040.830.06 -1.7720.420.2No800<	Calcium (ppm)	none	none	9.4	9.4	2020	31.8	13 - 62	2019, 2021	No	Runoff/leaching from natural deposits
Sodium (ppm)         none         none         3.5         3.5         2020         35.2         1 2.79         2019, 2021         No         Runoff/leaching from natural depos           pH (pH units)         none         none         none         8.4         7.9 - 9.6         2020         7.6         7.3 - 7.9         2019         No         Runoff/leaching from natural depos           Sulfate as SO4(mg/L)         500         none         4.4         4.4         2020         7.7         5.3 - 37         2016-19         No         Runoff/leaching from natural depos           forn (ppb)         300         none         4.4         4.4         2020         7.7         5.3 - 37         2016-19         No         Runoff/leaching from natural depos           forn (ppb)         300         none         1.1         1         2020         7.4         ND - 370         2019, 2021         No         Runoff/leaching from natural depos           Aggressive Index         none         1.1         1         2020         0.4        3452         2016-18         No         Runoff/leaching from natural depos           Substance         MCL         MCL         Runo         2.056         2020         .04         .36         .079 iclassing	Magnesium (ppm)	none	none	1.4	1.4	2020	10.6	5 - 23	2019, 2021	No	Runoff/leaching from natural deposits
PH (pH units)         none         none         none         none         8.4         7.9-9.6         2020         7.6         7.3-7.9         2019         No         Runoff/leaching from natural depos           Total Hardness (ppm)         none         none         none         24         24         2017         120         45-250         2016, 19, 21         No         Runoff/leaching from natural depos           Sulfate as S04 (mg/L)         500         none         A.4         4.4         2020         17.7         5.3-37         2016-19         No         Runoff/leaching from natural depos           Joint (ppb)         300         none         No         Runoff         No         Runoff/leaching from natural depos           Aggressive Index         none         11         11         2020         11.7         11-12         2016-18         No         Runoff/leaching from natural depos           Langeller Index         none         0.66         2020         1.4         No         Runoff/leaching from natural depos           Langeller Index         MCL         PHG (MCLG)         Distance Range         Distance Range         Distance         Year of sampling         Violation         Sporduct of drinking water chlorination           Total Trihalomethane (ppm)	Potassium (ppm)	none	none	ND	ND	2020	0.45	ND - 2.7	2016-19	No	Runoff/leaching from natural deposits
Total Hardness (ppm)nonenone2424201712045-2502016, 19, 21NoRunoff/leaching from natural deposSulfate as S04 (mg/L)500none4.44.4202017.75.3 - 372016-19NoRunoff/leaching from natural deposIron (ppb)300noneNDND202074ND -3702019, 201NoRunoff/leaching from natural deposAggressive Indexnone1111202011.711-122016-18NoRunoff/leaching from natural deposLangelier Indexnone11112020-0.434522016-18NoRunoff/leaching from natural deposSubstanceMCLPHCGNetrate PHCGNetrate PHCGNetrate PHCGNetrate PHCGNoRunoff/leaching from natural deposTotal Trihalomethane (ppm)80-1217-86SubstanceYolatin SamplingNoRunoff/leaching from natural deposHaloacetic Acids (ppm)60-220-58SubstanceYolatin SamplingNoRunoff/leaching from natural deposHubide-etitic Residual (ppm)4.040.830.06-1.77Substance2020NoParticularia Mater chlorinationHubide-etitic Residual (ppm)2.010.630.03 - 0.832020NoNoNoHubide-etitic Residual (ppm)2.01 <td>Sodium (ppm)</td> <td>none</td> <td>none</td> <td>3.5</td> <td>3.5</td> <td>2020</td> <td>35.2</td> <td>12 - 79</td> <td>2019, 2021</td> <td>No</td> <td>Runoff/leaching from natural deposits</td>	Sodium (ppm)	none	none	3.5	3.5	2020	35.2	12 - 79	2019, 2021	No	Runoff/leaching from natural deposits
Sulfate as SO4 (mg/L)         500         none         4.4         4.4         2020         17.7         5.3 - 37         2016-19         No         Rundff/leaching from natural depose           Iron (ppb)         300         none         ND         ND         2020         74         ND - 370         2019, 2021         No         Rundff/leaching from natural depose           Aggressive Index         none         11         11         2020         11.7         11-12         2016-18         No         Rundff/leaching from natural depose           Aggressive Index         none         10         0.666         2020         -0.4         -3452         2016-18         No         Rundff/leaching from natural depose           Substance         MCL         PHG         Distance         Agressive Index	pH (pH units)	none	none	8.4	7.9 - 9.6	2020	7.6	7.3 - 7.9	2019	No	Runoff/leaching from natural deposits
Iron (ppb)         300         none         ND         ND         2020         74         ND-370         2019, 2021         No         Runoff/leaching from natural depos           Aggressive Index         none         11         11         2020         11,7         11-12         2016-18         No         Runoff/leaching from natural depos           Langelier Index         none         11         11         2020         -0.4         -3452         2016-18         No         Runoff/leaching from natural depos           Substance         MCL         PHG [MCLG]         Distance Average         Distance Range         Distance         Vear of sampling         Violation         Typical source           Total Trihalomethane (ppm)         80         42         17 - 86           2020         No         Byproduct of drinking water chlorination           Haloacetic (ppm)         60         222         0 - 58           2020         No         Byproduct of drinking water chlorination           Chlorine Residual (ppm)         4.0         4         0.83         0.06 - 1.77           2020         No         Drinking water disinfectant added for treatment           Fluoride -added (ppm)         2.0         1	Total Hardness (ppm)	none	none	24	24	2017	120	45 - 250	2016, 19, 21	No	Runoff/leaching from natural deposits
Additional Monitoring         Aggressive Index       none       11       11       2020       11.7       11-12       2016-18       No       Runoff/leaching from natural depose         Langelier Index       none       -0.66       -0.66       2020       -0.4      3452       2016-18       No       Runoff/leaching from natural depose         Substance       Violation         MCL       PHG (MCLG)       Distance Range       Distance Range       Violation       Typical source         Substance       MCL       PHG (MCLG)       Distance Range       Distance Range       Violation       Byproduct of drinking water chlorination         Italiacetic (ppm)       60        22       0 - 58        2020       No       Byproduct of drinking water chlorination         Haloacetic (ppm)       4.0       4       0.83       0.06 - 1.77        2020       No       Dirking water disinfation         Fluoride - added (ppm)       2.0       1       0.63       0.03 - 0.83        2020       No       Dirking water disinfation         Lead (ppb)       AL=15       0.2       ND       S5/0         2020       No       Internal corosion of ho	Sulfate as SO4 (mg/L)	500	none	4.4	4.4	2020	17.7	5.3 - 37	2016-19	No	Runoff/leaching from natural deposits
Aggressive Index         none         11         11         2020         11.7         11-12         2016-18         No         Runoff/leaching from natural depos           Langelier Index         none         -0.66         -0.66         2020         -0.4        3452         2016-18         No         Runoff/leaching from natural depos           Substance         MCL         PHG [MCLG]         Distance Average         Distance Range         Violation         Year of sampling         Violation         Typical source           Total Trihalomethane (ppm)         80         -         42         17 - 86         2020         No         Byproduct of drinking water chlorination           Haloacetic (ppm)         60         2         22         0 - 58         2020         No         Byproduct of drinking water chlorination           Fluoride - added (ppm)         4.0         4         0.83         0.06 - 1.77         2020         No         Drinking water disinfectant added for treatment           Fluoride - added (ppm)         2.0         1         0.63         0.03 - 0.83         2020         No         Drinking water disinfectant added for treatment           Lead (ppb)         AL=15         0.2         ND         55/0         2021         No         Internal corrosion of	Iron (ppb)	300	none	ND	ND			ND - 370	2019, 2021	No	Runoff/leaching from natural deposits
Langelier Index       none       -0.66       -0.66       2020       -0.4      3452       2016-18       No       Runoff/leaching from natural deposition and the position and the positemes end the positemes end the position and t				11	11	1	-	11 12	2016 10	Ne	Dur off/lesships from poteral deposite
Distribution system monitoring           Substance         MCL         PHG (MCLG]         Distance Average         Distance Range         Distance Range         Volation         Year of sampling         Violation         Typical source           Total Trihalomethane (ppm)         80         42         17 - 86         2020         No         Byproduct of drinking water chlorination           Haloacetic Acids (ppm)         60         22         0 - 58         2020         No         Byproduct of drinking water chlorination           Chlorine Residual (ppm)         4.0         4         0.83         0.06 - 1.77         2020         No         Drinking water disinfectant added for treatment           Fluoride - added (ppm)         2.0         1         0.63         0.03 - 0.83         2020         No         Water additive which promotes strong teeth           Lead (ppb)         AL = 15         0.2         ND         55/0         2021         No         Internal corrosion of household water flumbing systems; erosion           Lead (ppb)         AL = 1300         300         ND         55/0         2021         No         Internal corrosion of household water flumbing systems; erosion											
SubstanceMCLPHG (MCLG)Distance AverageDistance RangeVear of ViolationTypical sourceTotal Trihalomethane (ppm)804217 - 862020NoByproduct of drinking 	Langelier Index		none	-0.00		-			2010-18	NO	Runon/leaching from natural deposits
SubstanceMCLGMCLGAverageRangesamplingVolationVolationTotal Trihalomethane (ppm)80 $42$ 17-862020NoByproduct of drinking water chlorinationHaloacetic Acids (ppm)60 $222$ 0-582002020NoByproduct of drinking water chlorinationChlorine Residual (ppm)4.040.830.06 - 1.772020NoDrinking water disinfectant added for treatmentFluoride - added (ppm)2.010.630.03 - 0.83C2020NoDrinking water disinfectant added for treatmentFluoride - added (ppm)2.010.630.03 - 0.83C2020NoWater additive which promotes strong teethFluoride - added (ppm)2.010.630.35 - 0.83CC2020NoWater additive which promotes strong teethLead (ppb)AL = 150.2ND55/0S5/02021NoNoUnternal corrosion of household plumbing systems; erosionComport (oph)AL = 1200300ND55/0S5/02021NoNoUnternal corrosion of household plumbing systems; erosion			2110			istribution sy	stem monitori	ng			
(ppm)804217-862020NoWater chlorination Water chlorinationHaloacetic Acids (ppm)60220-582020NoByproduct of drinking water chlorinationChlorine Residual (ppm)4.040.830.06 - 1.772020NoDrinking water disinfectant added for treatmentFluoride - added (ppm)2.010.630.03 - 0.832020NoWater additive which promotes strong teethFluoride - added (ppm)2.010.630.03 - 0.832020NoWater additive which promotes strong teethFluoride - added (ppm)2.010.630.03 - 0.832020NoWater additive which promotes strong teethFluoride - added (ppm)2.010.630.03 - 0.832020NoWater additive which promotes strong teethLead (ppb)AL = 150.2ND55/02021NoInternal corrosion of household plumbing systems; discharge from industrial manufacturers; erosion of natural depositsConner (mph)AL = 1300200ND55/02021NoInternal corrosion of household plumbing systems; discharge from industrial manufacturers; erosion of natural deposits	Substance	MCL								Violation	Typical source
Acids (ppm)60220 - 582020NoWater chlorinationChlorine Residual (ppm)4.040.830.06 - 1.772020NoDrinking water disinfectant added for treatmentFluoride - added (ppm)2.010.630.03 - 0.832020NoWater additive which promotes strong teethExecoded ALLead and copper monitoringLead (ppb)AL = 150.2ND55/02021NoInternal corrosion of household point amanufacturers; erosion of natural depositsConner (nph)AL = 130300ND55/02021NoInternal corrosion of household plumbing systems; erosion		80		42	17 - 86				2020	No	
(ppm)4.040.830.05 - 1.772020Noadded for treatmentFluoride - added (ppm)2.010.630.03 - 0.832020NoWater additive which promotes strong teethLead and copper monitoringLead (ppb)AL = 150.2ND55/02021NoInternal corrosion of household water plumbing systems; discharge from industrial manufacturers; erosion of natural depositsLead (ppb)AL = 130300ND55/02021NoInternal corrosion of household plumbing systems; erosion		60		22	0 - 58				2020	No	
(ppm)2.010.030.03-0.832020Nopromotes strong teethLead and copper monitoringImage: Image: Ima		4.0	4	0.83	0.06 - 1.77				2020	No	
Lead (ppb)       AL = 15       0.2       ND       55/0       2021       No       Internal corrosion of household water plumbing systems; discharge from industrial manufacturers; erosion of natural deposits         Connect (npb)       AL = 1300       200       ND       55/0       2021       No       Internal corrosion of household plumbing systems; discharge from industrial manufacturers; erosion of natural deposits		2.0	1	0.63	0.03 - 0.83				2020	No	
Percentile       Exceeded AL       Percentile       Exceeded AL       Percentile         Lead (ppb)       AL = 15       0.2       ND       55/0       2021       No       Internal corrosion of household water plumbing systems; discharge from industrial manufacturers; erosion of natural deposits         Connect (npb)       AL = 1300       200       ND       55/0       2021       No       Internal corrosion of household plumbing systems; erosion of natural deposits	Lead and copper monitoring										
Lead (ppb)     AL = 15     0.2     ND     55/0     2021     No     water plumbing systems; discharge from industrial manufacturers; erosion of natural deposits       Coppor (ppb)     AL = 1300     300     ND     55/0     301     No     Internal corrosion of household plumbing systems; erosion											
Conser (aph) AL = 1300 200 ND 55/0 2021 No plumbing systems; erosion	Lead (ppb)	AL = 15	0.2	ND	55/0				2021	No	water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
of natural deposits; leaching from wood preservatives	Copper (ppb)	AL = 1300	300	ND	55/0				2021	No	plumbing systems; erosion of natural deposits; leaching

Unregulated Contaminant Monitoring Rule (UCMR4) Results—Tests conducted in 2019 and 2020											
	Constituent	Human Health Advisory	PHG	Average	Range						Potential sources
	Germanium	None	N/A	0.14	ND - 1.2						Naturally occurring metal
	Manganese	Notification level 500 ug/L	300 ug/L	3.9	ND - 8.6						Naturally occurring metal
	HAA6Br	None	N/A	0.62	ND - 1.5						Byproduct of drinking water chlorination
	HAA9	None	N/A	18.3	13 - 23						Byproduct of drinking water chlorination

\*only detected constituents are reported