2018 Consumer Confidence Report

Water System Name: KORTHS PIRATES LAIR	Report Date:	June 2019	Remove Watermark N
We test the drinking water quality for many constituents as	required by state and federal re	gulations. This rep	ort

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2018.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alquien que lo entienda bien.

Type of water source(s) in use: According to SWRCB records, this Source is Groundwater. This Assessment was done using the Default Groundwater System Method.

Your water comes from 1 source(s): Main Well and from 1 treated location(s): Filters

Opportunities for public participation in decisions that affect drinking water quality: Regularly-scheduled water board or city/county council meetings are currently not held.

For more information about this report, or any questions relating to your drinking water, please call (209) 838 - 7842 and ask for Quality Service, Inc..

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for the contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for the contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

mg/L: milligrams per liter or parts per million (ppm)

ug/L: micrograms per liter or parts per billion (ppb)

NTU: Nephelometric Turbidity Units

umhos/cm: micro mhos per centimeter

The sources of drinking water: (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products if industrial
 processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural
 application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resource Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 6, 7, 8 and 9 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

Any violation of MCL, AL or MRDL is highlighted. Additional information regarding the violation is provided later in this report.

Table	Table 1 - SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER										
Lead and Copper (complete if lead or copper detected in last sample set)	Sample Date	90th percentile level detected	No. Sites Exceeding AL	AL	PHG	Typical Sources of Contaminant					
Copper (mg/L)	5 (2016)	0.07	0	1.3	.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives					

	Table 2	- SAMPLING	G RESULTS FO	OR SO	DIUM ANI	HARDNESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Sources of Contaminant
Sodium (mg/L)	(2016)	46	n/a	none	none	Salt present in the water and is generally naturally occurring
Hardness (mg/L)	(2016)	253	n/a	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium and are usually naturally occurring

Table 3 -	DETECTION	OF CONTAI	MINANTS WIT	TH A PRIM	IARY DRINKI	NG WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	[PRODEO]	Typical Sources of Contaminant
Arsenic (ug/L)	(2016)	42	n/a	10	0.004	Erosion of natural deposits; runoff from orchards, glass and electronics production wastes
Barium (mg/L)	(2016)	0.24	n/a	1	2	Discharge from oil drilling wastes and from metal refineries; erosion of natural deposits

Table 4 - TREA	TED DETECT	TION OF CO	NTAMINANTS	WITH A PR	IMARY DRINE	UNG WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]		Typical Sources of Contaminant
Arsenic (ug/L)	(2018)	2	ND - 7	10	0.004	Erosion of natural deposits; runoff from orchards, glass and electronics production wastes

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Sources of Contaminant	
Chloride (mg/L)	(2016)	39	n/a	500	n/a	Runoff/leaching from natural deposits; seawater influence	
Color (Units)	(2016)	20	n/a	15	n/a	Naturally-occurring organic materials	
Iron (ug/L)	(2016)	7970	n/a	300	n/a	Leaching from natural deposits; Industrial wastes	
Manganese (ug/L)	(2016)	1770	n/a	50	n/a	Leaching from natural deposits	
Specific Conductance (umhos/cm)	(2016)	715	n/a	1600	n/a	Substances that form ions when in water; seawater influence	
Total Dissolved Solids (mg/L)	(2016)	420	n/a	1000	n/a	Runoff/leaching from natural deposits	
Turbidity (NTU)	(2016)	94.7	n/a	5	n/a	Soil runoff	

Table 6 - TR	Table 6 - TREATED DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD										
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Sources of Contaminant					
Iron (ug/L)	(2018)	ND	ND - 230	300	n/a	Leaching from natural deposits; Industrial wastes					
Manganese (ug/L)	(2018)	150.7	ND - 1510	50	n/a	Leaching from natural deposits					

	Table 7	7 - DETECTION	ON OF UNREGU	LATED CONTAIN	MINANTS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level	Typical Sources of Contaminant
Boron (mg/L)	(2016)	0.2	n/a	1	Boron exposures resulted in decreased fetal weight (developmental effects) in newborn rats.

Sample Date	Level Detected	Range of Detections	Notification Level	Typical Sources of Contaminant					
(2016)	52	n/a	n/a	n/a					
(2016)	30	n/a	n/a	n/a					
(2016)	6.9	n/a	n/a	n/a					
(2016)	250	n/a	n/a	n/a					
(2016)	11.4	n/a	n/a	n/a					
(2016)	-0.4	n/a	n/a	n/a					
	(2016) (2016) (2016) (2016) (2016)	Sample Date Level Detected (2016) 52 (2016) 30 (2016) 6.9 (2016) 250 (2016) 11.4	Sample Date Level Detected Range of Detections (2016) 52 n/a (2016) 30 n/a (2016) 6.9 n/a (2016) 250 n/a (2016) 11.4 n/a	Sample Date Level Detected Detections Notification Level (2016) 52 n/a n/a (2016) 30 n/a n/a (2016) 6.9 n/a n/a (2016) 250 n/a n/a (2016) 11.4 n/a n/a					

Table	9 - DETECTI	ON OF DIS	INFECTANT	/DISINFE(CTANT BY	PRODUC	T RULE
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL (MRDL)	PHG (MCLG)	Violation	Typical Sources Remove Waterma Contaminant
Total Trihalomethanes (TTHMs) (ug/L)	(2018)	33	n/a	80	n/a		By-product of drinking water disinfection
Chlorine (mg/L)	(2018)	0.00	n/a	4.0	4.0	No	Drinking water disinfectant added for treatment.
Haloacetic Acids (five) (ug/L)	(2018)	18	n/a	60	n/a	No	By-product of drinking water disinfection

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts if some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with the service lines and home plumbing. *Korth's Pirates Lair Marina* is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

About our Arsenic: Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.

For Arsenic (As) results above 5 ppb up to and including 10 ppb: While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from the drinking water. The U.S. Environmental Protection Agency continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

About our Color: Color was found at levels that exceed the secondary MCL. The color MCL was set to protect you against unpleasant aesthetic affects due to color. Violating this MCL does not pose a risk to public health.

About our Iron: Iron was found at levels that exceed the secondary MCL. The Iron MCL was set to protect you against unpleasant aesthetic affects such as color, taste, odor and the staining of plumbing fixtures (e.g., tubs and sinks), and clothing while washing. Violating this MCL does not pose a risk to public health.

About our Manganese: Manganese was found at levels that exceed the secondary MCL. The Manganese MCL was set to protect you against unpleasant aesthetic affects such as color, taste, odor and the staining of plumbing fixtures (e.g., tubs and sinks), and clothing while washing. Violating this MCL does not pose a risk to public health.

About our Turbidity: Turbidity is Secondary Drinking Water Standards and has found no health effects. However, high levels of turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches.

2018 Consumer Confidence Report

Drinking Water Assessment Information

Assessment Information

A source water assessment was conducted for the MAIN WELL of the KORTHS PIRATES LAIR of the water system in stelemer. September, 2011.

Discussion of Vulnerability

There have been no contaminants detected in the water supply, however the source is still considered vulnerable to activities located near the drinking water source.

Acquiring Information

A copy of the complete assessment may be viewed at:

SACRAMENTO COUNTY ENVIRONMENTAL MANAGEMENT DEP

10590 ARMSTRONG AVE

MATHER, CA 9565 EMD@SACCOUNTY.NET

You may request a summary of the assessment be sent to you by contacting:

MEGAN FLOYD, REHS

ENVIRONMENTAL SPECIALIST III

916-876-7888

916-875-8513 FLOYDM@SACCOUNTY.NET

Korth`s Pirates Lair Marina

Analytical Results By FGL - 2018

	LEAD AND COPPER RULE												
	400 A C	Units	MCLG	CA-MCL	PHG	Sampled	Result	90th Percentile	# Samples				
Copper		mg/L		1.3	.3			0.07	5				
Laundry Room Sink	STK1650799-3	mg/L				2016-08-31	0.14						
Mens Sink Left	STK1650799-1	mg/L				2016-08-31	ND						
Mens Sink Right	STK1650799-2	mg/L				2016-08-31	ND	CONTRACTOR OF THE CONTRACTOR O					
Womens Sink Left	STK1650799-4	mg/L				2016-08-31	ND						
Womens Sink Right	STK1650799-5	mg/L				2016-08-31	ND						

SAMPLING RESULTS FOR SODIUM AND HARDNESS												
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)			
Sodium		mg/L		none	none			46	46 - 46			
Main Well	STK1639798-1	mg/L				2016-08-08	46					
Hardness		mg/L		none	none			253	253 - 253			
Main Well	STK1639798-1	mg/L				2016-08-08	253					

	PRIM	ARY DRI	NKING W	ATER STAN	DARDS	(PDWS)			
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Arsenic		ug/L		10	0.004			42	42 - 42
Main Well	STK1639798-1	ug/L				2016-08-08	42		
Main Well	STK1639798-1	ug/L				2016-08-08	42		
Barium		mg/L	2	1	2			0.24	0.24 - 0.24
Main Well	STK1639798-1	mg/L				2016-08-08	0.24		

	TREATED F	RIMARY	DRINKIN	IG WATER	STANDA	RDS (PDWS)			
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Arsenic		ug/L		10	0.004			2	ND - 7
Filters	STK1857595-2	ug/L				2018-12-10	2		
Filters	STK1856289-2	ug/L				2018-11-12	2		
Filters	STK1854619-2	ug/L				2018-10-08	ND		
Filters	STK1853003-2	ug/L				2018-09-10	7		
Filters	STK1851633-2	ug/L				2018-08-13	2		
Filters	STK1839607-2	ug/L				2018-07-09	2		
Filters	STK1838089-2	ug/L				2018-06-11	2		
Filters	STK1836464-2	ug/L				2018-05-14	ND		
Filters	STK1834508-2	ug/L				2018-04-09	ND		
Filters	STK1833147-2	ug/L				2018-03-12	2		
Filters	STK1831913-2	ug/L				2018-02-12	2		
Filters	STK1830442-2	ug/L	-			2018-01-09	3		

	SECON	DARY DRINI	KING WA	TER STAN	DARDS	(SDWS)			
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Chloride		mg/L		500	n/a			39	39 - 39
Main Well	STK1639798-1	mg/L				2016-08-08	39		
Color		Units		15	n/a			20	20 - 20
Main Well	STK1639798-1	Units				2016-08-08	20	70.00	
Iron		ug/L		300	n/a			7970	7970 - 7970
Main Well	STK1639798-1	ug/L				2016-08-08	7970		
Manganese		ug/L		50	n/a			1770	1770 - 1770
Main Well	STK1639798-1	ug/L				2016-08-08	1770		
Specific Conductance		umhos/cm		1600	n/a			715	715 - 715

Main Well	STK1639798-1	umhos/cm		T	2016-08-08	715		
	01111000	mg/L	1000	n/a			420	420 - 420
Total Dissolved Solids		mg/ E		-	0010 00 00	420		Remove Waterm
Main Well	STK1639798-1	mg/L			2016-08-08	420		
Turbidity		NTU	5	n/a			94.7	94.7 - 94.7
Main Well	STK1639798-1	NTU			2016-08-08	94.7		

	TREATED SE	CONDAR	Y DRINK	ING WATER	STAND	ARDS (SDWS)			
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Iron		ug/L		300	n/a			ND	ND - 230
Filters	STK1857595-2	ug/L				2018-12-10	ND		
Filters	STK1856289-2	ug/L				2018-11-12	ND		
Filters	STK1854619-2	ug/L				2018-10-08	ND		
Filters	STK1853003-2	ug/L				2018-09-10	ND		
Filters	STK1851633-2	ug/L				2018-08-13	ND		
Filters	STK1839607-2	ug/L				2018-07-09	ND		
Filters	STK1838089-2	ug/L				2018-06-11	ND		
Filters	STK1836464-2	ug/L				2018-05-14	ND		
Filters	STK1834508-2	ug/L				2018-04-09	ND		
Filters	STK1833147-2	ug/L				2018-03-12	ND		
Filters	STK1831913-2	ug/L				2018-02-12	ND		
Filters	STK1830442-2	ug/L				2018-01-09	230		
Manganese		ug/L		50	n/a			150.7	ND - 1510
Filters	STK1857595-2	ug/L				2018-12-10	72.2		
Filters	STK1856289-2	ug/L				2018-11-12	40.1		
Filters	STK1854619-2	ug/L				2018-10-08	25.8		
Filters	STK1853003-2	ug/L				2018-09-10	ND		
Filters	STK1851633-2	ug/L				2018-08-13	31.8		
Filters	STK1839607-2	ug/L				2018-07-09	32.0		
Filters	STK1838089-2	ug/L				2018-06-11	ND		
Filters	STK1836464-2	ug/L				2018-05-14	ND		
Filters	STK1834508-2	ug/L				2018-04-09	26.8		
Filters	STK1833147-2	ug/L				2018-03-12	43.6	ļ	
Filters	STK1831913-2	ug/L				2018-02-12	25.6		
Filters	STK1830442-2	ug/L				2018-01-09	1510		

		UNRE	GULATED	CONTAMI	NANTS				
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Boron		mg/L		NS	n/a			0.2	0.2 - 0.2
Main Well	STK1639798-1	mg/L				2016-08-08	0.2		

		AD	DITIONA	L DETECTION	INS				
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Calcium		mg/L			n/a			52	52 - 52
Main Well	STK1639798-1	mg/L				2016-08-08	52		
Magnesium	BIRTODO, CO	mg/L			n/a			30	30 - 30
Main Well	STK1639798-1	mg/L				2016-08-08	30		
рН	Journal	units			n/a			6.9	6.9 - 6.9
Main Well	STK1639798-1	units				2016-08-08	6.9		
Alkalinity		mg/L			n/a			250	250 - 250
Main Well	STK1639798-1	mg/L				2016-08-08	250		
Aggressiveness Index	51K1003700 1	12.97			n/a			11.4	11.4 - 11.4
	STK1639798-1					2016-08-08	11.4		
Main Well	51K1005750-1			<u> </u>	n/a			-0.4	-0.40.4
Langelier Index Main Well	STK1639798-1					2016-08-08	-0.4		

		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Total Trihalomethanes (TTH	Ms)	ug/L		80	n/a			33	Remove Watern
Laundry Room Sink	STK1839608-1	ug/L				2018-07-09	33		
Average Laundry Room Sink	BILL SOUTH	-9.					101	33	
Chlorine		mg/L		4.0	4.0	MA		0.00	ND -
Main Well	STK1856289-3	mg/L				2018-11-12	ND		
Main Well	STK1851633-3	mg/L			0	2018-08-13	ND		
Main Well	STK1836464-3	mg/L				2018-05-14	ND		
Main Well	STK1831913-3	mg/L				2018-02-12	ND		
Average Main Well								0	
Haloacetic Acids (five)		ug/L		60	n/a			18	18 - 18
Laundry Room Sink	STK1839608-1	ug/L				2018-07-09	18		
Average Laundry Room Sink				370,000,000				18	

Korth`s Pirates Lair Marina

CCR Login Linkage - 2018

GL Code	Lab ID	Date_Sampled	Method	Description	Property
	STK1830442-2	2018-01-09	Metals, Total	Filters	Monthly Monitoring
VELET INCOLO	STK1831913-2	2018-02-12	Metals, Total	Filters	Monthly Monitoring
	STK1833147-2	2018-03-12	Metals, Total	Filters	Monthly Monitoring
	STK1834508-2	2018-04-09	Metals, Total	Filters	Monthly Monitoring
	STK1836464-2	2018-05-14	Metals, Total	Filters	Monthly Monitoring
	STK1838089-2	2018-06-11	Metals, Total	Filters	Monthly Monitoring
	STK1839607-2	2018-07-09	Metals, Total	Filters	Monthly Monitoring
	STK1851633-2	2018-08-13	Metals, Total	Filters	Monthly Monitoring
	STK1853003-2	2018-09-10	Metals, Total	Filters	Monthly Monitoring
	STK1854619-2	2018-10-08	Metals, Total	Filters	Monthly Monitoring
	STK1856289-2	2018-11-12	Metals, Total	Filters	Monthly Monitoring
	STK1857595-2	2018-11-12	Metals, Total	Filters	Monthly Monitoring
CuDb as02	STK1657595-2 STK1650799-3	2016-08-31	Metals, Total	Laundry Room Sink	Lead & Copper Monitoring
CuPb - ss03	STK1830622-1	2018-01-12	Coliform	Laundry Room Sink	Bacteriological Monitoring
Bacti-Routine01	STK1831913-1	2018-02-12	Coliform	Laundry Room Sink	Monthly Monitoring
	STK1833147-1	2018-03-12	Coliform	Laundry Room Sink	Monthly Monitoring
,		2018-04-09	Coliform	Laundry Room Sink	Monthly Monitoring
	STK1834508-1	2018-04-09	Coliform	Laundry Room Sink	Monthly Monitoring
	STK1836464-1	2018-05-14	Coliform	Laundry Room Sink	Monthly Monitoring
	STK1838089-1		Coliform	Laundry Room Sink	Monthly Monitoring
DBPR-Routine01	STK1839607-1 STK1839608-1	2018-07-09	EPA 551.1	Laundry Room Sink	Disinfection By-Product Rule TTHM/HAA5 Monitoring
	STK1839608-1	2018-07-09	EPA 552.2	Laundry Room Sink	Disinfection By-Product Rule TTHM/HAA5 Monitoring
De eti Desetino 01	STK1851633-1	2018-08-13	Coliform	Laundry Room Sink	Monthly Monitoring
Bacti-Routine01	STK1851053-1	2018-09-10	Coliform	Laundry Room Sink	Monthly Monitoring
	STK1853003-1	2018-10-08	Coliform	Laundry Room Sink	Monthly Monitoring
		2018-11-12	Coliform	Laundry Room Sink	Monthly Monitoring
	STK1856289-1	2018-11-12	Coliform	Laundry Room Sink	Monthly Monitoring
	STK1857595-1	2016-12-10	General Mineral	Main Well	Well Monitoring - 3 year
WELL- Main Well		2016-08-08	Wet Chemistry	Main Well	Well Monitoring - 3 year
	STK1639798-1	2016-08-08	Metals, Total	Main Well	Well Monitoring - 3 year
	STK1639798-1	2018-02-12	Field Test	Main Well	Monthly Monitoring
	STK1831913-3	2018-02-12	Field Test	Main Well	Monthly Monitoring
	STK1836464-3	2018-05-14	Field Test	Main Well	Monthly Monitoring
	STK1851633-3		Field Test	Main Well	Monthly Monitoring
	STK1856289-3	2018-11-12		Mens Sink Left	Copper & Lead Monitoring
CuPb - ss01	STK1650799-1	2016-08-31	Metals, Total	Mens Sink Left Mens Sink Right	Lead & Copper Monitoring
CuPb - ss02	STK1650799-2	2016-08-31	Metals, Total	Womens Sink Left	Lead & Copper Monitoring
CuPb - ss04	STK1650799-4	2016-08-31	Metals, Total		Lead & Copper Monitoring
CuPb - ss05	STK1650799-5	2016-08-31	Metals, Total	Womens Sink Right	Lead & Copper Fromtoring