



Cordova Water System

Consumer Confidence Report on Water Quality for 2020



Providing Quality Drinking Water in California Since 1929

www.gswater.com/CordovaCCR 🛉 facebook.com/GoldenStateH2O 🈏@GoldenStateH2O

About the Company

Golden State Water Company (GSWC) is a wholly owned subsidiary of American States Water Company (NYSE:AWR). GSWC provides water service to more than 1 million people in over 80 communities throughout California. AWR also owns a contracted services subsidiary, American States Utility Services, Inc. (ASUS). ASUS provides operations, maintenance and construction management services for water and wastewater systems located on military bases throughout the country under 50-year privatization contracts with the U.S. government.



Robert Sprowls President and **Chief Executive Officer** Golden State Water Company



Paul Schubert General Manager, Northern District Golden State Water Company

President's Message

Dear Golden State Water Customer,

Golden State Water Company (GSWC) is pleased to present our 2021 Annual Water Quality Report (Consumer Confidence Report), providing customers with important information regarding local water quality and service during the 2020 calendar year.

GSWC is proud to be the trusted water provider serving local customers and more than 80 communities throughout California, and we appreciate that customers have peace of mind knowing we never stop working to ensure quality, reliable water is available at their taps when they need it.

We recognize the challenges many customers have faced during this pandemic period. During this unprecedented time, our continued dedication to providing the highest levels of service and care to customers has been a driving force for our team of water professionals. We take great pride in the service we provide and embrace our role as essential workers in the community.

The pandemic has impacted the community in many ways, and we will remain with customers each step of the way until normalcy is restored. In 2020, GSWC implemented a temporary moratorium on disconnections for non-payment and activated Emergency Disaster Relief Protections as a resource for customers who have suffered financial hardships directly related to COVID-19. Those protections have been extended until June 30, 2021, and we are working closely with customers who have fallen behind to help get their accounts back in good standing.

For more than 90 years, water quality has always been a top priority for GSWC. Our team of scientists, engineers and water experts is committed to protecting our water systems and ensuring the water we deliver to local homes and businesses meets the stringent standards set by the state and federal governments and is safe to drink. We aggressively monitor and test for hundreds of contaminants in each of our 37 water systems and have consistently scored among the top water companies for compliance with water quality regulations.

GSWC is proud to report that the water delivered to your tap continues to meet all federal and state quality standards established to protect public health and safety. Within this document, you will find information regarding local water supply sources, testing, and the steps GSWC takes to ensure our water is in compliance with standards set by the United States Environmental Protection Agency (USEPA), State Water Resources Control Board's Division of Drinking Water (DDW) and California Public Utilities Commission (CPUC).

To access the most up-to-date Water Quality Report for your area, sampling results, and to learn more about common contaminants, you can visit www.gswater.com/water-guality/. If you have any questions about this report, please contact our 24-hour Customer Service Center at 1.800.999.4033 or email us at customerservice@gswater.com.

GSWC is constantly working toward 100 percent customer satisfaction and encourages all customers to visit www.gswater.com and follow us on Twitter and on Facebook at @ GoldenStateH2O.

On behalf of everyone at GSWC, thank you for allowing us the opportunity to serve you and your community.

Sincerely,

Robert Sprowls Paul Schubert

Golden State Water is constantly working toward 100 percent customer satisfaction and we encourage you to visit www.gswater.com and follow us on Twitter and on Facebook at @GoldenStateH20



Where Does My Water Come From?

Water delivered to customers in the Cordova System is a blend of groundwater, pumped from the Sacramento Valley Groundwater Basin, and

surface water treated at Golden State Water Company's Coloma Water Treatment Plant and Carmichael Water District's Bajamont Treatment Plant. Groundwater is pumped from the nearby basin through wells owned by Golden State Water Company. The surface water is delivered to the Coloma Water Treatment Plant via the Folsom South Canal from Lake Natoma, and to the Bajamont Treatment Plant via the American River.



Source Water Assessment

Golden State Water Company conducted a source water assessment in 2002 for the Folsom South Canal and each groundwater well serving the customers of its Cordova System.

Groundwater sources in this system are considered most vulnerable to the following activities not associated with detected contaminants: active and historic gas stations, confirmed leaking underground storage tanks, dry cleaners, historic mining operations, military installations, and plastics/synthetics producers.

Groundwater sources in this system are considered most vulnerable to the following activities associated with contaminants that have been detected in the water supply: known contaminant plumes.

The Folsom South Canal is considered most vulnerable to the following activities associated with contaminants not detected in the water supply: historic mining operations.

The Folsom South Canal is considered most vulnerable to the following activities associated with contaminants detected in the water supply: sewer collection system and Lake Natoma recreational area.

A copy of the assessment may be viewed at:

State Water Board Sacramento District Office 1001 I Street, 13th Floor, Sacramento, CA 95814

or

Golden State Water Company Rancho Cordova Office 3005 Gold Canal Dr., Rancho Cordova, CA 95670

You may request a summary of the assessment be sent to you by contacting:

State Water Board Sacramento District Office at 1.916.449.5600

For more details, contact Lisa Miller, Water Quality Engineer, at 1.800.999.4033.



Contents

Source Water Assessment Glossary of Terms How to Read Your Table Source Water Quality Table Laboratory Analyses Distribution Water Quality Table Risk to Tap and Bottled Water For Sensitive Immune Systems Cross Connection Control Program Flushing Contact Us Connect with Us Infrastructure Investments 3

4

5

5

6

6

7

7

7

8

8

8

8

Conserving for California

In every one of our water systems, a team of highlytrained employees monitors water quality on an on-going basis to ensure that our customers are receiving high-quality water.







Glossary of Terms

Maximum Contaminant Level (MCL)

The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the public health goals and maximum contaminant level goals as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

California Notification Level (NL)

Non-regulatory, health-based advisory levels established by the State Board for contaminants in drinking water for which an MCL has not been established.

Maximum Contaminant Level Goal (MCLG)

The level of contaminant in drinking water below which there is no known or expected risk to health. Maximum contaminant level goals are set by the United States Environmental Protection Agency (USEPA).

Maximum Residual Disinfectant Level (MRDL)

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG)

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standard (PDWS)

MCLs, MRDLs and treatment techniques (TTs) for contaminants that affect health, along with their monitoring and reporting requirements.

Public Health Goal (PHG)

The level of a contaminant in drinking water below which there is no known or expected risk to health. Public health goals are set by the California Environmental Protection Agency (CalEPA).

Regulatory Action Level (AL)

The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Treatment Technique (TT)

A required process intended to reduce the level of a contaminant in drinking water.

Delivering drinking water is serious business, and our team of scientists, engineers and water experts is dedicated to protecting our water systems and ensuring the water we deliver to local homes and businesses meets stringent standards set by the state and federal governments and is safe to drink.

| Unit of Measurement | Unit Abbreviation | Also Known as | This can be compared to |
|-------------------------------|----------------------|---|--|
| Parts per million (PPM) | mg/L | milligrams per liter | 1 second in 12 days |
| Parts per billion (PPB) | µg/L | micrograms per liter | 1 second in 32 years |
| Parts per trillion (PPT) | ng/L | nanograms per liter | 1 second in 32,000 years |
| Grains per gallon | grains/gallon | a measurement for water hardness often used for sizing household water softeners | 1 grain/gal equals 17.1 mg/L of hardness |
| Nephelometric Turbidity Units | NTU | a measurement of the clarity of water. | Turbidity in excess of 5 NTU is noticeable to the average person |
| Microsiemens per centimeter | µS/cm | a measurement of a solution's ability to conduct electricity | |
| Picocuries per liter | pCi/L | a measurement of radioactivity in water | |

How to Read Your Table

The consumer confidence report lets you know which constituents, if any, are in your drinking water and how this may affect your health. The constituents presented in this table were detected above the detection limit set by the State Water Resources Control Board. Below is a guide that explains each column of the table.

| The highest level of a constituent allowed in drinking water. | | The range of presence for whether the constituent was detected the drinking water. | | a constit | age amount d uent detecter inking water. | d | | ost recent ests were cted. Describes the most likely ways a constituent enters the drinking water. Wording provided by the USEPA. |
|---|-----|--|----------------|---------------|--|------------------|------------------------------|---|
| uninking water. | - [| Primary Standards - Health Based (units) | Primary MCL | PHG (MCLG) | Range of Detection | Average Level | Most Recent Sampling Date | Typical Source of Constituent |
| The highest level for which the constituent | | Substance A (mg/L) | 50 | 0.6 | ND - 40 | 20 | 2019 | Erosion of natural deposits; residue from some surface water treatment processes |
| has no known or expected health risks. | | Substance B (µg/L) | 6 | 1 | 0.1 - 2.8 | 1.7 | 2016 | Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder |

YOUR WATER MEETS ALL CURRENT FEDERAL AND STATE REQUIREMENTS

| YOUR WATE | R MEETS A | LL CUR | RENT FED | ERAL ANI | D STATE REQ | UIREMENTS |
|---|-----------------------|---------------|-----------------------|------------------|------------------------------|---|
| Cordova Water System – Source Water Quality | | | | | | |
| Primary Standards – Health Based (units) | Primary MCL | PHG (MCLG) | Range of Detection | Average Level | Most Recent Sampling Date | Typical Source of Constituent |
| Turbidity | | | | | | |
| Highest single measurement of the treated surface water (NTU) | TT = 1.0 | n/a | n/a | 0.14 | 2020 | Soil runoff |
| Lowest percent of all monthly readings less than 0.3 NTU (%) | TT = 95 | n/a | n/a | 100% | 2020 | Soil runoff |
| Inorganic Constituents | | | | | | |
| Arsenic (µg/L) | 10 | 0.004 | ND - 2.2 | ND | 2020 | Erosion of natural deposits; runoff from orchards; glass and electronics production wastes |
| Barium (mg/L) | 1 | 2 | ND - 0.16 | ND | 2020 | Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits |
| Nitrate [as N] (mg/L) | 10 | 10 | ND - 4.5 | 1.1 | 2020 | Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits |
| Volatile Organic Constituents | | | | | | |
| Trichloroethylene [TCE] (µg/L) | 5 | 1.7 | ND - 2.0 | ND | 2020 | Discharge from metal degreasing sites and other factories |
| Radioactive Constituents | | | | | | |
| Gross Alpha Activity (pCi/L) | 15(a) | (0) | ND - 3.6 | ND | 2015 | Erosion of natural deposits |
| Uranium (pCi/L) | 20 | 0.43 | ND - 1.2 | ND | 2015 | Erosion of natural deposits |
| Secondary Standards - Aesthetic (units) | Secondary MCL | PHG (MCLG) | Range of Detection | Average Level | Most Recent Sampling Date | Typical Source of Constituent |
| Chloride (mg/L) | 500 | n/a | 1.7 - 12 | 5.3 | 2020 | Runoff/leaching from natural deposits; seawater influence |
| Odor – Threshold (units) | 3 | n/a | ND - 2.5 | ND | 2020 | Naturally-occurring organic materials |
| Specific Conductance (µS/cm) | 1600 | n/a | 59 - 420 | 200 | 2020 | Substances that form ions when in water; seawater influer |
| Sulfate (mg/L) | 500 | n/a | 2.1 - 19 | 7.6 | 2020 | Runoff/leaching from natural deposits; industrial wastes |
| Turbidity (units) | 5 | n/a | ND - 0.56 | 0.2 | 2020 | Soil runoff |
| Total Dissolved Solids (mg/L) | 1000 | n/a | 39 - 290 | 150 | 2020 | Runoff/leaching from natural deposits |
| Other Parameters (units) | Notification Level | PHG (MCLG) | Range of Detection | Average Level | Most Recent Sampling Date | Typical Source of Constituent |
| Alkalinity (mg/L) | n/a [©] | n/a | 23 - 170 | 82 | 2020 | 6 ° |
| Calcium (mg/L) | n/a | n/a | 5.4 - 47 | 21 | 2020 | <u> </u> |
| Hardness [as CaCO3] (mg/L) | n/a 🤗 | n/a | 21-190 | 84 | 2020 | The sum of polyvalent cations present in the water, genera magnesium and calcium; the cations are usually naturally occurring |
| Hardness [as CaCO3] (grains/gal) | ⊂n/a | n/a | 1.2 - 11 | 4.9 | 2020 | |
| Magnesium (mg/L) | n/a | n/a | 1.9 - 18 | 7.9 | 2020 | Call and the second |
| pH (pH units) | n/a | n/a | 7.2 - 8.2 | 7.7 | 2020 | |
| Potassium (mg/L) | n/a | n/a | ND - 4.2 | 2.0 | 2020 | |
| Sodium (mg/L) | n/a | n/a | 2.4 - 16 | 7.8 | 2020 | Refers to the salt present in the water and is generally naturally occurring |
| Unregulated Drinking Water Constituents (units) | Notification Level | PHG (MCLG) | Range of Detection | Average Level | Most Recent Sampling Date | |
| Manganese (µg/L) (b) | n/a 👓 | n/a | ND - 5.8 | 0.77 | 2019 | |
| UAACDa [Tatal of C Draminate of University] aide7(up(1)) | - 1- | - /- | ND 10 | 0.70 | 2010 | BL I I BAR |

(a) MCL is based on Gross Alpha minus Uranium. (b) Manganese is a regulated contaminant but was not detected in routine samples associated with regulatory compliance and is below all regulatory standards. ND = Not Detected CaCO3 – Calcium Carbonate

ND - 1.6

ND - 34

0.79

11

2019

2019

n/a

n/a

n/a

_n/a

This table includes data only on constituents that were detected.

HAA6Br [Total of 6 Brominated Haloacetic Acids] (µg/L)

HAA9 [Total of 9 Haloacetic Acids] (µg/L)

Laboratory Analyses

Through the years, we have taken thousands of water samples to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants in your drinking water. The table we provide shows only detected contaminants in the water.

Even though all the substances listed here are under the Maximum Contaminant Level (MCL), we feel it is important that you know exactly what was detected and how much of these substances were present in your water. Compliance (unless otherwise noted) is based on the average level of concentration below the MCL. The state allows us to monitor for some contaminants less than once per year because the concentrations do not change frequently. Some of our data, while representative, is more than a year old.

Lead – If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young



children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Golden State Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can



minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information about lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 1.800.426.4791 or at http://www.epa.gov/safewater/ lead.

Turbidity – Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of surface water filtration.

Unregulated Contaminant Monitoring – Monitoring for unregulated contaminants helps the USEPA and the State Water Board to determine where certain contaminants occur and whether the contaminants need to be regulated.

| Disinfection Byproducts and Disinfectant Residuals (units) | Primary MCL (MRDL) | PHG (MRDLG) | Range of Detection | Average Level | Most Recent Sampling Date | Typical Source of Constituent |
|---|-----------------------|----------------|--|------------------|------------------------------|---|
| Chlorine [as Cl2] (mg/L) | (4.0) | (4) | 0.4 - 1.8 | 1.0 | 2020 | Drinking water disinfectant added for treatment |
| IAA5 [Sum of 5 Haloacetic Acids] (µg/L) | 60 | n/a | ND - 20 | 26 | 2020 | Byproduct of drinking water disinfection |
| THMs [Total Trihalomethanes] (μg/L) | 80 | n/a | 0.6 - 38 | 41 | 2020 | Byproduct of drinking water disinfection |
| Inorganic Constituents (units) | Action Level | PHG (MCLG) | Sample Data | 90th % Level | Most Recent Sampling Date | Typical Source of Constituent |
| Copper (mg/L) | 1.3 | 0.3 | None of the 65 samples collected exceeded the action level. | 0.24 | 2018 | Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| Lead sampling in schools and residential plumbing | Action Level | PHG | Sample Data | 90th % Level | Most Recent Sampling Date | Number Typical Source of Constituent of Schools Tested (c) |
| ead (µg/L) | 15 | 0.2 | 1 of the 65 samples collected o exceeded the action level. | ND | 2018 | Internal corrosion of household water plumbing systems; discharges from industrial manufacturerers; erosion of natural deposits. |
| The State of California made lead sampling in schools ma = Not Detected :O3 = Calcium Carbonate | SP. | el | 00 | 0 | AL | |
| is table includes data only on constit | uents that wer | e detected | i. Q | ŝ | | To o o o |



Risk to Tap and Bottled Water

Drinking water, including bottled water, may reasonably be expected to contain small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at 1.800.426.4791.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the layers in the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, which can pick up substances resulting from the presence of animal or human activity.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (U.S. EPA) and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Contaminants in Drinking Water Sources May Include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, and farming
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff and septic systems
- Radioactive contaminants that can be naturally occurring or be the result of oil and gas production and mining activities

For People with Sensitive Immune Systems

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised people, such as those individuals with cancer undergoing chemotherapy, those who have undergone organ transplants, those with HIV/AIDS or other immune system disorders, some elderly populations, and infants, can be particularly at risk from infections. These people should seek advice from their health care providers.

The USEPA and Centers for Disease Control issue guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants. To obtain a copy of these guidelines, please call the USEPA's Safe Drinking Water Hotline at 1.800.426.4791.

Cross Connection Control Program

Golden State Water Company's Cross Connection Control Program provides a level of certainty that the water in the company's distribution system is protected from possible backflow of contaminated water from commercial or industrial customers' premises. For additional information, visit https://www.gswater.com/protecting-our-drinking-water/.



Flushing

Hydrant flushing is an essential maintenance procedure that all water providers must perform periodically to ensure the water delivered to customers meets state and federal drinking water standards. GSWC is using NO-DES (Neutral Output-Discharge Elimination System) flushing in several of our service areas to help flush our distribution systems sustainably.

Traditional hydrant flushing discharges hundreds of thousands of gallons of water onto the street. GSWC's NO-DES trucks and trailers offer a new maintenance technology, connecting two hydrants to a complex filtration system which cleans the water and returns it to the distribution system.

For more information about hydrant flushing, visit https://www.gswater.com/flushing.

If You Have Questions – Contact Us

For information about your water quality or to find out about upcoming opportunities to participate in public meetings, please contact our 24-hour Customer Service Center at 1.800.999.4033. Visit us online at www.gswater.com or email us at customerservice@gswater.com.

Este informe contiene información muy importante sobre su agua de beber. Tradúzcalo o hable con alguien que lo entienda bien.

Этот отчет содержит важную информацию о вашей питьевой воды. Переведите его или поговорите с тем, кто это понимает.



Connect with us to learn more!

Visit www.gswater.com to:

- Access the latest Water Quality Report for your area
- Get the latest updates and news regarding the drought and state/local restrictions
- Learn more about water-use efficiency, including programs and rebates in your area
- Understand your water bill and learn about payment options
- Obtain information about programs for low-income customers (CARW)
- Sign up to receive email updates about your water service

For additional information, please contact our 24-hour Customer Service Center at **1.800.999.4033** or email us at **customerservice@gswater.com**.

Infrastructure Investments

Water providers have a duty to maintain the local water infrastructure to ensure that the delivery of reliable, quality water is not compromised. At GSWC, we take that responsibility seriously.

In 2020, GSWC installed 103,994 feet of pipeline, 1,623 service lines and 282 fire hydrants throughout the state. Proactive system investments like these are critical to protect the quality of water we serve to the customers and to avoid the costly and sometimes dangerous effects of deferring maintenance.

Customers interested in learning more about current and completed infrastructure projects in their service areas are encouraged to visit their service area's webpage at www.gswater.com.





A drought-tolerant garden.

Conserving for California

It's important that all Californians continue using water responsibly, as many parts of our state are experiencing various levels of drought. We must all work together to protect available water supplies. As Californians, it is our duty to make conservation a way of life and protect this precious and scarce resource.

GSWC is proud to be your conservation partner. It is important that we all work together to incorporate water-use efficiency into our daily lives.

To learn more about conservation programs and/or wateruse restrictions in your area, please visit **www.gswater.com/ conservation** or call 1.800.999.4033.