



2021 Consumer Confidence Report

THE STATE OF CALIFORNIA IS EXPERIENCING A PROLONGED DROUGHT OF EPIC PROPORTIONS
IT IS THE RESPONSIBILITY OF US ALL TO TREAT WATER AS THE LIFE SUSTAINING AND PRECIOUS RESOURCE IT IS.

WATER CONSERVATION TIPS

- Take short showers-a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use water efficient showerheads. They are inexpensive and can save you up to 750 gallons a month.
- Use your clothes and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary. Water during cooler parts of the day to reduce evaporation. Use drip irrigation when possible.
- Fix leaky toilets and faucets. Place a few drops of food coloring in the toilet tank, if it seeps into the bowl without flushing, you have a leak. Fixing it or replacing it with a new, efficient model can save up to 1,000 gallons a month.

WATER PROTECTION TIPS

- Eliminate excess use of lawn and garden fertilizers and pesticides – they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have a septic system, properly maintain the system to reduce leaching to water sources or consider connecting to the public wastewater system.
- Dispose of chemicals properly; take used motor oil to a recycling center.

CITY OF COLTON WATER DEPARTMENT

Consumer Confidence Report for 2021

Estimado cliente –Este informe contiene información muy importante sobre su agua potable. Por favor encuentre alguien que se lo pueda traducir. "Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse City of Colton Water Dept. a [(909)370-6163 para asistirlo en español."

Introduction

The City of Colton Water Department is pleased to present the latest Consumer Confidence Report. This report is designed to keep you informed about the quality of water and services that, through our efforts, are delivered to you every day. We are committed to ensuring the quality of your water. Our constant and main goal is to provide you with a safe and dependable supply of drinking water. We want to help you understand the measures we continuously take to improve the water treatment process and protect the water system resources. These resources consist of twelve (12) wells, which draw water from three (3) underlying groundwater basins (Colton/Rialto Basin, Bunker Hill Basin and North Riverside Basin). Another source, if needed, is the City of San Bernardino's water supply, which is treated groundwater from the Bunker Hill Basin.

Assessment Information

In September 2002, an assessment was completed of the drinking water from all sources to the City. The report is a vulnerability assessment of potential sources of contaminants for each water source. If you would like to request a summary of the assessments, please contact John Ahearn, City of Colton Senior Water Quality Technician, at (909-370-6164).

Routine Water Testing / Ensuring Tap Water Safety

City of Colton Water Department staff routinely monitors the drinking water for contaminants. These tests are conducted according to Federal and State laws/regulations. On the following page, you will find a Monitoring Table showing the results for the period covering January 1 to December 31, 2021.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (EPA) and the State Water Resources Control Board (SWRCB) prescribe regulations that limit the amount of certain contaminants in water that is provided by public water systems. The same protection is provided by FDA regulations that establish limits for contaminants in bottled water.

Common Contaminants

Sources of drinking water (both tap & bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity. Contaminants that may be present in source water before we treat it include:

- **Microbial contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- **Inorganic contaminants**, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- **Pesticides and herbicides**, which may come from a variety of sources such as agriculture or residential uses.
- **Radioactive contaminants**, which can be naturally-occurring or be the result of oil and gas production and mining activities.
- **Organic chemical contaminants**, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
-

Obtaining Contaminant Information

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (1-800-426-4791).

Possible Vulnerability

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk of infection. If any of these apply to you, please seek advice from your health care provider regarding the drinking of water. US EPA/CDC guidelines on appropriate means to lessen the risk of infection from Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Effects of PFOA & PFOS

Perfluorooctanic Acid (PFOA) exposures resulted in increased liver weight and cancer in laboratory animals. Perfluorooctanesulfonic Acid (PFOS) exposure resulted in immune suppression and cancer in laboratory animals.

Effects of Nitrate

Nitrate in drinking water at levels of 10 ppm is a health risk for infants less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may quickly rise for short periods because of rainfall or agricultural activity. If you are caring for an infant, you should seek the advice of your health care provider.

Effects of Perchlorate

The SWRCB set the Maximum Contaminant Level (MCL) for Perchlorate at 6 ppb. As a result, the City of Colton has completed installation of two (2) treatment systems for three (3) wells that were impacted by this new level. These systems remove perchlorate to below detection levels, ensuring that the water served never exceeds the State MCL. Drinking water containing Perchlorate in excess of the MCL may cause effects associated with hypothyroidism. Perchlorate interferes with the production of thyroid hormones, which are required for normal pre-/postnatal development in humans, as well as normal body metabolism.

Effects of Lead

CITY OF COLTON WATER DEPARTMENT

Consumer Confidence Report for 2021

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Colton is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available to the Safe Drinking Water Hotline or at [ppt://www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead). The City tested the Colton Unified School District's schools in 2018. The District took remedial action at any schools with lead detection resulting in non-detection for those facilities.

Contacts Regarding Questions or Concerns

If you have any questions concerning your water quality or about this report, please contact John Ahearn, Senior Water Quality Technician for the City of Colton (909-370-6164). For more information, please visit the City's website at <http://www.ci.colton.ca.us>, **City Departments, Public Utilities**. The City Council Meeting Agendas/Minutes are also accessible on the website and contain detailed reports of some of the information offered here. You can also attend Utilities Commission Meetings held every second Monday of the month (except October and November, when they are held on the third Monday) at City Hall.

YOUR WATER IS SAFE!

The City of Colton is proud that your drinking water meets or exceeds all Federal and State requirements. Though we have learned through monitoring and testing that some contaminants have been detected, the EPA has determined that your water IS SAFE at these levels. Please refer to the following page, which shows that the City's water system did not have any violations.

Key to Abbreviations and Footnotes

N/A Not Applicable NC Non – Corrosive ND Monitored but not detected NS No Standard has been set. NTU Nephelometric Turbidity Units, a measure of suspended material in water pCi/L PicoCuries per liter, a measure of radioactivity. mg/L Milligrams per liter, or parts per million ug/L Micrograms per liter, or parts per billion ng/L Nanograms per liter –parts per trillion. TON Threshold Odor Number TT Treatment Technique (See Definitions) Umhos Micromhos, a measure of total mineral content < Less than *The State allows for less than annual monitoring for certain constituents because the concentrations do not change frequently. Therefore, the data, though representative, is more than a year old. ** A positive Langlier Index indicates that the water is non – corrosive. *** An aggressiveness index greater than 10 indicates that the water is not aggressive (corrosive) **** For systems collecting 40 or more samples, if more than 5.0 percent of samples collected are total coliform positive, then the MCL is violated. NL Notification Level – Level at which the water purveyor must notify their governing body of detection. RL Response Level – Level at which DDW recommends a source be taken out of service. AC Action Level - are health-based advisory levels for chemicals in drinking water for which there are no formal regulatory standards or MCL's.

Definitions

Public Health Goal

The level of contaminant in drinking water below which there is no known or expected health risks. PHG's are set by the California Environmental Protection Agency.

Maximum Contaminant Level (MCL)

The highest level of a contaminant that is allowed in drinking water. Primary MCL's are set as close to PHG's (or MCLG's) as is technologically and economically feasible. Secondary MCL's are set to protect the odor, taste, and appearance of drinking water.

Primary Drinking Water Standards

MCL's for contaminants that affect health, along with their monitoring and reporting requirements, and water treatment requirements.

Treatment Technique (TT)

A required process intended to reduce the level of a contaminant in drinking water.

Maximum Residual Disinfectant Level (MRDL)

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for the control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG)

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for the control of microbial contaminants.

Water Quality Terms

Clarity

Cloudiness or turbidity in water is caused by tiny particles such as clay, silt or other suspended mater. Clarity is regulated because minute particles can shield bacteria from the disinfection process.

Radionuclides

Radioactivity in water originates from both natural sources and human activities. In most low risk areas, potential exposure to radiation in water is a fraction of the background exposure from all other natural sources.

Primary Standards

Were established to protect the consumer from health hazards associated with bacteria and chemicals.

Secondary Standards

The measure of aesthetic qualities such as taste, odor and color, which do not affect health.

CITY OF COLTON - WATER DEPARTMENT

MONITORING TABLE FOR JANUARY 1 - DECEMBER 31, 2021

Contaminant	Violation Y / N	TEST RESULTS			UNIT MEASURE	STATE MCL	STATE PHG	YEAR TESTED*	LIKELY SOURCE OF CONTAMINANT
		Minimum	Maximum	Average					
INORGANIC CHEMICALS - PRIMARY STANDARDS									
Fluoride	N	0.27	0.6	0.4	mg/L	2	1	2021	Erosion of natural deposits, water additive for dental hygiene, discharge from fertilizer and aluminum factories
Nitrate (as NO3)	N	0	6.6	3.53	mg/L	10	10	2021	Runoff / leaching from fertilizer use, septic tanks, sewage, and erosion of natural deposits
Nitrate+Nitrite as Nitrogen	N	0	6.6	3.53	mg/L	10	10	2021	Runoff / leaching from fertilizer use, septic tanks, sewage, and erosion of natural deposits
CHEMICAL PARAMETERS - SECONDARY STANDARDS									
Chloride	N	0.7	70	19.79	mg/L	500	NS	2021	Runoff / leaching from natural deposits; seawater influence
Corrosivity (Langlier Index)**	N	0.34	0.85	0.52	units	NC	NS	2020	Natural or industrial-influenced balance of hydrogen, carbon & oxygen in water, affected by temperature and other factors.
Aggressiveness Index ***	N	12.09	12.45	12.2	units	NS	NS	2020	
Iron	N	0	0	0	ug/L	300	NS	2021	Leaching from natural deposits
Manganese	N	0	46	11	ug/L	50	NS	2021	Leaching from natural deposits
Specific Conductance	N	380	750	516	umhos	1600	NS	2021	Substances that form ions in water; seawater influence
Sulfate	N	15	98	50	mg/L	500	NS	2021	Runoff / leaching from natural deposits, industrial wastes
Total Dissolved Solids	N	210	470	317	mg/L	1000	NS	2021	Runoff / leaching from natural deposits
PHYSICAL PARAMETERS									
Odor - Threshold	N	1	2	1.1	TON	3	NS	2020	Naturally occurring organic materials
pH	N	7.9	8.2	8	units	NS	NS	2021	
Turbidity	N	0	0.4	0.09	NTU	5	N/A	2020	Turbidity is monitored because it is a good indicator of water quality. High turbidity can hinder disinfectant effectiveness.
RADIONUCLIDES									
Gross Alpha Particle Activity	N	0	7.2	3.6	pCi/L	15	NS	2018	Erosion of natural deposits
Radon 222	N	229	458	333.3	pCi/L	NS	NS	2000	Erosion of natural deposits
Uranium	N	0	4.8	2.4	pCi/L	20	0.43	2019	Erosion of natural deposits
VOLATILE ORGANIC CHEMICALS (VOC's)									
Tetrachloroethylene	N	ND	ND	ND	ug/L	5	0.06	2019	Leaching from PVC pipes, discharge from factories, dry cleaners and auto shops (metal degreaser)
1,2,3 Trichloropropane	N	ND	ND	ND	ug/L	0.005	0.0007	2018	From industrial and agricultural factories, from haz. waste sites, cleaning, paint and varnish solvents.
ADDITIONAL PARAMETERS									
Alkalinity	N	149	240	192	mg/L	NS	NS	2021	
Bicarbonate Alkalinity	N	180	290	236	mg/L	NS	NS	2021	
Calcium	N	32	97	61.8	mg/L	NS	NS	2021	
Total Hardness	N	120	300	197	mg/L	NS	NS	2021	
Magnesium	N	7	14	10.5	mg/L	NS	NS	2021	
Potassium	N	1.6	4	3	mg/L	NS	NS	2021	
Sodium	N	13	120	34.4	mg/L	NS	NS	2021	
Boron	N	0	220	55	mg/L	NS	NS	2021	
DISTRIBUTION SYSTEM									
Microbiological-Total Coliform Bacteria	N	ND	ND	ND	Presence of coliform bacteria in 5% of monthly samples****				Naturally present in the environment
Total Trihalomethanes	N	2.4	1.3	1.9	ug/L	80	NS	2021	By-product of drinking water chlorination
Haloacetic Acids	N	0	0	0	ug/L	60	NS	2021	By-product of drinking water chlorination
Chlorine	N	0.91	1.25	1.12	mg/L	4	4	2021	Drinking water disinfectant added for treatment
REGULATED CONTAMINANTS (Perchlorate)									
Perchlorate	N	0	3.5	0.69	ug/L	6	1	2021	Component of explosives, fireworks, matches, and solid rocket fuels.
UNREGULATED CONTAMINANTS									
PFOS	N	6.5	40	19	ng/L	NS	NS	2021	Used to make a variety of products that resist heat, oil, grease and water.
PFOA	N	5.1	10	4.4	ng/L	NS	NS	2021	
LEAD AND COPPER									

The Lead & Copper Rule became effective in 1993. The City of Colton has performed nine rounds of sampling. The last was performed in August 2016. The next round is scheduled for 2019. All samples are taken from the first draw of morning water. The 1st two rounds were from 60 single-family residences with copper pipe with lead solder installed since 1982. The 1998, 2001, 2004, 2007, 2010, 2013, 2016 & 2019, sampling included only 30 single-family residences due to favorable results in the previous rounds. The next round is scheduled for August 2022. The 2019 results were:

Contaminant	90th Percentile Result	Unit Measurement	MCL	PHG	LIKELY SOURCE OF CONTAMINANT
LEAD	0	ug/l	AL 15	2	Internal corrosion of household plumbing systems, discharge from industrial mfg, erosion of natural deposits
COPPER	170	ug/l	AL 1300	300	Internal corrosion of household plumbing systems, erosion of natural deposits.


**Consumer Confidence Report
Certification Form**

(To be submitted with a copy of the CCR)

Water System Name: City of Colton

Water System Number: CA3610014

The water system named above hereby certifies that its Consumer Confidence Report was distributed on 4/30/22 (date) to customers (and appropriate notices of availability have been given). Further, the system certifies that the information contained in the report is correct and consistent with the compliance monitoring data previously submitted to the State Water Resources Control Board, Division of Drinking Water (DDW).

Certified by: Name: John Ahearn
Signature: 
Title: Senior Water Quality Technician
Phone Number: (909) 772-9682 Date: 4/30/22

To summarize report delivery used and good-faith efforts taken, please complete this page by checking all items that apply and fill-in where appropriate:

- CCR was distributed by mail or other direct delivery methods (attach description of other direct delivery methods used).
- CCR was distributed using electronic delivery methods described in the Guidance for Electronic Delivery of the Consumer Confidence Report (water systems utilizing electronic delivery methods must complete the second page).
- "Good faith" efforts were used to reach non-bill paying consumers. Those efforts included the following methods:
 - Posting the CCR at the following URL: www.ci.colton.ca.us/512/water-Reliability
 - Mailing the CCR to postal patrons within the service area (attach zip codes used)
 - Advertising the availability of the CCR in news media (attach copy of press release)
 - Publication of the CCR in a local newspaper of general circulation (attach a copy of the published notice, including name of newspaper and date published)
 - Posted the CCR in public places (attach a list of locations)
 - Delivery of multiple copies of CCR to single-billed addresses serving several persons, such as apartments, businesses, and schools
 - Delivery to community organizations (attach a list of organizations)
 - Publication of the CCR in the electronic city newsletter or electronic community newsletter or listserv (attach a copy of the article or notice)
 - Electronic announcement of CCR availability via social media outlets (attach list of social media outlets utilized)
 - Other (attach a list of other methods used)
- For systems serving at least 100,000 persons: Posted CCR on a publicly-accessible internet site at the following URL: www._____
- For privately-owned utilities: Delivered the CCR to the California Public Utilities Commission

Consumer Confidence Report Electronic Delivery Certification

Water systems utilizing electronic distribution methods for CCR delivery must complete this page by checking all items that apply and fill-in where appropriate.

- Water system mailed a notification that the CCR is available and provides a direct URL to the CCR on a publicly available website where it can be viewed (attach a copy of the mailed CCR notification). URL: www. _____
- Water system emailed a notification that the CCR is available and provides a direct URL to the CCR on a publicly available site on the Internet where it can be viewed (attach a copy of the emailed CCR notification). URL: www. _____
- Water system emailed the CCR as an electronic file email attachment.
- Water system emailed the CCR text and tables inserted or embedded into the body of an email, not as an attachment (attach a copy of the emailed CCR).
- Requires prior DDW review and approval.* Water system utilized other electronic delivery method that meets the direct delivery requirement.

Provide a brief description of the water system's electronic delivery procedures and include how the water system ensures delivery to customers unable to receive electronic delivery.

This form is provided as a convenience and may be used to meet the certification requirement of section 64483(c), California Code of Regulations.