

“Dedicated to Quality, Service, and Innovation”



2024

Annual Water Quality Report

2024 Annual Water Quality Report

Montclair, California 91763
10575 Central Avenue • Post Office Box 71

www.mvwd.org



Welcome

Dear Valued Customer,

Monte Vista Water District (MVWD) is dedicated to serving the highest quality water to our customers. We are proud to report that last year, as in years past, your tap water met all federal and state drinking water health standards.

We hope you will take some time to read this Annual Water Quality Report, which details the quality of the water provided by MVWD, where it comes from, what it contains and how it compares to federal and state standards.

Recently, MVWD completed the initial lead service line inventory required by the U.S. EPA. Following a review of historical records and field investigations, MVWD has determined it has no lead or galvanized requiring replacement service lines in its distribution system. MVWD's service line inventory database can be viewed at www.mvwd.org/LSLI and will be updated as needed.

MVWD is committed to providing this information to you because we share an appreciation for the value and importance of clean drinking water for our community. Together, with informed consumers, we can protect our drinking water supplies. For more information on your water supply sources, water quality, and water distribution system, we invite you to visit the “Your Water” section of our website, www.mvwd.org.

Sincerely,

MVWD Board of Directors

Sandra S. Rose, President
G. Michael Milhiser, Vice President
Tony Lopez, Board Auditor

Philip L. Erwin, Director
Manny Martinez, Director

MVWD General Manager
Justin Scott-Coe

About Your Water

To develop this report, MWD collected thousands of water samples that were analyzed for 113 different contaminants. Only contaminants that were detected are included in the tables below. If a contaminant is not listed, it was not detected. The State Water Board allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

Table 1 lists contaminants regulated by Primary Drinking Water Standards. These standards have been developed to monitor contaminants that have been determined to pose a risk to health (see Key Terms).

Table 2 lists contaminants regulated by Secondary Drinking Water Standards. Generally, these standards have been developed to address the aesthetic properties of drinking water. In addition to constituents regulated by secondary standards, we have included data regarding sodium and hardness, which may be of interest to consumers.

Table 3 contains data on contaminants that are not regulated. Unregulated contaminant monitoring helps U.S. EPA and the State Water Board to determine where certain contaminants occur and whether the contaminants need to be regulated.

Water Quality Data Tables

Table 1: Parameter	Units	Primary MCL [MRDL]	PHG (MCLG) [MRDLG]	Range	Avg.	Major Sources in Drinking Water
Surface Water - samples collected in 2024						
Combined Filter Effluent	NTU	TT=1 NTU	NA	0.41 Highest	Soil runoff.	
Turbidity	%	TT(a)		% ≤ 0.3 - 99.4%		
INORGANIC & ORGANIC CHEMICALS, sampled in 2022 & 2024						
Aluminum	ppb	1000	600	ND - 41	20	Erosion of natural deposits; residue from some surface water treatment processes
Arsenic	ppb	10	0.004	ND - 6.7	2.3	Erosion of natural deposits; runoff from orchards; glass and electronics production waste
Chromium	ppb	50	100	ND - ND	ND	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
Dibromochloropropane (DBCP)	ppt	200	1.7	ND - 4.4	1	Banned nematocide that may still be present in soils due to runoff/leaching from former use on soybeans, cotton, vineyards, tomatoes, and tree fruit
Diquat	ppb	20	6	ND - 18	9	Runoff from herbicide use for terrestrial and aquatic weeds
Fluoride (naturally occurring)	ppm	2.0	1	ND - 0.17	0.13	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories
Methyl-tert-butyl ether (MTBE)	ppb	13	13	ND - 3	ND	Leaking underground storage tanks; discharge from petroleum and chemical factories
Nitrate (N)	ppm	10	10	ND - 5.9	2.5	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Perchlorate	ppb	6	1	ND - 2	0.6	Perchlorate is an inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries. It usually gets into drinking water as a result of environmental contamination from historic aerospace or other industrial operations that used or use, store, or dispose of perchlorate and its salts
Tetrachloroethylene (PCE)	ppb	5	0.06	ND - ND	ND	Discharge from factories, dry cleaners, and auto shops (metal degreaser)
Trichloroethylene (TCE)	ppb	5	1.7	ND - 0.5	ND	Discharge from metal degreasing sites and other factories

Key Terms

Below are terms to assist consumers in understanding this report:

- ◆ **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- ◆ **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.
- ◆ **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
- ◆ **Primary Drinking Water Standard (PDWS):** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
- ◆ **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- ◆ **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- ◆ **Regulatory Action Level (AL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
- ◆ **Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.
- ◆ **Disinfection By-Products (DBP):** The result from chemical reactions between organic and inorganic matter in water during treatment.
- ◆ **Total Organic Carbon (TOC):** A measure of the total amount of carbon in organic compounds in a water system.

Acronyms

- ◆ **ppm:** Parts per million, equivalent to one second in 11.5 days.
- ◆ **ppb:** Parts per billion, equivalent to one second in 31.7 years.
- ◆ **ppt:** Parts per trillion, equivalent to one second in 317.1 centuries.
- ◆ **pCi/L:** Picocuries per liter, a measure of radioactivity.
- ◆ **TON:** Threshold odor number, a number indicating the greatest dilution of a water sample.

DISINFECTION BY-PRODUCTS, sampled in 2022 & 2024						
Chlorine Residual	ppm	4	4	ND - 1.66	0.54	Drinking water disinfectant added for treatment
Control of DBP Precursors (TOC)	ppm	TT	N/A	TT	TT	Various natural and man-made sources
Haloacetic Acids	ppb	60	N/A	ND - 17(b)	13	Byproduct of drinking water disinfection
Total Trihalomethanes	ppb	80	N/A	ND - 77(b)	59	Byproduct of drinking water disinfection

RADIOLOGICALS, sampled in 2022 & 2024						
Gross Alpha	pCi/L	15	(0)	ND - 2.7	ND	Erosion of natural deposits
Uranium	pCi/L	20	0.43	ND - 3.8	ND	Erosion of natural deposits

MICROBIOLOGICAL, sampled in year 2024						
Total Coliform Bacteria	% positive	Less than 5	(0)	ND - ND	0.00% positive	Naturally present in the environment

LEAD & COPPER, measured at the consumer's tap in year 2022						
Copper	ppm	AL = 1.3	0.3	33 samples, 0 sites above AL	90% 0.10	Internal corrosion of household plumbing, erosion of natural deposits, leaching from wood preservatives
Lead	ppb	AL = 15	0.2	33 samples, 0 sites above AL(c)	90% ND	Internal corrosion of household plumbing, erosion of natural deposits, discharges from industrial manufacturers; erosion of natural deposits

Table 2: Parameter	Units	Secondary MCL	Range	Avg.	Major Sources in Drinking Water
SECONDARY STANDARDS - Aesthetic standards, plus sodium and hardness, sampled in 2022 & 2024					
Aluminum	ppb	200	ND - 41	21	Erosion of natural deposits; residual from some surface water treatment processes
Chloride	ppm	500	9.9 - 37	27	Runoff/leaching from natural deposits; seawater influence
Color	Unit	15	ND - ND	ND	Naturally-occurring organic materials
Hardness (CaCO3) (Total Hardness)	ppm	N/A	100 - 220	125	Leaching from natural deposits
Manganese	ppb	50	ND - 3.3	ND	Leaching from natural deposits
Odor Threshold	TON	3	0.34 - 1	1	Naturally occurring organic materials
Sodium	ppm	N/A	14.7 - 35	30	Runoff/leaching from natural deposits; seawater influence
Specific Conductance	µS/cm	1600	340 - 530	394	Substances that form ions when in water; seawater influence
Sulfate	ppm	500	26 - 80	36	Runoff/leaching from natural deposits; industrial wastes
Total Dissolved Solids	ppm	1000	190 - 370	235	Runoff/leaching from natural deposits
Turbidity	NTU	5	ND - 0.60	0.3	Soil runoff
Table 3: Parameter	Units	Notification Level	Range	Avg.	Major Sources in Drinking Water
UNREGULATED CHEMICALS, sampled in 2022 & 2024					
Vanadium	ppb	50	ND - 14	6.2	Naturally occurring; industrial wastes

(a) As a Primary Standard, the turbidity levels of the filtered water were less than or equal to 0.3 NTU in 99.4% of the online measurements taken each month and did not exceed 1 NTU for more than 1 hour. Turbidity, a measurement of cloudiness of the water, is an indicator of the treatment performance.

(b) Total Trihalomethanes and Haloacetic Acids - Ranges for each constituent are based on locational running averages.

(c) Lead sampling conducted in 2017 at 3 Chino Unified School District locations, 2019 at 1 San Bernardino County Superintendent of Schools location, Ontario-Montclair School District conducted independent sampling in 2018 at 11 locations, and Chaffey Joint Union High School District conducted independent sampling at 1 location 2018.

greatest dilution of a water sample.

💧 **ND:** Monitored for but not detected.

💧 **NTU:** Nephelometric turbidity unit, the cloudiness in a water sample.

💧 **µS/cm:** Micro Siemens per Centimeter.

Public Health Information

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 ppm may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

While your drinking water meets the federal and state standard for **arsenic**, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The U.S. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

If present, elevated levels of **lead** can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. MVWD is responsible for providing high-quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/lead>.

Some people may be more vulnerable to contaminants in drinking water than the general population. **Immuno-compromised persons** such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their healthcare providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

MVWD Water Sources

MVWD obtains its drinking water supply from the following sources:

- ◆ **Groundwater:** Over many years, water that falls on the ground travels through the soil, is naturally filtered, and collects in “aquifers” hundreds of feet below the earth’s surface. Groundwater is pumped from the ground through production wells, disinfected, and distributed to customers. In 2024, approximately 48% of MVWD’s water supply was produced from a series of aquifers known collectively as the Chino Groundwater Basin.
- ◆ **Imported Surface Water:** Water from rivers and streams in northern California is collected and transported through the California Aqueduct to southern California. MVWD’s imported water supply is treated at the Agua de Lejos Treatment Plant in the city of Upland prior to distribution to customers. In 2024, approximately 46% of MVWD’s water supply was imported from northern California.
- ◆ **City of Upland:** The source of Upland’s water supply originates from local mountain and canyon runoff, groundwater, and imported water. In 2024, MVWD received approximately 5% of its water supply from San Antonio Water Company through Upland’s water system.

For more information about MVWD’s water supply sources, visit www.mvwd.org and follow the “Your Water” link.

MVWD Water Treatment and Testing

State-of-the-art technologies are used to treat and test the water served to MVWD’s customers. To ensure proper disinfection, MVWD adds chlorine in the form of sodium hypochlorite, a chemical similar to household bleach, to the water supply produced by its groundwater wells. The chlorine kills harmful bacteria and viruses that might enter the system via a broken main or well contamination. Treated water from the Agua de Lejos Treatment Plant and the city of Upland’s distribution system is introduced directly into MVWD’s distribution system.

Groundwater produced by the majority of MVWD’s wells requires minimal treatment prior to distribution. However, the groundwater basin from which MVWD draws water has areas of high concentrations of nitrates, a salt that at certain levels may pose a health risk to vulnerable populations (see below). To address this, MVWD recently constructed two new treatment facilities using granular activated carbon and ion exchange technologies, which serve multiple groundwater sources. In addition to treatment, MVWD also blends water from different wells to reduce nitrate and other constituent levels to meet all regulatory standards.

MVWD safeguards the distribution system by actively monitoring for 113 contaminants. MVWD collects water samples from 16 California State Water Resources Control Board-approved locations evenly dispersed throughout our distribution system every week, as well as from each of the District’s active wells each month.

Your Drinking Water Sources

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- ◆ **Microbial contaminants,** such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- ◆ **Inorganic contaminants,** such as salts and metals, that can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

- ◆ **Pesticides and herbicides,** that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- ◆ **Organic chemical contaminants,** including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- ◆ **Radioactive contaminants,** that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (U.S. EPA) and the State Water Resources Control Board (State Water Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA’s Safe Drinking Water Hotline (1-800-426-4791).

Source water assessments were conducted in 2002 and 2008 to determine the contamination vulnerabilities of MVWD’s active wells. The sources are considered most vulnerable to the following activities associated with contaminants detected in the water supply: high density housing and commercial complexes, parks and schools, graveyards, grazing, sewer collection systems, automobile body shops, and industrial sites. In addition, the sources are considered most vulnerable to these activities: gas stations, dry cleaners, mining operations, hospitals, parking and transportation, above ground storage tanks, and permitted waste discharges. You may request a more detailed summary of the assessment by contacting the State Water Board sanitary engineer for MVWD at (909) 383-4328 or MVWD at (909) 624-0035.

Stay Informed

MVWD encourages customers to stay informed by attending our regularly scheduled Board of Directors meetings, which are held on the 2nd and 4th Wednesdays of each month, 6:00 p.m., at MVWD’s offices located at 10575 Central Avenue, Montclair. Meeting agendas can be found on the MVWD website at www.mvwd.org. A time for public comment is included on each meeting’s agenda.

MVWD also uses various social media platforms to share news, updates, events and program information. Follow us at:



@MonteVistaWaterDistrict



@MVWDWater



Monte Vista Water District

Questions?

If you have any questions regarding this report, please contact John Hughes, Chief Operating Officer, at (909) 624-0035.

¿Necesita este informe traducido al español?

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien. Para conseguir copias de este informe traducidas en español, llame al (909) 624-0035 o visite www.mvwd.org/reporte.

Chi tiết này thật quan trọng.
Xin nhờ người dịch cho quý vị.