

YOUR 2025 CONSUMER CONFIDENCE REPORT



SU INFORME DE **CONFIANZA DEL CONSUMIDOR 2025**



TRUSTED, QUALITY SERVICE SINCE 1905

City of San Bernardino Municipal Water Department

1350 S. E Street, San Bernardino, CA 92408 | SBMWD.org | (909) 384-5141

A Message from the General Manager

For over a century, this Department has upheld a commitment to provide trusted, quality service and the work we are doing today is building a stronger, more resilient system to serve you.

Each year, the San Bernardino Municipal Water Department (SBMWD) publishes a Consumer Confidence Report, a comprehensive look at the quality of your drinking water, where it comes from, and our efforts to safeguard the water services we deliver.

Quality remains our highest priority. I am proud to report that SBMWD once again met or exceeded all state and federal drinking water standards in 2025. Throughout the year, our team collects tens of thousands of water samples across the system. This rigorous process reflects the care and expertise it takes to protect public health every single day.



Delivering safe, reliable water also demands a system built to endure. SBMWD has made significant investments to strengthen the resilience of our infrastructure and service continuity when the community needs us most. These efforts include:

- Expansion of water storage, pressure zones and permanent backup generators in areas most vulnerable to power shutoffs and wildfire. These upgrades help ensure that water services continue for residents and firefighters during emergencies, when access to water can mean the difference between safety and disaster.
- Completion of critical seismic retrofits for water reservoirs, a multi-year effort that strengthens the structural integrity of key storage facilities, reducing risk of property damage and maintaining water supply following a major earthquake.
- Update of the Department's Emergency Response Plan and ongoing Emergency Operations Center exercises to ensure our team is prepared to maintain water and wastewater operations and support the safety efforts that protect our entire community during emergencies.
- In fall of 2025, SBMWD began operation of the Tertiary Treatment System (TTS), a facility that currently produces recycled water and reduces demand on the Bunker Hill Groundwater Basin. In subsequent phases the TTS will serve as a key source of groundwater recharge, increasing water supply reliability for the San Bernardino valley region.

The steps we are taking today lay the foundation for a more resilient, sustainable and prepared water system for the community we are privileged to serve. On behalf of the entire SBMWD team, thank you for your continued trust and support.

Sincerely,

Miguel J. Guerrero, P.E.

General Manager

San Bernardino Municipal Water Department



About Your Water Department

SBMWD receives 100% of its water supply from a local aquifer known as the Bunker Hill Groundwater Basin. Most of the water in this aquifer is sourced from snow melt, rainfall and surface water that filters through the soil into the underground basin. When available, the California State Water Project fills replenishment ponds that refill the groundwater basin. SBMWD plans to use recycled water for additional basin replenishment in the future.

WHAT IS THE STATE WATER PROJECT?

The State Water Project was built in 1960 to provide water from Northern California through a series of aqueducts and reservoirs. Today, this network of aqueducts and reservoirs stretches more than 700 miles to deliver water to water suppliers serving more than 26 million people. SBMWD is one of the agencies that benefits from the State Water Project. While this does not feed directly into our water system, it does help replenish the Bunker Hill Basin by filling retention ponds. The water then filters naturally into the basin.

This important source helps maintain a steady, reliable reserve of water in the basin.



WATER SYSTEM BY THE NUMBERS



**12.7 BILLION
GALLONS OF
WATER
PRODUCED WITH
OVER 207,000
PEOPLE SERVED**



**127 MILLION GALLONS
OF WATER STORAGE
CAPACITY**


**47 ACTIVE STORAGE
RESERVOIRS/TANKS**



**1,003 LEAKS
REPAIRED**



**45,000+
WATER SERVICE
CONNECTIONS**



**700+ MILES
OF WATER
SYSTEM
PIPELINE**



**1 AIR UNIT
TREATMENT
PLANT**



**40+
GROUNDWATER
WELLS**




**4 GRANULAR
ACTIVATED CARBON
TREATMENT PLANTS**



Building For Resilience

San Bernardino depends on a water system that can withstand power outages, wildfires, earthquakes, and drought. The investments highlighted in this section reflect SBMWD's continued commitment to strengthening that system, ensuring safe and reliable service remains in place when our community needs it most.



This newly constructed 1 million gallon reservoir is one component of the pressure zone expansion that benefits the entire water system and supports the development of over 600 homes.

BUILDING INFRASTRUCTURE FOR GROWTH

Development continues in the Verdemont area and SBMWD is ready with new water infrastructure needed to support it.

Now nearing completion, the 2300 Pressure Zone East Infrastructure Project includes construction of a 1 million gallon steel reservoir, a booster pump station, and approximately 2,900 feet of pipeline that will convey water from the existing Meyers Reservoir up to the new 2300 Pressure Zone.

Together, these facilities will extend reliable water service and adequate fire flow capacity to support new residential development in this growing part of San Bernardino.



BACKUP GENERATORS FOR WATER BOOSTER PUMP STATIONS

As severe fire and wind conditions become more frequent, water systems must build alternative power sources to keep water flowing during emergencies. With support from Congressman Pete Aguilar, the City of San Bernardino secured over 1 million dollars in federal funding to help maintain critical water supplies during power shut offs and outages.

The funding will support permanent generators at the 2300 Zone and Meyers/Magnolia water booster pump stations, two facilities serving areas most vulnerable to high wind conditions, wildfire and power shut offs. The generators will help SBMWD maintain adequate water supplies and system pressure needed for service continuity and fire suppression in high-hazard conditions.

BANKING ON RECYCLED WATER FOR THE REGION

After years of careful planning, design and construction, SBMWD reached a major milestone by launching the Tertiary Treatment System (TTS), a recycled water facility. Operational in fall of 2025, the TTS can recycle up to 2.5 million gallons of water per day. The recycled water produced by the TTS is used for processes at the SBMWD Water Reclamation Plant, reducing reliance on supplies from the Bunker Hill Basin and increasing operational efficiency.

Looking ahead, a future phase will expand the TTS to produce up to 5 million gallons per day to further reduce reliance on imported supplies and act as a buffer against drought and fluctuating climate conditions.

SBMWD and neighboring water agencies are collaborating on a regional recycled water project for greater water resilience. The water recycling projects built by SBMWD, East Valley Water District, and the City of Redlands, will connect to the regional recharge system, built by the region's State Water Contractor, San Bernardino Valley, to safely return recycled water to the Bunker Hill Groundwater Basin.





SBMWD UPGRADES 10 RESERVOIRS FOR EARTHQUAKE SAFETY

In 2012, SBMWD conducted a seismic risk analysis of its water reservoirs, identifying upgrades needed to protect these facilities against a major earthquake. This evaluation formed the path for a multi-year retrofit program aimed at strengthening the structural integrity of the Department's water storage infrastructure across the system.

As of May 2025, SBMWD completed 10 of the proposed reservoir seismic upgrade projects, representing over 35 million gallons of water storage capacity now reinforced against earthquake risk. Of these, four reservoir retrofits were funded through state and federal grants and low-interest loans, allowing the Department to accelerate this critical work while reducing costs to ratepayers.

By reinforcing these reservoirs, SBMWD reduces the risk of property damage and helps ensure that water supply can be maintained in the critical hours and days following a major earthquake, when continued access to water is essential for both residents and emergency responders. This long-term investment reflects SBMWD's ongoing commitment to building a water system strong enough to withstand the seismic risks inherent to our region.

PREPAREDNESS IN PRACTICE

The resilience of our service also depends on our readiness to respond during an emergency. In 2025, SBMWD completed an update to its Emergency Response Plan, the Department's plan for maintaining water and wastewater operations during disasters. Alongside this update, staff participate in ongoing Emergency Operations Center training designed to strengthen coordination and readiness across the organization. These efforts ensure that when emergencies occur, SBMWD's team is prepared to sustain services our community needs while supporting the public safety response across the City of San Bernardino.

CROSS-CONNECTION CONTROL AND BACKFLOW PREVENTION PROGRAM

SBMWD is dedicated to ensuring the safety and quality of water delivered to customers. An important component to SBMWD's Water Quality Control Program is cross-connection and backflow prevention. This program is mandated by the California State Water Resources Control Board (SWRCB) to protect public water systems from potential sources of contamination that may exist within a customer's plumbing or onsite equipment.

WHAT IS A CROSS-CONNECTION? WHAT IS BACKFLOW?

A cross-connection is an illegal connection between the drinking (potable) water supply and a non-potable source that can pollute or contaminate the potable system. Backflow happens when a sudden loss or change in pressure causes water to flow back into the drinking water system. Properly installed backflow prevention assembly devices and removal of illegal cross-connections prevent these conditions from occurring. Through the Cross-Connection and Backflow Prevention Program, SBMWD requires an inspection of industrial, commercial, medical and some residential properties to prevent hazardous conditions that could contaminate the drinking water system.

These proactive measures are essential to maintaining the high quality of water you expect and deserve. For more information about the Department's Cross-Connection Control efforts, please contact SBMWD's Water Quality team at: (909) 453-6190.



Water Quality staff verifies each backflow prevention assembly device is installed to proper specification and tested annually by a San Bernardino County certified backflow tester. Customer cooperation is essential to a successful Cross-Connection and Backflow Prevention Program.

Water Quality FAQ

SHOULD I BE CONCERNED ABOUT HARD WATER?

No, while nearly 90% of homes in the United States are considered to have hard water, it is not dangerous and does not pose a health or safety risk. Hard water is caused by the naturally occurring compounds of calcium and magnesium. In fact, calcium and magnesium are crucial minerals and beneficial for bone health and other important bodily functions.

IS FLUORIDE IN MY TAP WATER SAFE?

Yes, fluoride is a naturally present mineral found in most water sources. According to the American Dental Association, the American Academy of Pediatrics, the Institute of Medicine and the Centers for Disease Control and Prevention, fluoridation of drinking water, the process of adding fluoride to the drinking water, is a safe and effective way to help reduce tooth decay because it aids in the remineralization of tooth enamel making teeth less susceptible to the development of cavities. In San Bernardino, fluoride is naturally present in the groundwater, so there is no need to add it to the water supply.

WHY DOES MY WATER SOMETIMES SMELL LIKE BLEACH?

Chlorine is used as a disinfectant in tap water to prevent the development of harmful pathogens and bacteria. While the chlorine in drinking water is not harmful, tap water may sometimes have a slight chlorine-like scent. Filling a pitcher with tap water and placing it in the refrigerator can help minimize the chlorine odor.

IS MY TAP WATER TESTED?

Absolutely! Your tap water is tested daily in a state-certified laboratory. Results are regulated by local, state and federal agencies. SBMWD is required to report all findings from water quality testing. Each year reports, such as this one, are made available to our customers to better understand the quality of their drinking water.



IS ADDITIONAL TESTING OF MY TAP WATER NECESSARY?

No, additional water quality testing is not needed. Drinking water testing is conducted in state-certified laboratories and must meet or exceed standards set forth by state and federal regulatory agencies.

IS BOTTLED WATER BETTER FOR ME TO DRINK THAN TAP WATER?

The tap water that is delivered to your home every single day must meet rigorous water quality standards set forth by the U.S. Environmental Protection Agency (USEPA) and the California Division of Drinking Water. Bottled water is less regulated, and inspections of bottled water factories are inconsistent. Paying more for bottled water is a misconception that the quality of the water is better. Disposable water bottles can also leach harmful chemicals into the water, as well as causing more pollution that ends up in our environment.

WHO IS RESPONSIBLE FOR MAKING SURE MY TAP WATER IS SAFE TO INGEST?

The U.S. EPA and the California Division of Drinking Water determine and regulate the drinking water quality standards in California. The EPA first determines a Maximum Contaminant Level (MCL), but the state can add more rigorous standards. For certain contaminants, California has some of the most stringent thresholds in the nation.



WILL A FILTER OR HOME TREATMENT DEVICE IMPROVE THE QUALITY OF MY WATER?

The water delivered by SBMWD meets or exceeds all federal and state drinking water standards. While some home treatment devices and filters can remove chlorine, taste, odor, and some constituents, they require regular service and rarely improve the safety of water to any significant degree. Home treatment devices not maintained as recommended by the manufacturer can reduce effectiveness and potentially lower water quality.

WHY DOES MY WATER LOOK CLOUDY?

Tap water can sometimes appear cloudy and this is often mistaken for an impurity in the water. Cloudy water, also commonly described as milky, white, hazy, or soapy, is usually caused by air. This occurs naturally when dissolved air is released when the faucet is opened. When you relieve pressure by opening the faucet and filling a glass with water, the air is free to escape from the water. Because cold water holds more air than warm water, small bubbles will appear in water that is heated or depressurized as this reduces how much dissolved gas the water can hold. The presence of air in water can also sometimes be traced to pipeline or pump repair.

To check if the white color in your water is from air, fill a clear glass with water and set it on the counter and observe for two or three minutes. If the white color is from air, the water will begin to clear at the bottom of the glass first and then gradually will clear all the way to the top.



WHY DOES THE WATER DEPARTMENT SOMETIMES FLUSH WATER FROM HYDRANTS AND WATER PIPES?

SBMWD conducts fire hydrant flushing to maintain high-quality water throughout the service area. This preventative maintenance practice is important for reducing bacteria and pipeline corrosion, as well as an unpleasant taste and odor in water. Flushing also allows the Department to periodically exercise fire hydrant operating stems and gate valves in the distribution system to help ensure they work properly during an emergency.

To properly conduct flushing operations, the water flowing in the pipes must reach maximum velocities. Water moving at such a high velocity scours the inside of the water main, which removes build-up of sediment that can form over time. In most cases, it is not possible to capture and reuse the water flushed due to the high velocity and volume of water being released.

WILL HYDRANT OR VALVE FLUSHING AFFECT MY WATER SERVICE?

During the flushing process, your water service should not be disrupted, however, you may temporarily experience fluctuation in water pressure or see some discoloration in the water from minerals and sediment which are being flushed out. The water is safe, meeting or exceeding all water quality standards. Any discoloration will clear up in a few minutes after running cold water through a bathtub faucet, hose bib, or a garden hose.

HOW CAN I REPORT WATER QUALITY CONCERNS?

If you have a water quality concern, please contact the Department's Water Quality Control Officer, Jose Machuca, at jose.machuca@sbmwd.org or call (909) 453-6190.

Please include your name, address and phone number so we can respond to you directly.



Water Quality Report

INFORME DE CALIDAD DEL AGUA

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

ABOUT THIS REPORT

Throughout 2025, as we do each year, the Water Department collected more than 30,000 water samples that were analyzed by our contract laboratories.

These labs conducted more than 100,000 tests to identify all of the constituents in our drinking water, ensuring its quality. This report describes in detail the constituents found in the drinking water we served and how much of each constituent was present. Some of these constituents are naturally occurring while others are man-made.

The State Water Resources Control Board, Division of Drinking Water (State Board) regulates some of these constituents, both natural and man-made, and has set maximum contaminant levels (MCLs). In some cases, there are federal maximum contaminant level goals (MCLGs) for chemical or mineral constituents. If any of these limits were exceeded in the drinking water during the year 2025, we inform you about it in this report. If any MCL or MCLG was exceeded, we also describe treatment technology that can be used to eliminate the contaminants.

State law also requires that we inform customers how much it will cost to install the treatment equipment, and how much it will increase the cost of your water. Consumers have a right to know about the quality of their drinking water, and can help protect drinking water sources, and understand the true costs of safe drinking water.

SOBRE ESTE INFORME

El Departamento Municipal de Agua de San Bernardino está orgulloso en poderles reportar que toda el agua servida a nuestros clientes, en el año 2025 satisfizo todas las normas de calidad establecidas para el agua potable doméstica. Durante el 2025, tomamos más de 30,000 muestras para ser analizadas por laboratorios contratados por nosotros.

Estos laboratorios condujeron más de 100,000 pruebas para identificar todos los constituyentes en nuestra agua potable y así poder asegurar su calidad. En este reporte, describimos en detalle cuales constituyentes encontramos en el agua potable que suministramos, y que cantidad de cada constituyente se encontró presente. Algunos de estos constituyentes ocurren naturalmente mientras que otros son causados por presencia de animales y actividades humanas.

El Departamento de Salud Pública de California establece y regula los niveles máximos de contaminantes (MCLs). En ciertos casos, existen Metas Federates de Máximo Nivel de Contaminante (MCLGs), para los constituyentes químicos o minerales. Si se excedió cualquiera de estos límites en el agua potable durante el año pasado, nosotros lo divulgamos en este informe. Si MCLs o MCLGs fueron excedidos, también revelamos la tecnología de tratamiento que fue empleada para eliminar los contaminantes.

Leyes Estatales también requieren que avisemos a nuestra clientela cual será el costo de instalar el equipo de tratamiento y cuanto aumentara el costo de su agua. Nosotros creemos que los consumidores educados tienen más probabilidades de ayudar a proteger sus fuentes de agua potable y comprender los costos verdaderos del agua potable.





ABOUT OUR WATER SOURCE

The water that we serve comes from a natural underground aquifer called the Bunker Hill Groundwater Basin. This basin was formed by ancient earthquakes that tilted huge portions of the bedrock deep under the surface of the earth to form the sides and bottom of the basin. These bedrock formations prevent the groundwater from flowing away underground to the Pacific Ocean. Rain and melting snow from the local mountains replace the water we take out of the basin, replenishing our water supply. SBMWD also imports water from the State Water Project and spreads this water in local basins to replenish our groundwater. Both natural and imported water percolates through the ground to be captured and stored in the Bunker Hill Basin.

It is estimated there is over 1 trillion gallons of water in the basin. This water fills all of the pores and open spaces in between grains of sand and gravel that also fill the basin. The sand and gravel act as a filtering agent and help to give us the high-quality water that we enjoy. This valuable natural resource significantly reduces the need to import water from Northern California or from the Colorado River, as many other cities in Southern California must do. This keeps our rates relatively low and also helps to keep our water quality high.

We share the water in the Bunker Hill Groundwater Basin with more than 20 other local public and private water suppliers. All of these water suppliers have developed long-term plans to protect the quality of water in the basin and to protect the watershed. It is now one of our highest priorities to follow and update these plans as the Inland Empire's population and water needs change. This is done collaboratively with other suppliers through a groundwater basin management plan. In all, more than 600,000 residents of the greater Riverside-San Bernardino area depend on the basin for their water, making our jobs a tremendous responsibility.

SOBRE EL ABASTECIMIENTO DE AGUA SUBTERRÁNEA


El agua que proveemos a nuestros clientes viene de un depósito de agua subterráneo natural llamado Bunker Hill Groundwater Basin. Esta cuenca fue formada por temblores que inclinaron grandes porciones de roca profunda bajo la superficie de la tierra para formar los lados y el suelo de la cuenca.

Nuestro abastecimiento de agua subterránea constantemente reabastecido por la nieve derretida y por el escurrimiento de las lluvias que provienen de las montañas locales. Bajo ciertas circunstancias, importamos agua por parte del Proyecto de Agua Estatal (State Water Project) para reabastecer nuestra cuenca, lo cual también hacen otras agendas que usan la cuenca. Esta agua se filtra al suelo y es almacenada en la cuenca.

Se calcula que existen aproximadamente más de billón de galones de agua en la cuenca. Esta agua llena todos los poros y espacios entre granos de tierra y piedras que también llenan la cuenca.

La tierra y piedra ayudan a filtrar el agua de alta calidad que disfrutamos. Este valioso recurso natural libera a nuestra ciudad de los costos de importar agua del norte de California o del Río Colorado. Esto mantiene nuestras tarifas bajas y ayuda mantener nuestra calidad de agua.

Compartimos la cuenca subterránea con más de 20 proveedores de agua locales. Todos los proveedores de agua han desarrollado planes de largo plazo para proteger la calidad de agua en la cuenca y para proteger la tierra que almacena nuestra agua potable. Es una de nuestras prioridades más importantes ponernos al corriente de estos planes más ahora que cambia la población y las necesidades de agua de nuestra comunidad. Esto se hace de manera colaborativa con otros proveedores a través de un plan de manejo de cuenca subterránea. En total, más de 600,000 residentes de la gran área de Riverside-San Bernardino dependen de la cuenca para recibir su agua.



VULNERABLE POPULATION

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. Environmental Protection Agency (U.S. EPA) and the Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

ADDITIONAL REQUIRED INFORMATION

The Safe Drinking Water Act requires additional health information based on finding contamination at a certain level within a utility sample. Although we have met all of the state MCLs for nitrate, arsenic and lead, we are required to report the following information:

NITRATE:

Nitrate as Nitrogen (N) in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate as N levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies.

If you are caring for an infant, or you are pregnant, you should ask for advice from your health care provider. Nitrate as N levels may rise quickly for short periods of time because of rainfall or agricultural activity.

ARSENIC:

While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The U.S. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory system problems.

LEAD:

Since 2017, public schools have had the option of requesting local water agencies collect water samples to test for lead. New regulations now require local water agencies to test lead levels by July 1, 2019, at all K-12 schools constructed before 2010. As of July 1, 2019, sixty-three (63) schools have requested lead sampling. For more information please contact the district's Environmental Safety Office at (909) 381-1192 if you have additional questions or concerns. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

SBMWD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at www.epa.gov/lead.

REGULATIONS

In order to ensure that tap water is safe to drink, U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protections for public health. Additional information on bottled water is available on the California Department of Public Health website:

<https://www.cdph.ca.gov/Programs/CEH/DFDCS/Pages/FDBPrograms/FoodSafetyProgram/Water.aspx>

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

MICROBIAL CONTAMINANTS, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

INORGANIC CONTAMINANTS, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

PESTICIDES AND HERBICIDES, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

ORGANIC CHEMICAL CONTAMINANTS, including synthetic and volatile organic chemicals that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural applications, and septic systems.

RADIOACTIVE CONTAMINANTS, that can be naturally-occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

POBLACIONES VULNERABLES

Algunas personas son más vulnerables a los contaminantes en el agua que la población general. Personas con el sistema inmunológico comprometido, tales como las personas con cáncer sometidas a quimioterapia, personas que han sido sometidas a trasplantes de órganos, personas con VIH/SIDA, u otros trastornos del sistema inmunológico, algunos ancianos, y bebés podrían estar a riesgo de contraer infecciones. Estas personas deberían consultar con su médico sobre el agua potable. Las pautas de la Agencia Federal de Protección Ambiental (U.S. EPA/Control de Enfermedades) sobre las maneras apropiadas para reducir el riesgo de infección por *Cryptosporidium* y otros contaminantes microbianos están disponibles por medio de la línea telefónica para agua potable segura (Safe Drinking Water Hotline) 1-800-426-4791 o en <http://www.epa.gov/lead>.

INFORMACIÓN ADICIONAL REQUERIDA

El Decreto de Agua Potable Segura requiere que se proporcione información adicional sobre efectos a la salud basada en presencia de contaminantes a cierto nivel dentro de cualquier muestra de utilidad. Aunque cumplimos con todos los MCLs del estado para nitrato y arsénico, se nos requiere divulgar la siguiente información:

NITRATO:

Nitrato como Nitrógeno (N) en agua potable a niveles más de 10 mg/L es un riesgo para la salud de bebés de menos de 6 meses de edad. Tales niveles en agua potable pueden interferir con la capacidad de cargar oxígeno en la sangre del infante, causando enfermedades serias; síntomas incluyen tono azul de piel y respiraciones cortas. Niveles de nitrato de más de 10 mg/L también podrían afectar la habilidad de la sangre de cargar oxígeno en otros individuos así como mujeres embarazadas y aquellos con deficiencias de enzimas. Si usted cuida infantes o está embarazada debería pedir el consejo de su doctor. Los niveles de nitrato pueden incrementar rápidamente por periodos cortos de tiempo a causa de lluvia o actividades agrícolas.

ARSENIC:

Mientras su agua potable cumple con el estándar actual de la Agenda Federal de Protección Ambiental (U.S. EPA) para el arsénico, contiene niveles mínimos de este mismo. El estándar equilibra la comprensión actual de efectos posibles de salud contra los costos de quitar el arsénico del agua potable. El U.S. EPA continua investigando los efectos de la salud de niveles mínimos de arsénico, el cual es un mineral capaz de causar cáncer en altas concentraciones y es ligado a otros efectos de la salud tales como daño a la piel y problemas circulatorios.

PLOMO:

Desde 2017, las escuelas públicas han tenido la opción de solicitar que las agendas de agua locales tomen muestras de agua para analizar el nivel de plomo. Nuevas regulaciones ahora requieren que las agendas de agua locales analicen el nivel de plomo antes del 1 de julio de 2019 en todas las escuelas K-12 construidas antes de 2010. Desde el 1 de julio de 2019, sesenta y tres (63) escuelas han solicitado muestreo de plomo. Para obtener más información acerca de este muestreo, comuníquese con la Oficina de Seguridad Ambiental del distrito llamando al (909) 381-1192 si tiene preguntas adicionales. Niveles elevados de plomo, si existen, podrían causar serios problemas de salud especialmente para mujeres embarazadas y niños pequeños. La presencia de plomo en el agua potable es causada por materiales y componentes asociados con las líneas de servicio y la tubería de la casa.

El Departamento Municipal de Agua de la Ciudad de San Bernardino toma mucho orgullo en suministrarle agua potable de alta calidad, pero no puede controlar la variedad de materiales utilizados en los componentes de su plomería. Usted puede minimizar el riesgo de ser expuesto al plomo dejando que el agua de su grifo corra de 30 segundos a 2 minutos antes de utilizar.

REGULACIONES

Para asegurar que el agua que sale del grifo sea segura para beber, la Agenda de Protección Ambiental de los Estados Unidos (U.S. EPA) y el Departamento de Salud Pública de California (DPH) prescriben regulaciones que limitan la cantidad de ciertos contaminantes en el agua proporcionada por los sistemas públicos de agua. Los reglamentos de la Administración de Alimentos y Medicamentos de los Estados Unidos y la ley de California también establecen límites para contaminantes en agua embotellada que proporcionan la misma protección para la salud pública. Información adicional sobre el agua embotellada está disponible en el sitio web del Departamento de Salud Pública de California:

<https://www.cdph.ca.gov/Programs/CEH/DFDCS/Pages/FDBPrograms/FoodSafetyProgram/Water.aspx> Las fuentes de nuestra agua potable (del grifo o embotellada) incluyen ríos, lagos, arroyos, estanques, cuencas y pozos. Cuando el agua pasa por la superficie de la tierra o por el suelo, los minerales que ocurren naturalmente y en algunos casos los materiales radioactivos, son disueltos. Al mismo tiempo, puede recoger sustancias que son resultado de presencia de animales y actividades humanas. Los contaminantes que pueden estar presentes en las fuentes de agua incluyen:

CONTAMINANTES MICROBIANOS, tales como el virus y la bacteria, los cuales pueden resultar a causa de plantas de tratamiento de aguas negras, sistemas sépticos, y operaciones agrícolas de ganado y fauna.

CONTAMINANTES INORGÁNICOS, tales como sales y metales, los cuales pueden ocurrir naturalmente o ser el resultado de escurrimiento urbano de aguas lluvias, vertidos de aguas negras industriales o domésticas, o de la producción de petróleo y gas, minas o agrícola.

PLAGUICIDAS Y HERBICIDAS los cuales pueden resultar de una variedad de fuentes tales como la agricultura, escurrimiento urbano de aguas lluvias, y usos residenciales.

CONTAMINANTES QUÍMICO ORGÁNICOS, incluyendo químicos sintéticos y orgánicos volátiles los cuales son subproductos de procesos industriales y de la producción de petróleo o también a causa de gasolineras, escurrimiento urbano de aguas lluvias, o de sistemas sépticos.

CONTAMINANTES RADIOACTIVOS, pueden ocurrir naturalmente o pueden ser el resultado de la producción petrolera y gas o de actividades mineras.

Es razonable esperar que el agua potable, incluyendo el agua embotellada, contenga por lo menos pequeñas cantidades de algunos contaminantes. La presencia de contaminantes no indica necesariamente que el agua presente un riesgo a su salud. Puede obtener más información sobre los contaminantes y los posibles efectos a su salud llamando a la Línea de Agua Potable Segura (Safe Drinking Water Hotline) de la U.S. EPA al **1-800-426-4791**.



Water Quality Report

CHLORINE IN THE WATER

Why do we put chlorine in the water? Chlorine is an oxidizing agent used as a disinfectant that when added to water, kills microorganisms such as bacteria and viruses. The State Board requires that we maintain a minimum residual of 0.2 parts per million (ppm) of chlorine in our water at all times to kill any potential microorganism(s).

WATER TREATMENT

A portion of the Bunker Hill Basin has been contaminated by historic discharges of volatile organic compounds (VOCs) known as trichloroethylene (TCE) and tetrachloroethylene (PCE). In partnership with the U.S. EPA and under the auspices of a Superfund Project, SBMWD has undertaken a project to clean up this contamination. The project will cost approximately \$70 million over the project's 50-year lifetime. Because of the agreement, this project will not affect the cost of your drinking water. The project's primary method of removing these compounds involves passing contaminated water through a series of large vessels, each containing 30,000 pounds of granular activated carbon. Operating in pairs, the vessels can treat up to 750 gallons of water per minute. This process removes the TCE and PCE contaminants from your drinking water.

QUESTIONS? PLEASE CONTACT:

Jose Machuca, Water Quality Control Officer

San Bernardino Municipal Water Department

P.O. Box 710, San Bernardino, CA 92402

(909) 453-6190 | e-mail: ccr_comments@sbmwd.org

Please include your name, address and phone number so we can respond to you directly.

¿PREGUNTAS? POR FAVOR, CONTACTAR:

Jose Machuca, Water Quality Control Officer

City of San Bernardino Municipal Water Department

P.O. Box 710, San Bernardino, CA 92402

(909) 453-6190 | e-mail: ccr_comments@sbmwd.org

Por favor, incluya su nombre, dirección y número de teléfono para que podamos responderle directamente.

SOURCE WATER ASSESSMENT PROGRAM

In response to the Federal Safe Drinking Water Act (SDWA), the State Board Division of Drinking Water and Environmental Management developed a program called the Drinking Water Source Assessment and Protection Program (DWSAP) to assess the vulnerability of drinking water sources to contamination. The San Bernardino Municipal Water Department completed its DWSAP in 2002 and continues to update the plan as needed. The DWSAP is available in our Engineering office located at 397 Chandler Place, 1st Floor, San Bernardino, CA 92408. Based on this assessment, we have concluded that our sources of drinking water are most vulnerable to historic contamination from industrial operations.

UNREGULATED CONTAMINANT MONITORING

Unregulated contaminant monitoring helps U.S. EPA and the State Water Resources Control Board to determine where certain contaminants occur and whether the contaminants need to be regulated.

PFAS (PER- AND POLYFLUOROALKYL SUBSTANCES)

PFAS are manmade compounds that have been used to make carpets, clothing, fabrics for furniture, paper packaging for food, and other materials (e.g., cookware) that are resistant to water, grease, or stains. These compounds are also used for firefighting at airfields, which is one way they have found their way into groundwater in certain areas.

In April 2024, the US Environmental Protection Agency (EPA) adopted the final water quality regulation for certain per- and polyfluoroalkyl substances (PFAS):

- MCL of 4 ppt for PFOS and PFOA.
- MCL of 10 ppt for PFHxS, PFNA, and GenX
- Hazard Index of 1.0 combined for PFHxS, PFNA, PFBS, and GenX.

Water systems must begin monitoring for these PFAS within three years (2027) and must comply with the regulation no later than 2031. SBMWD began monitoring for PFAS chemicals in 2019.

At SBMWD, protecting our customers' health and safety is our highest priority, and we are committed to complying with all requirements set by the public health experts. We will continue to monitor and prepare for the EPA's PFAS regulations and their potential impact on our drinking water sources. SBMWD's team of water quality experts' proactive approach in addressing emerging constituents of concern such as PFAS ensures the reliability and safety of the community's water supply.

Studies indicate that long-term exposure to PFAS over certain levels could have adverse health effects, including developmental effects to fetuses during pregnancy or infants; cancer; or impacts on liver, immunity, thyroid, and other functions. Potential health effects related to PFAS are still being studied, and research is still evolving on this issue.



Calidad Del Agua

CLORO EN EL AGUA

Por qué ponemos cloro en el agua? El cloro es un agente oxidante que cuando se le añade al agua elimina los microorganismos tales como la bacteria y el virus. El estado de California requiere que mantengamos un residuo mínimo de 0.2 partes por millón (ppm) de cloro en nuestra agua en todo momento para eliminar cualquier microorganismo posible.

TRATAMIENTO DEL AGUA

Una porción de la Cuenca de Bunker Hill, ha sido contaminada por descargas de compuestos orgánicos volátiles (VOCs) conocidos como tricloroetileno (TCE) y tetracloroetileno (PCE). En colaboración con la Agenda Federal de Protección Ambiental (U.S. EPA) y bajo el auspicio de un Proyecto de Fondo Mayor, SBMWD ha iniciado un proyecto para limpiar esta contaminación. El costo aproximado del proyecto es \$70 millones; este será adjudicado durante los 50 años de vida del proyecto. Gracias a una resolución legal, este proyecto no afectará el costo de su agua potable. El método principal de extirpación de estos compuestos, consiste en pasar el agua contaminada por una serie de buques los cuales contienen 30,000 libras de granulado de carbón activado. Estos buques funcionan en pares, que pueden tratar 750 galones de agua por minuto. Este proceso extirpa el TCE y PCE del agua, convirtiéndola en agua segura para beber.

PROGRAMA DE EVALUACIÓN DE FUENTES DE AGUA

En respuesta al Acto Federal de Agua Potable Segura (SDWA), la división de Agua Potable y Manejo del Ambiente del Departamento de Servicios de Salud de California (CDPH) ha desarrollado un programa para evaluar la vulnerabilidad de las fuentes de agua potable a la contaminación llamado el Drinking Water Source Assessment and Protection Program (DWSAP). El Departamento Municipal de Agua de San Bernardino completo el programa DWSAP durante el año 2002, y está disponible en nuestra oficina de ingeniería ubicada en: 397 Chandler Place, 1er Piso, San Bernardino, CA 92408. Con los resultados de esta evaluación, hemos concluido que nuestro abastecimiento de agua es más

EL REGLAMENTO DE MONITOREO DE CONTAMINANTES NO REGULADOS

El control de contaminantes no regulados ayuda a la Agencia de Protección Ambiental de EE. UU. (EPA, por sus siglas en inglés) y a la Junta Estatal de Control de los Recursos Hídricos a determinar dónde se encuentran ciertos contaminantes y si es necesario regularlos.

SUSTANCIAS PERFLUOROALQUILADAS Y POLIFLUOROALQUILADAS (PFAS, POR SUS SIGLAS EN INGLÉS)

Las PFAS son compuestos artificiales que se han utilizado para fabricar alfombras, ropa, tejidos para muebles, envases de papel para alimentos y otros materiales (por ejemplo, utensilios de cocina) resistentes al agua, la grasa o las manchas. Estos compuestos también se utilizan en la extinción de incendios en aeródromos, lo que ha provocado que lleguen a las aguas subterráneas de algunas zonas.

En abril de 2024, la Agencia de Protección Ambiental de EE.UU. (EPA, por sus siglas en inglés) adoptó la normativa definitiva sobre calidad del agua para determinadas sustancias perfluoroalquiladas y polifluoroalquiladas (PFAS, por sus siglas en inglés):

- Niveles máximos de contaminantes (MCL, por sus siglas en inglés) de 4 ppt para sulfonatos de perfluorooctano (PFOS, por sus siglas en inglés) y ácido perfluorooctanoico (PFOA, por sus siglas en inglés).
- MCL de 10 ppt para ácido perfluorohexano sulfónico (PFHxS, por sus siglas en inglés), ácido perfluorononanoico (PFNA, por sus siglas en inglés), y GenX
- Índice de riesgo de 1,0 combinado para PFHxS, PFNA, PFBS y GenX.

Los sistemas de agua deben comenzar a monitorear estos PFAS en un plazo de tres años (2027) y deben cumplir a más tardar en 2031. El Departamento Municipal de Agua de San Bernardino (SBMWD, por sus siglas en inglés) comenzó a monitorear los productos químicos PFAS en nuestra fuente de agua a partir de 2019.

En el SBMWD, proteger la salud y la seguridad de nuestros clientes es nuestra máxima prioridad, y nos comprometemos a cumplir todos los requisitos establecidos por los expertos en salud pública. Seguiremos vigilando y preparándonos para la normativa sobre PFAS de la EPA y su posible impacto en nuestras fuentes de agua potable. El enfoque proactivo del equipo de expertos en calidad del agua del SBMWD para abordar los constituyentes emergentes que son motivo de preocupación, como los PFAS, garantiza la fiabilidad y seguridad del suministro de agua de la comunidad.

Los estudios indican que la exposición a largo plazo a PFAS por encima de ciertos niveles podría tener efectos adversos para la salud, incluidos efectos sobre el desarrollo de los fetos durante el embarazo o los bebés; cáncer; o impactos sobre el hígado, la inmunidad, la tiroides y otras funciones. Todavía se están estudiando los posibles efectos sobre la salud relacionados con los PFAS, y la investigación sobre este tema sigue evolucionando.

DATA TABLES

Regulated by Primary Drinking Water Standards (in order to protect against possible adverse health effects)

SOURCE MONITORING

Organic Contaminant

1,2-Dichloropropane	(µg/L)	2023-2025	5	0.5	ND	ND-ND	No	Discharge from industrial chemical factories; primary component of some fumigants
cis-1,2 dichloroethylene (c-1,2-DCE)	(µg/L)	2023-2025	6	13	0.01	ND-0.51	No	Discharge from industrial chemical factories; major biodegradation byproduct of TCE and PCE groundwater contamination
Tetrachloroethylene (PCE)	(µg/L)	2023-2025	5	0.06	0.16	ND-2.5	No	Discharge from factories, dry cleaners, and auto shops (metal degreaser)
Trichloroethylene (TCE)	(µg/L)	2023-2025	5	1.7	0.01	ND-0.65	No	Discharge from metal degreasing sites and other factories

Inorganic Contaminant

Arsenic	(µg/L)	2023-2025	10	7	2.38	ND-7.6	No	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Fluoride	(mg/L)	2023	2	1	0.41	0.24-1.10	No	Erosion of natural deposits; discharge from fertilizer and aluminum factories
Nitrate as NO3	(mg/L)	2023-2025	45	45	16.56	ND-33.0	No	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Nitrate as Nitrogen	(mg/L)	2024-2025	10	10	3.74	0.0-7.5	No	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Perchlorate	(µg/L)	2023-2025	6	1	0.83	ND-2.7	No	An inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries. Typically gets into drinking water as a result of environmental contamination from historic aerospace or other industrial operations that used or use, store, or dispose of perchlorate and its salts
Hexavalent Chromium	(µg/L)	2023-2024	NS	NS	1.25	ND-3.60	No	Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities; erosion of natural deposits

Radionuclides

Gross Alpha Particle Activity	(pCi/L)	2001-2021	15	(0)	ND	ND-14.00	No	Erosion of natural deposits
Uranium	(pCi/L)	2007-2020	20	0.43	3.20	ND-4.80	No	Erosion of natural deposits

Asbestos

Asbestos	(MFL)	2024	7	7	ND	ND-ND	No	Internal corrosion of asbestos cement water mains; erosion of natural deposits.
----------	-------	------	---	---	----	-------	----	---

DISTRIBUTION SYSTEM MONITORING

Chemical Disinfectant

Chlorine	(mg/L)	2024	[4]	[4]	0.74	0.20-3.2	No	Drinking water disinfectant added for treatment
----------	--------	------	-----	-----	------	----------	----	---

Disinfectant By-Product

					LRAA			
Total Trihalomethanes (TTHM)	(µg/L)	2025	80	NS	3.3	ND-8.70	No	By-product of drinking water disinfection
Haloacetic Acids (HAA5)	(µg/L)	2025	60	NS	ND	ND-ND	No	By-product of drinking water disinfection

Inorganic

Turbidity	(NTU)	2025	5	NS	0.01	ND-0.88	No	Soil runoff
-----------	-------	------	---	----	------	---------	----	-------------

Microbiological

				((TT))				
Total Coliform Bacteria - Federal Revised Total Coliform Rule (rTCR)	(Present/Absent)	2025	((TT< = 5.0%))	(0)	Absent	Absent - 0.15%	No	Naturally present in the environment
E. coli - State Revised Total Coliform Rule(rTCR)	(Present/Absent)	2025	((TT< = 5.0%))	(0)	Absent	Absent - Absent	No	Human and animal fecal waste

AT-THE-TAP LEAD AND COPPER MONITORING

Copper	(mg/L)	2024	(1.3)	0.3	90th percentile =0.29	.026-0.71	No	Not Applicable	Internal corrosion of household plumbing systems
Sites collected: 53 Sites exceeding AL: 0									
LEAD	(µg/L)	2024	(15)	0.2	90th percentile =1.9	ND-*81	No	0	Internal corrosion of household plumbing systems
Sites collected: 53 Sites exceeding AL: 0									

*Samples for lead and copper are to be collected at a kitchen or bathroom faucet. After notifying a customer that a sample collected by them had a lead result of 81 ug/L. A total of eight (8) follow up samples were collected from faucets inside and outside of the home to confirm this. The eight (8) follow up samples confirmed to be below the action level with a non detection at the kitchen faucet.

TERMS & ABBREVIATIONS USED ABOVE

- **Contaminant:** Any physical chemical, biological, or radiological substance or matter in water
 - **Primary Drinking Water Standard (PDWS):** MCLs, MRDLs and treatment techniques (TTs) for contaminants that affect health along with monitoring, reporting and water treatment requirements
 - **Secondary Drinking Water Standard:** Secondary Drinking Water Standards shall not be exceeded in the water supplied to the public because these constituents may adversely affect the taste, odor, or appearance of drinking water
- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water
 - **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the United States Environmental Protection Agency
- **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency
 - **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants

DATA TABLES

Regulated by Secondary Drinking Water Standards (in order to protect the odor, taste, and appearance of drinking water)

Regulated by Secondary Drinking Water Standards (in order to protect the odor, taste, and appearance of drinking water)	Units of Measure	Year Sampled	MCL (AL) [MRDL [NL ((TT))		PHG (MCLG) [MRDLG]	Local Groundwater		Violation	Typical Source
			Average Value	Range (low-high)					
Aesthetics									
Chloride	(mg/L)	2025	500	NS	23.51	4.8–50.0	No	Runoff/leaching from natural deposits	
Iron	(µg/L)	2025	300	NS	1.21	ND–51	No	Leaching from natural deposits	
Specific Conductance	(µS/cm)	2023	1600	NS	559.76	320–730	No	Substances that form ions when in water	
Sulfate	(mg/L)	2025	500	NS	56.39	27–110	No	Runoff/leaching from natural deposits; industrial wastes	
Total Dissolved Solids	(mg/L)	2023–2025	1000	NS	344.88	200–440	No	Runoff/leaching from natural deposits	
Turbidity	(NTU)	2023–2024	5	NS	0.1	ND–1.2	No	Soil runoff	
Unregulated Contaminant			[NL]						
Dichlorodifluoromethane (Freon 12)	(mg/L)	2023–2025	[1000]	NS	1.19	ND–6.1	No	Polymerization processes, food sterilization, home and commercial refrigeration, paint and varnish remover manufacturing and use, water purification, copper and aluminum production, glass bottle manufacturing, leak detecting agent in thermal expansion valves. Prior to 1979, often used as an aerosol propellant for cosmetics, pharmaceuticals, insecticides, paints, adhesives, and cleaners.	
Source Monitoring - PFAS			[RL]	Health Effects Language					
Perfluoropentanoic Acid (PFPeA)	(ng/L)	2025	NS	NS	1.8	ND–6.4	No	Unregulated constituents with no source listed and do not have standardized “source of substance” language	
Perfluoroheptanoic Acid (PFHpA)	(ng/L)	2025	NS	NS	0.4	ND–3.4	No	Unregulated constituents with no source listed and do not have standardized “source of substance” language	
Perfluorohexanoic Acid (PFHxA)	(ng/L)	2025	1000	NS	1.8	ND–6.4	No	Unregulated constituents with no source listed and do not have standardized “source of substance” language	
Perfluorooctanoic Acid (PFOA)	(ng/L)	2025	10	NS	1.1	ND–5.7	No	Prolonged consumption of PFOA in excess of the MCL may have health risks, including cardiovascular, immune and liver effects, a higher incidence of certain cancers, including kidney and testicular cancer. There may be increased risks of developmental and immune effects for people who consume PFOA in excess of the MCL following repeated exposure during pregnancy and/or childhood.	
Perfluorobutanesulfonic Acid (PFBS)	(ng/L)	2025	500	NS	2.8	ND–9.7	No	Unregulated constituents with no source listed and do not have standardized “source of substance” language.	
Perfluorobutanoic acid (PFBA)	(ng/L)	2025	NS	NS	1.2	ND–4.1	No	Unregulated constituents with no source listed and do not have standardized “source of substance” language	
Perfluorohexanesulfonic Acid (PFHxS)	(ng/L)	2025	10	NS	2.2	ND–8.5	No	Prolonged consumption of PFHxS in excess of the MCL may have increased health risks including immune, thyroid, and liver effects. There may be increased risks of developmental effects for people who consume PFHxS in excess of the MCL following repeated exposure during pregnancy and/or childhood.	
Perfluorooctanesulfonic Acid (PFOS)	(ng/L)	2025	40	NS	0.7	ND–5.3	No	Prolonged consumption of PFOS in excess of the MCL may have increased health risks such as cardiovascular, immune, and liver effects, and increased incidence of certain types of cancers including liver cancer. There may be increased risks of developmental and immune effects for people who drink water containing PFOS in excess of the MCL following repeated exposure during pregnancy and/or childhood.	
Perfluorododecanoic Acid (PFDoDA)	(ng/L)	2025	NS	NS	0.02	ND–1.9	No	Unregulated constituents with no source listed and do not have standardized “source of substance” language	
** PFHxS & PFOA concentrations were above the notification level (NL) in twelve of SBMWD’s Sources of supply but below the Response Level (RL). Notification Levels (NL) and Response Level (RL) are health-based advisory levels for unregulated contaminants in drinking water. They are used by DDW to provide guidance to drinking water systems.									
Unregulated Contaminant Monitoring Rule (UCMR 5)			[NL]						
Perfluorobutanesulfonic Acid (PFBS)	(ng/L)	2024	NS	NS	0.2	ND–4.4	No	Perfluorobutane sulfonic acid exposures resulted in decreased thyroid hormone in pregnant female mice.	
Perfluorohexanesulfonic Acid (PFHxS)	(ng/L)	2024	NS	NS	0.2	ND–4.0	No	Perfluorohexane sulfonic acid exposures resulted in decreased total thyroid hormone in male rats.	
Perfluorohexanoic Acid (PFHxA)	(ng/L)	2024	NS	NS	0.2	ND–4.0	No	Unregulated constituents with no source listed and that do not have standardized “source of substance” language	
Perfluoropentanoic Acid (PFPeA)	(ng/L)	2024	NS	NS	0.2	ND–3.4	No	Unregulated constituents with no source listed and that do not have standardized “source of substance” language	
Lithium	(ug/L)	2024	NS	NS	0.207	ND–9.11	No	Naturally occurring element and may be found at higher concentrations in certain parts of the country, particularly in groundwater sources in the arid Western U.S.	
Additional Monitoring									
Hardness (as CaCO ₃)	(mg/L)	2025	NS	NS	242.2	130–330	N/A	Naturally-occurring	
Sodium	(mg/L)	2025	NS	NS	22.2	14.0–50.0	N/A	Naturally-occurring	

TERMS & ABBREVIATIONS USED ABOVE

- LRAA:** Locational Running Annual Average
- Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants
- No Standard (NS):** No standard has been established as a guideline for a contaminant

- Notification Level (NL) and Response Level (RL):** Health-based advisory levels for unregulated contaminants in drinking water. They are used by DDW to provide guidance to drinking water systems.
- Regulatory Action Level (AL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow
- Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water

- PPB or µg/L:** parts per billion, or micrograms per liter
- PPT or ng/L:** parts per trillion, or nanograms per liter
- pCi/L:** picocuries per liter (a measure of radioactivity)
- uS/cm:** measure of electric current
- MFL:** Million fibers per liter
- NL:** Notification Level
- ND:** Non-Detect
- NTU:** Nephelometric Turbidity Units
- PPM or mg/L:** parts per million or milligrams per liter

City of San Bernardino Water Board



Toni Callicott
President



Wayne Hendrix
Vice President



Thomas Brickley
Commissioner



Rikke Johnson
Commissioner



David E. Mlynarski
Commissioner

YOUR COMMENTS ARE WELCOME

The City of San Bernardino Municipal Water Department was formed by the City Charter and is governed by an appointed Board. The Water Board meets on the second and fourth Tuesday of the month. For details on meeting participation and to view Water Board agendas, please visit our website SBMWD.org. Meeting agendas are posted at least 72 hour prior to each meeting.

EMERGENCY NUMBERS

Police - Fire - Medical: 911
(Emergencies Only)

Poison Control: (800) 222-1222

**National Suicide
Prevention Lifeline:** (800) 273-8255

**Emergency Mental
Health Hospital Services:** (909) 580-2814

**California Missing
Children's Hotline:** (800) 222-3463

WATER DEPARTMENT

General: (909) 384-5141

Customer Service: (909) 384-5095

Water Quality: (909) 453-6190

San Bernardino Municipal Water Department

1350 S. E Street, San Bernardino, CA 92408

Follow us
[@SBCITYWATER](https://www.facebook.com/SBCITYWATER)

