2021 Consumer Confidence Report

Water System Name: San Antonio Canyon Mutual Service Co. (SACMSC) Report Date: 6/30/2022

We test the drinking water quality for many constituents as required by State and Federal Regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2021, and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.

Type of water source(s) in use:	Natural Springs				
Name & location of source(s):	SACMSC has two domestic water supply sources The primary Spring (001) is located at the Mt. Baldy Trout Pools. Miners Spring (002), was added in 2007. It is located 211 ft. west of Mt. Baldy Rd.				

Drinking Water Source Assessment information: The Source water assessment for Spring 001 was conducted in March 2002. Miners Spring (002) was conducted in August of 2007. The latest Sanitary Survey which includes a review of the entire system was conducted on September 10, 2020. Our water is taken from a covered spring and is extremely pure, with only trace amounts of chemicals from erosion of natural deposits. No 'possible contaminating activities' (PCA's) are present around the source. Miners Spring is brought on-line on an as needed basis.

A copy of the complete assessment may be viewed in the San Antonio Canyon Mutual Service Company or at DDW San Bernardino District Office, 464 West 4th Street, Suite 437, San Bernardino, CA 92401. You may request a summary of the assessment be sent to you by contacting the DDW at (909) 383-4328 or by contacting SACMSC.

Time and place of regularly scheduled board meetings for public participation: SACMSC board meetings are open to all shareholders. Meeting location, time and place of meetings are posted on the Post Office bulletin board. Notices are mailed for the annual shareholders meeting held in September of each year.

For more information, contact: Karen Sked

TERMS USED IN THIS REPORT:

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

(909) 982-5970

Phone:

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Variances and Exemptions: State Water Resources Control Board (State Board) permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

Page 2 of 5

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs or MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

ppm: parts per million or milligrams per liter (mg/L) **ppb**: parts per billion or micrograms per liter (ug/L) **ppt**: parts per trillion or nanograms per liter (ng/L) **ppq**: parts per quadrillion or picogram per liter (pg/L) **pCi/L**: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- *Organic chemical contaminants*, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
- *Radioactive contaminants*, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5 and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

TABLE 1 - SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA									
Microbiological Contaminants (complete if bacteria detected)	Highest No. of detections	No. of months in violation	Typical Source of Bacteria						
Total Coliform Bacteria	(In a mo.) <u>0</u>	0	1 positive monthly sample ^(a)	0	Naturally present in the environment				
Fecal Coliform or E. coli	(In the year)	0	A routine sample and a	0	Human and animal fecal waste				

	<u>0</u>			repeat sample a coliform positiv	ve, and one			
				of these is also coliform or <i>E</i> .				
<i>E. coli</i> (federal Revised Total Coliform Rule)	(In the year 0		0	(b)	-	0	Human and anin	nal fecal waste
(a) Two or more positive(b) Routine and repeat sa routine sample or sys	imples are tot	al colifor	rm-positive ar	nd either is E. coli			ke repeat samples fol	lowing E. coli-positive
TABLE 2	- SAMPI	LING H	RESULTS	SHOWING 1	THE DETE	CTION OI	F LEAD AND C	OPPER
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. o sampl collect	es percei	ntile No. site exceed	ing AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	9/30/19	5	1.3	0	15	0.2	1	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	9/30/19	5	0.050	0 0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Chemical or Constituent (and reporting units)	TABLI Sample Date	e	AMPLING Level Detected	RESULTS F Range of Detections	OR SODI	UM AND H PHG (MCLG)		urce of Contaminant
Sodium (ppm)	9/23/2	20	4	(001) + 0.15 (002) - 0.15	none	none	Generally foun water	id in ground & surface
Hardness (ppm)	9/23/2		149		none	none	water	nd in ground & surface
*Any violation of an MCL or	AL is aster	isked. A	Additional in	formation regai	ding the viol	ation would l	be provided later in	n this report.
TABLE 4 - DE	TECTIO	N OF (CONTAM	INANTS WIT	TH A <u>PRIN</u>	IARY DRI	NKING WATE	R STANDARD
Chemical or Constituent (and reporting units)	Sam Da	-	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG [MRDL0	i)	Source of Contaminant
Gross Alpha (pCi/L)	9/23	3/20	N/D		15	0	Erosion of	natural deposits
Fluoride (mg/L)	9/23	8/20	0.23		2.0	1	Erosion of	natural deposits
Chlorine (ppm)	Mon	thly	0.376	0.16 - 0.64	4.0	4.0	Drinking wo	ater disinfectant adde

TABLE 5 - DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD

for treatment

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
(and reporting antis)						

Chemical or Constituent (and reporting units)	Sample Dat	e Lev Detec		Notification Level			Health Effects Language
a				UNRE	EGULATEI	O CONTAM	IINANTS
Foaming Agents (MBAS) (ug/l)	9/23/20	ND			500	N/A	Municipal and Industrial waste discharges
Sulfate (ppm)	9/23/20	16	6 12-17		500	N/A	Runoff/leaching from natural deposits
Odor (Odor Unit)	Monthly	0	0		3	N/A	Naturally-occurring organic materials
Specific Conductance (EC)	9/23/20	300	00 290-330		1600		Substances that form ions when in water; seawater influence
Chloride (ppm)	9/23/20	1.25	25 1.2-1.3		500	N/A	Runoff/leaching from natural deposits
Turbidity (NTU)	Monthly	0.0208	3 0-0.15		5	N/A	Soil Runoff
Total Dissolved Solids (TDS) mg/L	9/23/20	160	160 170-190		1000	N/A	Runoff/Leaching from natural deposits

*Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation would be provided later in this report.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S.EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. San Antonio Canyon MSC is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4701) or at http://www.epa.gov/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT									
Violation	ExplanationDurationActions Taken to Correct the ViolationHealth Effects Language								
None									

For Water Systems Providing Ground Water as a Source of Drinking Water

TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLES									
Microbiological Contaminants (complete if fecal-indicator detected)Total No. of DetectionsSample DatesMCL 									
E. coli	0	Monthly	0	(0)	Human and animal fecal waste				
Enterococci	0		TT	n/a	Human and animal fecal waste				
Coliphage	0		TT	n/a	Human and animal fecal waste				

(SACMSC Springs are classified as ground water.)