







# 2021 CONSUMER CONFIDENCE REPORT

#### Dear Consumer:

The annual Consumer Confidence Report (CCR) describing the features and quality of our drinking water supply is contained in this document. State law requires that all water retailers inform their customers about the quality of water delivered. The Mayor and City Council are pleased to provide this information.

The City of Upland remains in a Level High Water Shortage Stage, which in simple terms means that the call for water conservation must continue. The City of Upland Water Division is dedicated to providing you with a safe and reliable supply of drinking water. The water delivered to you meets all State and Federal Drinking Water Standards for quality and safety. continually test our water using the most sophisticated equipment and advanced 2021 procedures. Α summary of our laboratory test results, which demonstrate detection of trace contaminants in the water supply, is included in the Test Results Table of this report.

For Information on City of Upland Consumer Confidence Report in Spanish, contact Michelle Madriz (909) 291-2935.

Para obtener información sobre el Informe de confianza del consumidor de la ciudad de Upland en español, comuníquese con Michelle Madriz (909) 291-2935

#### I. WATER SOURCES

To better understand how the City of Upland supplies water to its customers, the following summary of water sources may be helpful. Each of these sources may be impacted by drought conditions. For the past several years the City of Upland, along with the rest of California, has grappled with significant water challenges from aging infrastructure, water quality, and ultimately water scarcity, mostly driven by persistent drought conditions.

The City of Upland remains in a Level High Water Shortage Stage, which in simple terms means that the call for water conservation must continue. Understanding our local water supply provides clarity to the question of why we are still in a High Level Water Shortage Stage when other areas of the state are not. Upland gets its water from three primary sources: groundwater, local surface water from San Antonio Creek, and imported water. All our groundwater and local surface water depend on rainfall for replenishment. Our groundwater basins are still at historically low levels and will need several years of above normal precipitation to return the groundwater to predrought levels. To protect this valuable resource, the City asks customers to continue using water as efficiently as possible. We as a community must embrace "conservation as a California way of life", which allows us to avoid buying costly imported supplies, and helps to ensure that we can maintain the resiliency we have long benefited from. The City is committed to encouraging efficient water use with programs, incentives, and by providing informational assistance to help our customers implement water conserving measures at home or in their places of business. The City is proud to showcase our Drought Tolerant Landscape Demonstration Garden at City Hall where customers can obtain free educational materials to help them in their conservation efforts. These services remain an important part of fulfilling the City of Upland's promise to maintain a robust and resilient water system for our community. For more ways to save water, please call (909) 291-2935 or visit www.uplandca.gov/water-conservation.

The City of Upland used **5.97 billion gallons** of water in 2021.

- **I. GROUNDWATER** ~ About **3.75 billion gallons** of groundwater was pumped from nine City of Upland wells, seven San Antonio Water Company wells, and four West End Consolidated Water Company wells, fulfilling **62.8** % of our customer's needs. Groundwater produced by the water wells mentioned above was extracted from the Chino, Claremont Heights, and Cucamonga Aquifers.
- 2. SURFACE WATER ~ About .27 billion gallons of surface water was processed through the City's San Antonio Canyon Water Treatment Plant fulfilling 4.5 % of our customer's needs.
- **3. IMPORTED WATER** ~ About **1.95 billion gallons, or 32.7%** of our water, originated from high mountain streams in Northern Sierra Nevada. It flows via the State Water Project to Lake Silverwood, north of the City of San Bernardino. The journey to the City of Upland is completed through a 120-inch diameter pipeline that crosses Upland beneath 18th Street. The imported water is purchased from the Metropolitan Water District of Southern California (MWD) and treated at the Water Facilities Authority (WFA JPA), Agua de Lejos Water Treatment Plant located on Benson Avenue, north of 17th Street.
- **4. RECYCLED WATER** ~ The City utilized **243. million gallons** of recycled water for greenbelts and various sites, using a valuable asset to maintain the City of Upland's motto, "The City of Gracious Living".

#### II. WATER PERMIT

The permits to operate the City of Upland and the West End Consolidated Water Company water systems were issued by the State Water Resources Control Board (State Board), Division of Drinking Water. The permit for the City of Upland and West End Consolidated Water Company was last issued in 1993, but has been amended to include new water facilities as they are constructed. This regulatory agency also completes yearly inspections of both the City of Upland and the West End Consolidated

Water Company systems. This same regulatory agency also receives laboratory analyses directly via Electronic Data Transfer (EDT) from the State certified laboratory and monitors all laboratory analyses on a continual basis. This assures you, the consumer, that all mandatory monitoring is performed as required.

#### **III.WATER QUALITY**

#### **DRINKING WATER STANDARDS**

Individual water suppliers do not decide what constitutes "safe" water. As required by the Federal Safe Drinking Water Act, all public water suppliers in California must meet stringent quality standards set by the United States Environmental Agency (USEPA) and regulated by the State Water Resources Control Board (SWRCB) - Division of Drinking Water. These two organizations set standards to protect the public from potential health risks. In California, drinking water standards (also called Maximum Contaminant Levels or MCL's) are set in two categories. Primary Standards relate to public health, and Secondary Standards relate to aesthetic qualities such as taste, color, and odor. A comprehensive list of sampling results for all Upland water sources is listed in the Test Result Section of the Consumer Confidence Report (CCR).

Before the water reaches your tap, samples from wells, water treatment plants, and the distribution system have been collected and tested in State-certified laboratories. Last year, as in years past, your water met all Environmental Protection Agency and State drinking water health standards. The Public Works Department conducts more than 3,000 tests on the water delivered to its consumers each year, which includes sampling for over 300 different contaminants. This regular program of water analysis and system inspection assures safe water is provided to you and your family.

#### IV. FINAL AND CURRENT WATER QUALITY SAMPLING

#### **GROUNDWATER DISINFECTION RULE (GDR)**

The United States Environmental Protection Agency (USEPA) issued a rule to further protect America's drinking water by requiring action to protect groundwater sources of public drinking water supplies from disease causing viruses and bacteria. The rule will protect more than 100 million Americans by requiring identification of deficiencies in water systems that could lead to contamination and corrective actions to reduce risk from any identified deficiencies. The rule includes provisions for monitoring for systems with sources at risk, and actions to remove or inactivate contaminants, if found, to prevent them from reaching drinking water consumers. The compliance date for triggered monitoring was December 1, 2009.

#### **LEAD AND COPPER SAMPLING**

Lead and Copper Sampling Sampling was due to be completed in 2020.

#### SAN ANTONIO CANYON WATERSHED SURVEY

Every fifth-year, the City of Upland, City of Pomona, and San Antonio Water Company prepare and submit a Watershed Survey of the San Antonio Canyon Water Flow to the SWRCB. This report requires water quality sampling and monitoring of the watershed to enhance the protection of our local watershed flow from potential contamination. The first report was submitted to the CDPH in March 2001. The 2021 report was completed and filed; the next report is due in 2026.

#### V. TREATMENT

The City of Upland receives imported water from the Metropolitan Water District of Southern California (MWD) via the Water Facilities Authority - Agua de Lejos Water Treatment Plant after it undergoes a four-stage treatment process. The first process is coagulation/flocculation that allows particles suspended in the water to cluster together and form larger particles called "floc". The second process

is sedimentation, where the "floc" is allowed to settle out of the water. Filtration removes any remaining fine particles by passing the water through a filter bed. The last process is where chemicals are added to ensure the safety of the water in the distribution system. The treated water is then delivered to Upland's reservoir at 17th Street and Benson Avenue.

The surface water we receive from San Antonio Creek flows to the San Antonio Canyon Water Treatment Plant (SACWTP). This surface water goes through several treatment processes, which removes impurities and disinfects the water. First, chemicals are mixed into the water to help the suspended impurities (particles) cluster together. Next, the water flows into filter modules, initially upward through the first stage filters, which trap some particles. Then the water flows downward through the final filters to remove any remaining particles. The final step consists of disinfection and storage in a large reservoir. From the reservoir the treated water flows into the distribution system and then into your home.

Water that the City receives from local groundwater wells is of such good quality that it is only treated with chlorine and then pumped into reservoirs, and in some instances blended with other water sources. This water then flows into the distribution system and then into your home.

#### VI. WATER QUALITY PARAMETERS AND IMPORTANT REMINDERS

Filtration and disinfection of surface water supplies are necessary for the protection of public health. The Water Facilities Authority – Agua de Lejos Water Treatment Plant, supplies a portion of the water delivered by the City of Upland. Water is filtered and disinfected with **Chloramines** (a combination of chlorine and ammonia). All of our customers should be aware that their water might sometimes contain Chloramines. Except for a slight chlorine taste or odor, Chloramines will not cause any problems for the general public. However, Chloramines must be removed before the water can be used in aquariums or kidney dialysis machines.

#### VII. REPORTING PERIOD

The City of Upland routinely monitors for contaminants in your drinking water according to Federal and State Law. The City's Test Results table shows the results of our monitoring for the period of January I through December 31, 2019. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It is important to remember that the presence of these contaminants does not necessarily pose a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at 1-800-426-4791.

#### **VIII. SOURCE WATER ASSESSMENTS**

An assessment of the City of Upland's drinking water sources was completed in 2019. The San Antonio Creek water source assessment was completed in 2021.

\*\*\*A copy of the complete assessment may be viewed at the City of Upland Public Works Department or at the Department of Water Resources, San Bernardino District Office, 464 West 4th Street, Suite 437, San Bernardino, Ca. 92401. You may request a summary of the assessment be sent to you by contacting the SWRCB District Engineer at (909) 383-4328.

#### IX. DEFINITIONS AND ABBREVIATIONS

#### Less Than Number Shown (<)

**Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

**Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

**Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Nephelometric Turbidity Unit (NTU):** Nephelometric Turbidity Unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Non-Detects (ND): Laboratory analysis indicates that the contaminant is below detection level.

No Standards (NS)

Parts per billion (ppb) or Micrograms per liter (ug/l): One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10 million.

Parts per million (ppm) or Milligrams per liter (mg/l): One part per million corresponds to one minute in two years, or a single penny in \$10,000.

**Parts per Trillion (PPT):** One part per trillion corresponds to one minute in 2,000,000 years or a single penny in \$10 billion.

Picocuries per liter (pCi/L): Picocuries per liter is a measurement of the radioactivity in water.

**Primary Drinking Water Standard (PDWS):** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

**Regulatory Action Levels (AL):** The concentration of a contaminant which, when exceeded, triggers treatment or other requirements that a water system must follow.

**Treatment Technique (TT):** A treatment technique is a required process intended to reduce the level of contaminants in drinking water.

#### X. SYMBOLS

- (a) = Results are based on distribution system sampling of approximately 1,000 samples.
- (b) = Sources are blended to meet state MCL.
- (c) = 1,2,3-trichloropropane (1,2,3-TCP) had a notification level (NL) of 5 ppt until December 14, 2017, when the MCL of 5 ppt became effective.
- (d) = There is currently no MCL for hexavalent chromium. The previous MCL of 0.010 mg/L was withdrawn on September 11, 2017.
- (e) = Negative values occur when the background count, as part of the analytical result, exceeds the count in the actual count.
- (f) = Standard is for Radium 226 & 228 combined.
- (g) = No schools requested lead sampling during 2018.
- **(h)** = State level is dependent upon air temperature.

#### XI. TEST RESULT TABLE HEALTH EFFECT LANGUAGE

The following health effect language is required for this report if any contaminant has been detected in the water supply. The City's domestic water supply meets all State and Federal Drinking Water Quality Standards.

The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

#### **Aluminum**

Some people who drink water containing Aluminum in excess of the MCL over many years may experience short-term gastrointestinal tract effects.

#### **Bromate**

Some people who drink water containing Bromate in excess of the MCL over many years may have an increased risk of getting cancer.

#### **Chloramines**

Some people who use water containing Chloramines well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chloramines well in excess of the MRDL could experience stomach discomfort.

#### Chlorine

Some people who use water-containing Chlorine well in excess of MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience stomach discomfort.

#### **Chlorine Dioxide**

Some infants and young children who drink water containing Chlorine Dioxide in excess of the MRDL could experience nervous system effects. Similar effects may occur in fetuses of pregnant women who drink the water.

#### Chlorite

Some infants and young children who drink water containing Chlorite in excess of MCL could experience nervous system effects. Similar effects may occur in fetuses of pregnant women who drink water containing chlorite in excess of MCL. Some people may experience anemia.

#### Chromium

Some people who use water containing Chromium in excess of the MCL over many years may experience allergic dermatitis.

#### Combined Radium 226/228

Some people who drink water containing Radium 226 or 228 in excess of the MCL over many years may have an increased risk of getting cancer.

#### Cryptosporidium

Cryptosporidium is a microbial pathogen found in surface water throughout the United States. Although filtration removes Cryptosporidium, the most commonly used treatment methods cannot guarantee 100 percent removal. Ingestion of Cryptosporidium may cause Cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However immuno-compromised people, infants, small children, and the elderly are at a greater risk of developing life threatening illness. Individuals at risk should consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water.

#### Dibromochloropropane (DBCP)

Some people who use water containing Dibromochloropropane (DBCP) in excess of the MCL over many years may experience reproductive difficulties and may have an increased risk of getting cancer.

#### **Fluoride**

Some people who drink water containing Fluoride in excess of the Federal MCL of 4 mg/L over many years may get bone disease, including pain and tenderness of the bones. Children who drink water-containing fluoride in excess of the state's MCL of 2 mg/L may get mottled teeth.

#### **Gross Beta Particle Activity**

Certain minerals are radioactive and may emit forms of radiation known as photons and beta radiation. Some people who drink water containing beta and photon emitters in excess of the MCL over many years may have an increased risk of getting cancer.

#### **Haloacetic Acids**

Some people who drink water containing Haloacetic Acids in excess of the MCL over many years may have an increased risk of getting cancer.

#### **Hexavalent Chromium**

Some people who drink water containing Hexavalent Chromium in excess of the MCL over many years may have an increased risk of getting cancer.

#### Lead

If present, elevated levels of Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Upland is responsible for providing high quality drinking water, but the City cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on Lead in drinking water testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

#### Microbiological Contaminants - Total Coliform bacteria, Fecal coliform and E. coli

Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

Fecal coliforms and E. coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, some of the elderly, and people with severely compromised immune systems.

#### **Nitrate**

Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

#### **Tetrachloroethylene (PCE)**

Some people who use water containing Tetrachloroethylene (PCE) in excess of the MCL over many years may experience liver problems, and may have an increased risk of getting cancer.

#### **Total Organic Carbon**

Total Organic Carbon (TOC) has no health effects. However, total organic carbon provides a medium for the formation of disinfection byproducts. These byproducts include Trihalomethanes (THM's) and Haloacetic Acids, (HAA's). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects, liver or kidney problems, or nervous system effects, and may lead to an increased risk of cancer.

#### Total Trihalomethanes (TTHMs)

Some people who drink water containing Trihalomethanes (THM's) in excess of the MCL over many years may experience liver, kidney or central nervous system problems and may have an increased cancer risk.

#### 1,2,3-Trichloropropane

Some people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may have an increased risk of getting cancer.

#### **Turbidity**

Turbidity has no health effects. However, high levels of turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.

#### **Uranium**

Some people who drink water-containing Uranium in excess of the MCL over many years may have kidney problems and an increased risk of getting cancer.

#### XII. Public Health Information

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material; it also can pick up substances resulting from the presence of animals or from human activity.

#### Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses, and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salt and metals, which can be natural-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agricultural, urban storm water runoff, and residential use.
- Organic chemical contaminants, includes synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). Additional information on bottled water is available on the California Department of Public Health website https://www.cdph.ca.gov/Programs/CEH/DFDCS/Pages/FDBPrograms/FoodSafetyProgram/Water.aspx.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).





The water provided by the City of Upland meets all State and Federal standards and regulations for domestic drinking water. The City will continue to strive to provide the citizens of Upland with the highest quality of water that they have come to expect from "The City of Gracious Living."

If you have any questions or concerns regarding this report or your water utility, please contact Mr. John Robles, Chief Water Treatment Operator, at (909) 291-2930. It is the City's goal for you, our valued customers, to be informed about their water quality.

City Council meetings are held on the second and fourth Monday of every month, and Public Works Committee meetings are held quarterly. All items that are heard by the City Council or the Public Works Committee are placed on the required agendas and posted at City Hall located at 460 North Euclid Avenue, Upland, California. The City of Upland Consumer Confidence Report can also be found on the **City's Web Site www.uplandca.gov**.

Thank you for allowing the City to continue providing you, your family, friends and neighbors with clean, quality water this year; and for your effort to conserve our precious water supply. In order to maintain a safe and dependable water supply, the City sometimes needs to make improvements that will benefit all customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

The City works around the clock to provide top quality water to every tap and requests that all of our customers help protect and preserve our water sources, which are the heart of our community, our way of life, and our children's future.

Sincerely,

Braden Yu, PE Public Works Director

#### 2021 TEST RESULTS TABLE 1

CONTARAINIANIT	VIOLATION	LINUTC	CTATE NACI	CTATE DUC	CDOUNDWATER CURRY	CUREACE WATER CURRY	LIVELY CONTANTINATION
CONTAMINANT	VIOLATION	UNITS	STATE MCL	STATE PHG	GROUNDWATER SUPPLY	SURFACE WATER SUPPLY	LIKELY CONTAMINATION
				( MCLG )	RANGE	RANGE	SOURCE
CLARITY: TURBIDITY	No Violation	NTU	π	π	ND - 0.14	0.009 - 0.04 Highest	Soil runoff
Weighted Avg.	0.20					% ≤ 0.3 100%	
MICROBIOLOGICAL CONTAN							
TOTAL COLIFORM BACTERIA (a)	No Violation	% Positive	5%	No State PHG	0-0	0 - 0	Naturally present in the environment
FECAL COLIFORM AND E. COLI							Human and animal fecal waste
			A routine sample and				
			repeat sample are total				
			positive , and one is also				
			Fecal Coliform or E. Coli				
			positive.				
SYNTHETIC ORGANIC CONTA	MINANTS INC	CLUDING PE	STICIDES AND HERBIC	CIDES			
DIBROMOCHLOROPROPANE (b)	No Violation	ppt	200	1.7	ND - 40.00	ND - ND	Banned Nematocide that may still be present in soils
Weighted Avg.	0.014						due to runoff/leaching from former use on soybeans
							cotton, vineyards, tomatoes, and tree fruit.
1,2,3-TRICHLOROPROPANE ( c )	No Violation	ppt	0.005	0.0007	ND - ND	ND - ND	Discharge from industrial and agricultural chemical factories;
Weighted Avg.	ND						leaching from hazardous waste sites; used as cleaning and
							maintenance solvent, paint and varnish remover, and cleaning
							and degreasing agent; byproduct during the production of other
							compounds and pesticides.
<b>VOLITAILE ORGANIC CONTAI</b>	MINANTS						
PCE	No Violation	ppb	5	0.06	ND - 2.40	ND - ND	Discharge from factories, dry cleaners,
Weighted Avg.	0.212	.,-					and auto shops (metal degreaser)
UNREGULATED INORGANICS							
VANADIUM	No Violation	ppb	NOTIFICATION LEVEL	NS	ND - 5.00	ND - 4.20	Naturally-occurring; the primary PCA is steel
Weighted Avg.	1.77	ppu	50	143	ND - 3.00	140 - 4.20	manufacturing, also used in the manufacturing of
weighted Avg.	1.77		30				phthalic anhydride, sulfuric acid, pesticides, dyes,
							inks, pigments, and other chemicals; has been found
							in association with hazardous waste sites.
							III association with nazardous waste sites.
CHROMIUM, HEXAVALENT ( d )	No Violation	ppb	10	0.02	ND - 5	ND - ND	Discharge from electroplating factories, leather tanneries,
(Chr. VI)	140 Violation	pps	10	0.02	145-3	ND-ND	wood preservation, chemical synthesis, refractory production,
Weighted Avg.	0.62						and textile manufacturing facilities; erosion of natural deposits.
Radioactive Contaminants	0.02						Tarre and the state of the stat
	No Violation	-C:/I	15	0	ND 550	ND ND	Description of material and many mode
ALPHA ACTIVE, GROSS ( e )		pCi/L	15	0	ND - 5.50	ND - ND	Decay of natural and man-made
Weighted Avg.	0.362						deposits
DETA ACTIVITY CROSS	No Violeti	-C:/I	50	0	ND - 9.80	ND - ND	Evenion of national demonite
BETA ACTIVITY, GROSS	No Violation 0.135	pCi/L	50	0	ND - 9.80	ND - ND	Erosion of natural deposits
Weighted Avg.	0.133						
RADIUM 226	No Violation	pCi/L	See Below	0.05	ND - ND	ND - ND	Erosion of natural deposits
RADIUM 228	No Violation	pCi/L	See Below	0.05	ND - ND	ND - ND	Erosion of natural deposits
RADIUM 226 & 228 COMBINED (f)	NO VIOIATION	pci/L	See Below 5	0.019	ND-ND	ND-ND	Erosion of natural deposits
Weighted Avg.	ND		,				
weighted Avg.	NU						
URANIUM	No Violation	pCi/L	20	0.43	ND - 8.10	ND - ND	Erosion of natural deposits
Weighted Avg.	1.359	pci/L	20	0.43	ND - 8.10	ND - ND	Erosion of natural deposits
Weighted Avg.	1.333						

#### 2021 TEST RESULTS TABLE 2

Movication   Mov								
No Violation   Weighted Avg.   Security	CONTAMINANT	VIOLATION	UNITS	STATE MCL	STATE PHG	GROUNDWATER SUPPLY	SURFACE WATER SUPPLY	LIKELY CONTAMINATION
No Violation   µg/L   200   NS   ND - 0.56   0.023 - 0.054   Erosion of natural deposits; residue from surface water treatment processes   No Violation   µg/L   500   NS   3.20 - 26   1.10 - 55.30   Runoff and leaching from natural deposits.   No Violation   No Violation   Units   15   NS   < 3   < 3   Natural occurring organic materials.   No Violation   Violation   Violation   Units   3   NS   ND - 0.038   ND - ND   Wood preservatives.   No Violation   Units   3   NS   ND2   ND1   Natural occurring organic materials.   No Violation   Violation   Units   3   NS   ND2   ND1   Natural occurring organic materials.   No Violation   V					( MCLG )	RANGE	RANGE	SOURCE
No   No   No   No   No   No   No   No	SECONDARY STANDARD	os						
No Violation   mg/L   500   NS   3.20 - 26   1.10 - 55.30   Runoff and leaching from natural deposits.	ALUMINUM	No Violation	μg/L	200	NS	ND - 0.56	0.023 - 0.054	Erosion of natural deposits; residue from surface
No Violation   Units   15	Weighted Avg.	89.48						water treatment processes
No Violation   Units   15								
No Violation   Units   15	CHLORIDE	No Violation	mg/L	500	NS	3.20 - 26	1.10 - 55.30	Runoff and leaching from natural deposits.
No   No   No   No   No   No   No   No	Weighted Avg.	20.91						
No   No   No   No   No   No   No   No					•			
No Violation   mg/L   1   NS   ND - 0.038   ND - ND   Wood preservatives.	COLOR	No Violation	Units	15	NS	<3	< 3	Natural occurring organic materials.
Verighted Avg.   46.6	Weighted Avg.	< 3						
Verighted Avg.   46.6								
No Violation Units 3 NS ND2 ND1 Natural occurring organic materials.  No Violation Units NS NS 6.90 - 8.00 7.00 - 7.90  Neighted Avg. N/A Substances that form ions when in water.  No Violation Units NS NS 6.90 - 8.00 7.00 - 7.90  No Violation N/A Substances that form ions when in water.  No Violation MS 370 - 620 324 - 448 Substances that form ions when in water.  No Violation MS 370 - 620 325 - 41 Runoff and leaching from natural deposits;  No Violation MS 23 - 50 25 - 41 Runoff and leaching from natural deposits;  No Violation MS 30.65 Industrial wastes.	COPPER	No Violation	mg/L	1	NS	ND - 0.038	ND - ND	Wood preservatives.
No Violation   Units   NS   NS   6.90 - 8.00   7.00 - 7.90	Weighted Avg.	46.6						
No Violation   Units   NS   NS   6.90 - 8.00   7.00 - 7.90								
No Violation   Units   NS   NS   6.90 - 8.00   7.00 - 7.90	ODOR THRESHOLD		Units	3	NS	ND2	ND1	Natural occurring organic materials.
No Violation   Mode	Weighted Avg.	0.88						
No Violation   Mode								
PECIFIC CONDUCTANCE   No Violation   \( \mu S \)   1600   NS   370 - 620   324 - 448   Substances that form ions when in water.	pH		Units	NS	NS	6.90 - 8.00	7.00 - 7.90	
Velighted Avg.   413.70	Weighted Avg.	N/A						
Velighted Avg.   413.70								
No Violation mg/L 500 NS 23-50 25-41 Runoff and leaching from natural deposits;  Weighted Avg. 30.65 Industrial wastes.  OTAL DISOLVED SOLIDS No Violation mg/L 1000 NS 220-390 170-288 Runoff and leaching from natural deposits.	SPECIFIC CONDUCTANCE		μS/cm	1600	NS	370 - 620	324 - 448	Substances that form ions when in water.
Neighted Avg. 30.65 Industrial wastes.  OTAL DISOLVED SOLIDS No Violation mg/L 1000 NS 220 - 390 170 - 288 Runoff and leaching from natural deposits.	Weighted Avg.	413.70						
Neighted Avg. 30.65 Industrial wastes.  OTAL DISOLVED SOLIDS No Violation mg/L 1000 NS 220 - 390 170 - 288 Runoff and leaching from natural deposits.								
OTAL DISOLVED SOLIDS No Violation mg/L 1000 NS 220 - 390 170 - 288 Runoff and leaching from natural deposits.	SULFATE		mg/L	500	NS	23 - 50	25 - 41	
	Weighted Avg.	30.65						Industrial wastes.
Weighted Avg. 261.824	TOTAL DISOLVED SOLIDS		mg/L	1000	NS	220 - 390	170 - 288	Runoff and leaching from natural deposits.
	Weighted Avg.	261.824						

#### 2021 TEST RESULTS TABLE 3

CONTAMINANT	VIOLATION	UNITS	STATE MCL	STATE PHG	GROUNDWATER SUPPLY	SURFACE WATER SUPPLY	LIKELY CONTAMINATION
				( MCLG )	RANGE	RANGE	SOURCE
STATE REGULATED CONT	AMINANTS \	NITH NO	MCLs	,			
DICHLORODIFLUORMETHANE	No Violation	ppb	NOTIFICATION LEVEL	NS	ND - 0.07	ND - ND	Discharge from industries, factories,
REON 12	THE VIOLETICAL	pps	1 ppm	110	110 0107	110 110	propellants, and refrigerants
Weighted Ave.	0.067						The permanent and restriction
To agriculation	0.007						
CHROMIUM, TOTAL ( d )	No Violation	ppb	NOTIFICATION LEVEL	NS	ND - 5	ND - ND	Discharge from electroplating factories, leather tanneries,
Weighted Ave.	0.62	ppo	n/a	113	110-3	NO NO	wood preservation, chemical synthesis, refractory production,
veignted Ave.	0.02		11/4				and textile manufacturing facilities; erosion of natural deposits.
							und textile manufacturing facilities, crosion of natural deposits.
I,2,3-TRICHLOROPROPANE ( c )	No Violation	ppb	NOTIFICATION LEVEL	NS	ND - ND	ND - ND	Discharge from industrial and agricultural chemical factories;
Weighted Ave.	ND ND	ppo	5 ppt	113	No No	NO NO	leaching from hazardous waste sites; used as cleaning and
veignted Ave.	140		э ррс				maintenance solvent, paint and varnish remover, and cleaning
							and degreasing agent; byproduct during the production of other
							compounds and pesticides.
EAD AND COPPER							Touristand and hearteness
EAD (g)	No Violation	ppb	ACTION LEVEL	2	ND - 18	ND - ND	Internal corrosion of household plumbing systems;
Veighted Avg.	N/A	hhn	15 ppb		90th Percentile (0.19 ppb)	ND-ND	erosion of natural deposits; leaching from wood preservatives.
TOISITEU AVE.	14/A		13 pho		Sour rescende (0.13 ppb)		crosson or natural deposits, reaching from wood preservatives.
COPPER	No Violation	ppm	ACTION LEVEL	0.3	ND - 0.62	ND - ND	Internal corrosion of household plumbing systems;
Weighted Avg.	N/A	phin	1.3	0.3	90th Percentile (0.25 ppm)	NO-NO	erosion of natural deposits; leaching from
weighted Avg.	IN/A		1.5		Sour Percentile (0.23 ppin)		wood preservatives.
NODC AND CONTARABLE	NITC						wood preservatives.
NORGANIC CONTAMINA							
ALUMINUM	No Violation	ppb	1000	60	ND - 560	23 - 54	Erosion of natural deposits; residue from surface
Weighted Avg.	89.48						water treatment processes
FLOURIDE (h)	No Violation	ppm	2	1	ND - 0.42	.2031	Erosion of natural deposits; water additives which
Weighted Avg.	0.31						promote strong teeth, discharges from fertilizer,
							and aluminum factories.
NITRATE	No Violation	ppb	10	10	0.34 - 7.4	0.17 - 1.60	Runoff and leaching from fertilizer use; leaching
Weighted Avg.	2.6						from septic tanks; erosion of natural deposits.
NITRITE	No Violation	ppm	1	1	ND - ND	ND -ND	Runoff and leaching from fertilizer use; leaching
Weighted Avg.	ND						from septic tanks; erosion of natural deposits.
PERCHLORATE	No Violation	ppb	6.2	NS	ND - 2.70	ND - ND	Perchlorate is an inorganic chemcal used in solid
Weighted Avg.	0.59						rocket propellant; fireworks, explosives, flares,
-							matches, and a variety of industries. It usually gets
							into drinking water as a result of environmental
							contamination from historic aerospace or other
							industrial operations that used or use, store, or
							dispose of perchlorate and its salts.
					the state of the s		
ARSENIC	No Violation	ppb	10	0.004	ND - 4.30	.60 - 1.0	Erosion of natural deposits; runoff from orchards
Weighted Avg.	0.69						glass and electronic production wastes.
	5.55						O
					The state of the s		
BARIUM	No Violation	ppm	1	2	ND - 0.058	ND - 0.038	
Weighted Avg.	0.02	ppiii	•	-	110 - 0.030	110 - 0.030	Some people who drink water containing barium in
TOISHIGH AVE.	0.02						excess of the MCL over many years may experience an

#### 2021 TEST RESULTS TABLE 4

CONTAMINANT	VIOLATION	UNITS	STATE MCL	STATE PHG	GROUNDWATER SUPPLY	SURFACE WATER SUPPLY	LIKELY CONTAMINATION				
CONTAMINANT	VIOLATION	ONITS	STATE WICE		RANGE	RANGE	SOURCE				
				( MCLG )	KANGE	KANGE	SOURCE				
BROMATE	No Violation	ppb	10	0.1	ND	ND	By-product of drinking water disinfection.				
Weighted Avg.	ND										
CHLORINE (MRDL)	No Violation	ppm	MRDL	MRDL	0.33 - 1.63 SYSTEM RANGE		Drinking water disinfectant added for treatment.				
Weighted Avg.	N/A		4	4							
CHLORINE RESIDUAL					0.865 SYSTE	M AVERAGE					
CHLORAMINES	No Violation	ppm	MRDL	MRDL	N/A	N/A	Drinking water disinfectant added for treatment.				
Weighted Avg.	N/A		4	4							
TOTAL ORGANIC CARBONS	No Violation	ppm	MRDL	MRDL	N/A	ND - ND	Various natural and man-made sources.				
Weighted Avg.	ND		π	т							

<b>WATER BORN PATHOGE</b>	WATER BORN PATHOGENS									
CRYPTOSPORIDIUM	YES, BIN 2	BIN 1,2,3,4,	π	TT	ND	ND	The findings for Cryptosporidium placed the City's water treatment			
Weighted Avg.	ND						facility Into a Bin 2 classification. This required the City to decrease the			
							the finished water turbidity requirement from 0.30 NTU's to 0.15 NTU's .			

<b>DISINFECTANT BYPRODU</b>	ICTS				SYSTEM RANGE	
TOTAL TRIHALOMETHANES	No Violation	ppb	80	0	0 - 62	By-product of drinking water disinfection.
Highest LRRA	40					
HALOACETIC ACIDS	No Violation	ppb	60	0	0 - 23	By-product of drinking water disinfection.
Highest LRRA	14					

#### 2021 TEST RESULTS TABLE 5

							T
		UNITS	STATE MCL	STATE PHG	GROUNDWATER SUPPLY	SURFACE WATER SUPPLY	LIKELY CONTAMINATION
				( MCLG )	RANGE	RANGE	SOURCE
ADDITIONAL INFORM	ATION						
CALCIUM		ppm	NS	NS	38 - 94	40 - 53	Leaching from natural deposits.
Weighted Avg.	53.9						
HARDNESS		ppm	NS	NS	180 - 320	142 - 170	Leaching from natural deposits.
Weighted Avg.	177.71						
MAGNESIUM		ppm	NS	NS	2.40 - 21.0	10.00 - 10.40	Leaching from natural deposits.
Weighted Avg.	10.65						
POTASSIUM		ppm	NS	NS	1.50 - 2.50	1.80 - 2.40	Leaching from natural deposits.
Weighted Avg.	1.9						
SODIUM		ppm	NS	NS	6.80 - 18.0	5.80 - 47.0	Leaching from natural deposits.
Weighted Avg.	21.36						
TOTAL ALKALINITY		ppm	NS	NS	130 - 280	122 - 150	Leaching from natural deposits.
Weighted Avg.	150.32						
CARBONATE		ppm	NS	NS	ND20	ND29	Leaching from natural deposits.
Weighted Avg.	0.51						
BICARBONATE		ppm	NS	NS	160 - 340	148 - 180	Leaching from natural deposits.
Weighted Avg.	186.98						



#### 2021 DISINFECTANT BY-PRODUCT RULE, PHASE 2 RESULTS

#### **DISINFECTANT BYPRODUCTS STAGE 2 TTHM'S**

TTHM MCL	0.080 PPN	Л			
MCL IN CCR UN	ITS 80 PPB				
		2018 TTF	IM RESULTS (PPB) STAGE 2		
OCATION	1ST QUARTER	2ND QUARTER	3RD QUARTER	4TH QUARTER	ANNUAL AVERAGE
SITE 1	12	8.6	6.2	8.2	8.75
SITE 2	5.1	4.5	4	6.6	5.05
SITE 3	2.8	4.6	0	0	1.85
SITE 4	25	35	41	34	33.75
SITE 5	8.3	25	8.9	11	13.30
SITE 6	21	30	29	24	26.00
SITE 7	1.9	22	24	16	15.98
SITE 8	18	14	12	14	14.50
SITE 9	14	0	0	13	6.75
					TYPICAL SOURCE
					Byproduct of drinking
					water disinfection
Results are ba	sed on a quarterly sai	mple point average.			
					1

#### **DISINFECTANT BYPRODUCTS STAGE 2 HAA5'S**

IAA5 MCL	0.060 PP	M			
ACL IN CCR UN	ITS 60 PPB				
		2018 HA	A5's RESULTS (PPB) STAGE 2	2	
OCATION	1ST QUARTER	2ND QUARTER	3RD QUARTER	4TH QUARTER	ANNUAL AVERAGE
SITE 1	17	10	0	0	6.75
SITE 2	3.9	0	0	0	0.98
SITE 3	0	2.4	0	0	0.60
SITE 4	16	18	8.7	6.7	12.35
SITE 5	13	36	9.9	16	18.73
SITE 6	9.7	11	6	6.5	8.30
SITE 7	0	12	4	0	4.00
SITE 8	11	7.2	2.5	2.7	5.85
SITE 9	3.7	0	0	0	0.93
					TYPICAL SOURCE
Results are bas	sed on a quarterly sa	ample point average.	•	•	Byproduct of drinkin
	-				water disinfection



## 2021 CONSUMER CONFIDENCE REPORT

#### Certification Form

Water System Name: City of Upland

PWS I.D. No.: CA3610050

Water System Name: West End Consolidated Water Company

PWS I.D. No.: CA3610086

The water systems named above hereby confirm that its Consumer Confidence Report has been distributed to customers (and appropriate notices of availability have been given). Further, the systems certify that the information contained in the report is correct and consistent with the compliance monitoring data previously submitted to the primacy agency.

Certified By: Braden Yu, PE

**Public Works Director** 

Phone No. (909) 931-2931 Date: July, 2022

"Good Faith" efforts were used to reach non-bill-paying consumers. Those efforts include the following methods as recommended by the primacy agency:

The City of Upland Consumer Confidence Report notification was mailed to customers by the City of Upland stating that the Consumer Confidence Report would be available online at <a href="www.uplandca.gov/water-quality">www.uplandca.gov/water-quality</a>. Customers who do not have internet access were notified they could call Public Works at (909) 291-2930 or (909) 291-2933 to request that a copy be mailed to them.



You can depend on us to keep your drinking water safe, and you informed!

1370 N Benson Avenue, Upland, CA 91786 Phone: (909) 291-2930 • Website: www.uplandca.gov





### **CITY OF UPLAND PUBLIC WORKS DEPARTMENT**

1370 N Benson Avenue Upland, CA 91786 Phone: (909) 291-2930

Website: www.ci.upland.ca.us