The U.S. Environmental Protection Agency and the State Water Resources Control Board have regulations that limit the amount of certain contaminants allowed in water provided by public water systems to ensure that tap water is safe to drink. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline at 800-426-4791.

CMWD has sampled all required data including entry points in the distribution system for the fourth Unregulated Contaminant Monitoring Rule (UCMR 4) contaminants in 2020. The analytical results for UCMR are stored in the National Contaminant Occurrence Database for drinking water, which can be found online at <a href="https://www.epa.gov/sdwa/national-contaminant-occurrence-database-ncod">www.epa.gov/sdwa/national-contaminant-occurrence-database-ncod</a>.

# **Water conservation**

Carlsbad encourages residents and businesses to continue making water conservation a way of life. With water being a precious and limited resource, Carlsbad is doing our part by making water conservation and the efficient use of water a major priority. Even the simplest changes to daily routines make a difference.

Do your part by following the water conservation tips below and visit <a href="https://www.carlsbadca.gov/conservation">www.carlsbadca.gov/conservation</a> for programs, incentives, water rules, and more tips and resources.

### Indoor

- Take short showers or fill the bathtub halfway
- Turn water off when brushing teeth or shaving
- Wash only full loads of clothes
- Fix leaks (toilets, faucets, etc.)
- Install high-efficiency fixtures

### Outdoor

- Install drip-irrigation
- Adjust sprinklers to reduce water lost from overspray onto impervious surfaces
- Water during cool parts of the day to reduce evaporation
- Install a smart irrigation controller
- Convert to a native landscape
- Repair broken sprinkler heads and/or irrigation lines (do not irrigate until repair is made)



# How to contact us

This report covers testing for contaminants in 2021. For questions or concerns regarding the quality of Carlsbad's drinking water, contact CMWD at 442-438-2722 or email water@carlsbadca.gov.

CMWD Board meetings are held in conjunction with the Carlsbad City Council on an as needed basis on Tuesday evenings. Agendas may be obtained

at <u>www.carlsbadca.gov</u> or Carlsbad City Hall, 1200 Carlsbad Village Drive. Comments regarding drinking water are always welcome by the CMWD Board of Directors.

This report can be downloaded from <a href="https://www.carlsbadca.gov/water-quality-report">www.carlsbadca.gov/water-quality-report</a>.

# Carlsbad Municipal Water District 5950 El Camino Real, Carlsbad, CA 92008

Hours: Monday through Friday, 8 a.m. to 5 p.m. 442-438-2722 • water@carlsbadca.gov

Additional sources for water quality information:

San Diego County Water Authority 858-522-6600 • www.sdcwa.org

# Metropolitan Water District of Southern California

800-225-5693 • www.mwdh2o.com

### State Water Resources Control Board

Division of Drinking Water & Environmental Management 619-525-4159 • www.waterboards.ca.gov

### **U.S. Environmental Protection Agency**

Office of Ground Water & Drinking Water Safe Drinking Water Hotline:

800-426-4791 • <u>www.epa.gov/watersense/</u> state-water-facts



# WATER QUALITY 2022 Report



Este informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hable con alguien que lo entienda bien.

Water provided by the Carlsbad Municipal Water District meets all 2022 state and federal drinking water standards. This report provides detailed water quality test results and more information about where Carlsbad's water comes from.

# Where our water comes from

CMWD currently imports 83% of its drinking water. The water supply begins hundreds of miles away as snow melt or rainfall that flows into rivers. The two main water sources are the Colorado River, where the water is transported through the Colorado River Aqueduct, and Northern California, where water moves through the California Aqueduct (also known as the State Water Project).

Water from these sources is treated by the Metropolitan Water District of Southern California at its Lake Skinner Treatment Plant in Riverside County and by the San Diego County Water Authority. After rigorous treatment, the water travels through pipelines owned by the San Diego County Water Authority, and is then purchased and distributed by CMWD to its customers.

The Claude "Bud" Lewis Carlsbad Desalination Plant produces 17% of Carlsbad's water through the San Diego County Water Authority, which blends the water with the region's imported water supply and delivers it to water agencies throughout San Diego County.



# What's in your water before it's treated?

Both tap and bottled drinking water comes from oceans, rivers, lakes, streams, ponds, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, picks up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria that can come from wastewater treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.

- Pesticides and herbicides, that can come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, ag

CMWD has met all 2022 federal and state drinking water standards.

- urban stormwater runoff, agricultural application and septic systems.
- Radioactive contaminants, that can be naturally occurring or be the result of oil and gas production and mining activities.

Continued on page 4

California Aqueduct

# 2022 CADICDAD WATER OLIALITY ANALYCIC

Parameter	onment aste electronics, natural deposits
Percent State Project Water   % NA	electronics,
PRIMARY STANDARDS—Mandatory Health-Related Standards	electronics,
Combined Filter	electronics,
Effluent Turbidity(a)   %   TT (a) NA NA   % ≤ 0.3   100%   100% NA   100.0%   Soil runoff	electronics,
Total Coliform Bacteria (b)   %   5.0   MCLG=0   NA   Range   NA   ND   NA   0   NA   ND   ND	electronics,
Total Coliform Bacteria (b)   %   5.0   MCLG=0   NA   Average   NA   ND   NA   ND   NA   ND   Naturally present in the environg	electronics,
E. coli (c)   NA   TT   MCLG=0   NA   Positive sample   NA   ND   ND   ND   Human and animal fecal with the color of the	electronics,
NORGANIC CHEMICALS	electronics,
Arsenic	natural deposits
Average   ND   NA   NA   ND   production wastes	natural deposits ken in 2024
2021 Copper Samples (e)   ppm   AL = 1.3   0.3   0.05     90%ile   NA   ND   0.14   ND   erosion, next set of samples to be	ken in 2024
Fluoride (d)  Optimal Fluoride Level  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	
Range 0.6-0.8 0.5-0.7 NA ND-0.797 Erosion of natural deposi	
Treatment-related Fluoride ppm 2.0 1 0.1 under addition, that recompter, the	hc .
Average 0.7 0.6 NA 0.667 water additive that prohibites sin	ng teeth
2021 Lead Samples (e) ppb AL = 15 0.2 5 No.>AL 0 0 0 0 House pipes internal corrosion; erosion its, next set of samples to be take	of natural depos
Range ND ND NA ND Runoff and leaching from fartilizer use	
Nutrate ppin 10 10 0.4 Average ND ND NA ND sewage; natural deposits erc	sion
RADIOLOGICALS           Range         ND - 2         ND         NA         ND	
Uranium PCI/L 20 0.43 1 Average 2 ND NA ND Erosion of natural deposi	is
DISINFECTION BY-PRODUCTS, DISINFECTANT RESIDUALS, AND DISINFECTION BY-PRODUCT PRECURSORS (o)  Range 14-29 21-40 0.00-35.0 ND	
Total Trihalomethanes (f) (TTHM)	orination
Haloacetic Acids (HAA5) (f) ppb 60 NA 1.0 Range 6.0 - 13 ND - 6.1 0.00 - 7.1 ND By-product of drinking water chl	orination
Highest LRAA 9.0 6.1 3.0 ND  Range NA 2.6-3.5 0.40-3.50 2.95-3.58	
Total Chlorine Residual ppm [4.0] NA Highest RAA NA 3.1 2.35 3.18 Drinking water disinfectant added f	or treatment
Bromate (g)	onation
SECONDARY STANDARDS—Aesthetic Standards	
Chloride         ppm         500         NA         NA         Range         98-106         110-110         NA         20-119         Runoff leaching from natural diseasements           Sample         102         110         NA         90         seawater influence	eposits
Color Units 15 NA NA Range 1-2 ND NA ND Naturally-occurring organic m	aterials
Average 2 ND NA ND Range 1 ND NA ND	
Odor Threshold TON 3 NA 1 Average NA ND NA ND NA ND Naturally-occurring organic m	aterials
Specific Conductance         μS/cm         1600         NA         NA         Range         944 - 1030         NA         NA         345.4 - 484.58         Substances that form ions in seawater influence           Average         987         980         NA         400.77         seawater influence	water
Sulfato nom 500 NA 0.5 Range 206-229 210-220 NA 13-15 Runoff leaching from natural d	eposits
Average 218 217 NA 13.5 Industrial wastes	
Total Dissolved Solids (TDS) ppm 1000 NA NA Average 621 610 NA 210.7 Runoff leaching from natural disease asserting from NA Average 621 610 NA 210.7	eposits
OTHER PARAMETERS	
CHEMICAL  Range 119 - 128 NA NA 46 - 87	
Alkalinity ppm NA	
CHEMICAL	≥posits,
CHEMICAL   Alkalinity   ppm   NA   NA   NA   NA   NA   NA   NA   N	eposits,
CHEMICAL   Alkalinity   ppm   NA   NA   NA   Range   119-128   NA   NA   46-87   Average   124   130   NA   61.0	
CHEMICAL   Alkalinity   ppm   NA	
Alkalinity	orination
Alkalinity	discharge from sected by
Alkalinity	discharge from s
Alkalinity	orination  discharge from s  ceted by s  fected
Alkalinity	orination  discharge from s  ceted by s  fected
Alkalinity	orination  discharge from s  ceted by s  fected
Alkalinity	orination  discharge from s  ceted by s  fected
Alkalinity	orination  discharge from s  ceted by s  fected
Alkalinity	orination  discharge from s  ceted by s  fected
Alkalinity	orination  discharge from s  ceted by s  fected
CHEMICAL	orination  discharge from s  acted by s  fected tors
CHEMICAL     CHEMICAL   CHE	orination  discharge from s  acted by s  fected tors

# How to read this report

As you read the water quality tables in this report, compare the level of contaminants found in the "Skinner Plant", "Twin Oaks Valley Plant", and "Desal plant"and CMWD system samples columns with the standards set for them in the MCL and PHG columns. The CMWD met all drinking water standards in 2022.

The following are key terms to help you understand the standards used to measure drinking water safety.

Maximum Contaminant Level (MCL) The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Public Health Goal (PHG) The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL) The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standard (PDWS) MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements

### **Treatment Technique**

A required process intended to reduce the level of a contaminant in drinking water.

### **Regulatory Action Level The**

concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

This report can be downloaded from www.carlsbadca.gov/water-quality-report.

## **Abbreviations**

ΑI Aggressiveness Index

AL Action Level

**CDPH** California Department of Public Health

Combined Filter Effluent CFE Colony-Forming Units CFU DBP Disinfection By-Products

DLR Detection Limits for purposes of Reporting

MCL Maximum Contaminant Level MCLG Maximum Contaminant Level Goal

MFL Million Fibers per Liter

MRDL Maximum Residual Disinfectant Level

MRDLG Maximum Residual Disinfectant Level Goal

Ν Nitrogen NA Not Applicable ND Not Detected NL Notification Level

NTU Nephelometric Turbidity Units

pCi/L picoCuries per Liter

PHG Public Health Goal

parts per billion or micrograms per liter (µg/L) ppb parts per million or milligrams per liter (mg/L) ppm parts per quadrillion or picograms per liter (pg/L) ppq ppt parts per trillion or nanograms per liter (ng/L)

Running Annual Average; highest RAA is the highest of all Running RAA

> Annual Averages calculated as average of all the samples collected within a 12-month period

SI Saturation Index (Langelier) TOC **Total Organic Carbon** TON Threshold Odor Number

TT Treatment Technique is a required process intended to reduce the level

of a contaminant in drinking water

microSiemen per centimeter; or micromho per centimeter (µmho/cm)

# Required information for lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

CMWD is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead. CMWD has complied and meets Lead and Copper standards.

### Footnotes

a) (Skinner) As a Primary Standard, the turbidity levels of the filtered water were < 0.3 NTU in 100% of the online measurements taken each month and did not exceed 1 NTU for more than one hour.

The turbidity levels for grab samples at these locations were in compliance with the Secondary Standard. (Twin Oaks) The turbidity level from the CFE of the membranes shall be < 0.1 NTU in 95% of the measurements taken each month and shall not exceed 1.0 NTU at any time. Turbidity, a measure of the cloudiness of water, is an indicator of treatment performance.

- Total coliform MCLs: No more than 5% of the monthly samples may be total coliform positive. Compliance is based on the combined distribution system sampling. In 2022, 1,560 samples were analyzed with no positive samples. The MCL was not violated.
- E. coli MCL: The occurrence of two consecutive total coliformpositive samples, one of which contains E. coli, constitutes an acute MCL violation. The MCL was not violated.
- Skinner and Twin Oaks were in compliance with all provisions of the State's Fluoridation System Requirements.
- Lead and copper are regulated by Action Levels under the Lead and Copper Rule, which requires water samples to be collected at the consumers' tap. If action levels are exceeded in more than 10% of the samples, water systems must take steps to reduce these contaminants.
- Twin Oaks/Skinner met all provisions of the Stage 1 Disinfectants/ Disinfection By-Products (D/DBP) Rule. Compliance was based on Locational RAA. Average and range for the treatment plant effluent were taken from daily and monthly samples for TTHM and HAA5.
- Twin Oaks running annual average was calculated from quarterly results of monthly and daily samples.
- Chromium VI reporting level is ND, which is below the state DLR of 1 ppb.
- AI <10.0 = Highly aggressive and very corrosive water AI > 12.0 = Non-aggressive waterAI (0.14 - 13.0) = Moderately aggressive water
- Positive SI index = non-corrosive; tendency to precipitate and/or deposit scale on pipes. Negative SI index = corrosive; tendency to dissolve calcium carbonate.