

2019 Consumer Confidence Report

DRINKING WATER

Water System Name:
Naval Air Station North Island (NASNI)
&
Naval Amphibious Base (NAB) Coronado
#3710750

Report Date: 01 July 2020



Photo courtesy of https://www.processindustryforum.com/wp-content/uploads/2014/04/Clean-water-supply.jpg accessed on 17May2019

OUR COMMITMENT TO PROVIDING SAFE DRINKING WATER

Naval Base Coronado is pleased to present our Water Quality Report, also referred to as the Consumer Confidence Report (CCR). The CCR is an annual report containing data from water-quality testing collected during the past year and may include earlier monitoring data for some constituents.

Last year, the water delivered to you met all USEPA and State Board drinking water health standards. Details within provide information to find out where we get our water, what is in your water, and how it compares to state standards that are considered safe for the public.

Special Note to Customers: While this report presents drinking water data from 2019, we want consumers to feel confident that our drinking water system remains safe to drink as we all face difficulties with the evolving challenges created by COVID-19 impacts. Our water comes from treatment plants where it is treated and undergoes filtration processes. In addition, we apply disinfection methods at multiple locations throughout our distribution system. Our essential water system personnel continuously monitor, sample, and disinfect the water prior to reaching your tap. The water system operators, utility managers, contractors, laboratory personnel, and the Navy command work with state regulatory agencies to make sure, with a high level of confidence, that the drinking water quality meets state and federal regulations.

Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse Naval Air Station North Island (NASNI) & Naval Amphibious Base (NAB) Coronado System #3710750 a NBCPAO@navy.mil para asistirlo en español.

Where do we get our water from?

NASNI and NAB purchases water from the City of San Diego, which is treated at the Alvarado Treatment Plant. Water flows through a Navy-owned pipeline that supplies water to our distribution system at NASNI and NAB. We continuously monitor for water quality parameters at our storage tanks and boost with disinfectants to maintain drinking quality standards.

The City of San Diego imports a majority of its raw surface water supply from the San Diego County Water Authority¹. The Water Authority is a blend from the Colorado River and the State Water Project. Raw water sources can include rivers, lake, streams, ponds, reservoirs, springs, and wells.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals

and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

How do I know it's safe?

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

The City of San Diego conducts compliance sampling at the Alvarado Treatment Plant and Naval Facilities Engineering Command (NAVFAC) Southwest Utilities conducts compliance sampling with the Naval Base Coronado (NBC) water distribution system for NASNI and NAB. There are 48 water sampling stations where we monitor water quality parameters as well as at our distribution and/or storage locations.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

What about Lead?

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead that may be found in drinking water is primarily from materials and components associated with service lines and plumbing. Naval Base Coronado is responsible for providing high quality drinking water; however, there may be an unknown variety of materials used in plumbing components installed historically. The Reduction of Lead in Drinking Water Act went into effect on January 4, 2014. The Act has reduced the lead content allowed in water system and plumbing products by changing the definition of lead-free in Section 1417 of the Safe Drinking Water Act (SDWA) from not more than 8% lead content, to not more than a weighted average of 0.25% lead with respect to the wetted surfaces of pipes, pipe fittings, plumbing fittings, and plumbing fixtures. The SDWA prohibits the use of these products in the installation or repair of any public water system or facility providing water for human consumption if they do not meet the lead-free requirement. The installation is also conducting a lead service line inventory requirement and have not yet found any lead service lines as part of our investigation.

Is lead-free certification required for products? As of March 2015, there is no mandatory federal requirement for lead-free product testing or third-party certification under the Safe Drinking Water Act (SDWA).

How can I minimize exposure to lead?

• <u>Flush</u>. It is always a good idea to flush your faucet at work and/or at home, especially when water has been sitting for several hours (i.e. overnight or over a weekend). You can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes prior to utilizing for consumption. You may need to flush longer if your

building has recently been shut down or experienced reduced occupancy. Contact your Facility Manager or Assistant Public Works Officer for flushing guidance.

- Use Cold Water. Hot dissolves lead more quickly than cold water, so use cold water to prepare food and drinks.
- <u>Clean Your Aerator.</u> Debris can be trapped on the aerator screens on water outlets containing metals, especially if construction or plumbing work may have occurred in 040719your area. Simply twist off the aerator, tap and clean any debris which may be caught on the filtration screen, and reinstall.
- Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/lead.

What about at the Child Development Centers (CDC) and Youth Centers?

In the U.S., the Environmental Protection Agency (EPA) recommends, but does not require, testing for lead in drinking water in schools and day care centers. However, Navy policy, OPNAV M-5090.1 requires the Lead in Priority Areas (LIPA) testing program in the best interest of all the children, parents, and staff we serve. This sampling is conducted every 5 years at all drinking water outlets. NBC conducted sampling in 2019 at four of our Child Youth Program Facilities: NASNI CDC, NASNI 24/7 Facility, NAB CDC, and Silver Strand YC at 208 drinking water fountains and outlets where children and staff have the potential for using water for drinking water consumption and cooking. At the NASNI 24/7 Facility, NAB CDC, and Silver Strand YC, all drinking water sampling results were below the lead screening level of 15 parts per billion. At the NASNI CDC, out of 130 outlets sampled, six outlets tested higher than the 15 parts per billion (ppb) screening level. Of the six outlets with higher levels, five were already not in use and one location was for an outside hose spigot. At no time were children exposed to any health risk. The six concerned outlets were flushed and retested. The retest results were all below the lead action level of 15 ppb indicating initial levels were a result of stagnant water that had a long retention time in the plumbing system. Testing results are available at the Commander, Navy Region Southwest Web site at:

https://www.cnic.navy.mil/regions/cnrsw/om/environmental support/water quality information.html

Water Complaints

Does the filter on your fountain or faucet need to be changed? Please coordinate with your building monitor or facility manager. Make sure filters are marked with the date they were changed out and keep a log book.

Does your water have an odd taste, color, odor, suspended solids, or do you suspect a water-related illness? Please call the Utilities Duty Desk at 619-556-7349 with details (i.e. building number, concern, complaint POC).

Where can I get more information on drinking water?

City of San Diego produces an annual report detailing the sources of our water, where its purchased from, and how it is treated and delivered. This report is available online at https://www.sandiego.gov/public-utilities/water-quality/water-quality-reports.
For more information on the sampling and monitoring that we conduct on base, please contact the Naval Base Coronado (NBC) Drinking Water Program Manager at 619-545-1127 or email NBCPAO@navy.mil.

TERMS USED IN THIS REPORT

CSD MDL (City of San Diego Water Quality Lab method detection limit): Lowest quantifiable concentration of a measured analyte detectable by the lab

DLR: Detection limit for reporting

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Nephelometric Turbidity Unit (NTU): Unit of measure for the turbidity of water.

ND: Not detected at testing limit

NL: Notification Level

PFAS: per- and poly-fluorinated alkyl substances

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

LRAA: Locational running annual average is a four-quarter average at an individual sample location. The LRAA for each location must be less than the MCL. The highest LRAA of the year detected from all the monitoring locations is indicated on this report and compared to the MCL.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Permissions from the State Water Resources Control Board (State Board) to exceed an MCL or not comply with a treatment technique under certain conditions.

ppm: parts per million or milligrams per liter (mg/L) **ppb**: parts per billion or micrograms per liter (μg/L) **ppt**: parts per trillion or nanograms per liter (ng/L) **ppq**: parts per quadrillion or picogram per liter (pg/L) **pCi/L**: picocuries per liter (a measure of radiation)

The water quality data for 2019 is summarized in the following tables. Data shown in brackets [example] is obtained from the City of San Diego monitoring. Tables 1, 2, 3, 4, 5, 6, and 7 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent in treated drinking water.

The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one-year old. Additional information regarding violations to your source water is provided later in this report.

TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA								
Microbiological Contaminants (complete if bacteria detected)	Detections in Violation		MCL	MCLG	Typical Source of Bacteria			
Total Coliform Bacteria (state Total Coliform Rule)	(In a month)	0	≥5% of samples are total coliform positive	0	Naturally present in the environment			
Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule)	0 (In the year)	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive		Human and animal fecal waste			
E. coli (federal Revised Total Coliform Rule)	0 (In the year)	0	(a)	0	Human and animal fecal waste			

(a) Routine and repeat samples are total coliform-positive and either is *E. coli*-positive or system fails to take repeat samples following *E. coli*-positive routine sample or system fails to analyze total coliform-positive repeat sample for *E. coli*.

TABLE 2 -	- SAMPLI	NG RESU	LTS SI	HOW	ING THE D	ETECT	ION	OF	LEAI	D AND (COPPER		
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of Samples Collected	90th Percen Level Detec	ntile el	No. Sites Exceeding AL	AL	PI	IG	Requ	Schools uesting Sampling	Typical Source of Contaminant		
Lead (ppb)	August 2017	20	NE)	0	15	0	2 n/a		n/a	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits		
Copper (ppm)	August 2017	20	0.74	.5	0	1.3	0	.3	n/a		Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		
TABLE 3 – SAMPLING RESULTS FOR SODIUM AND HARDNESS													
Chemical or Constituent (and reporting units)	Sample Year	Lev Detec (Avera	ted		Range of Detections	MCL		PH (MC		Typical Source of Contaminant			
Sodium (ppm)	2019	[79.0	0]	[6	1.3 – 95.1]	None		No	ne		resent in the water and is rally naturally occurring		
Hardness (ppm)	2019	[194	1]	[1	141 – 261]	None		No	Sum of polyvales the water, general calcium, and ar		polyvalent cations present in r, generally magnesium and n, and are usually naturally occurring		
			TA	BLE	4 -TURBII	OITY							
Chemical or Constituent	Sample Year	Max L Found (%	of Samples ≤ 0.3	MCL			Tyl	ypical Source of Contaminant			
	2010	50.4	0.7		54.000/3	TT = 1 N	TU						
Turbidity	Turbidity 2019		[0.19]		[100%]	TT=95% samples ≤				Soil runoff			
TABLE 5 – DET	ECTION	OF CONT	AMINA	ANT	S WITH A P	RIMAR	Y D	RINE	KING	WATE	R STANDARD		
Chemical or Constituent (and reporting units)	Sample Year	Lev Detec (Avera	ted		Range of Detections	MCL [MRDI		PH (MC [MRI	LG)	Typical Source of Contaminant			
D	ISINFECTA	NT RESIDU	AL AND	DISI	NFECTANT B	Y-PRODU	JCTS	SAND	PREC	CURSORS			
Chlorine Residual (as Cl2; ppm)	2019	0.93	5	(0.05 – 3.0	[4.0]		[4.	0]	Drinking water disinfectant added for treatment			
Total Trihalomethanes (TTHM; ppb)	2019; quarterly	LRAA	= 22	1	5.0 – 30.0	80		N/	'A	By-product of drinking water disinfectant			
Haloacetic Acids (HAA; ppb)	2019; quarterly	LRAA	. = 7		3.2 – 7.7	60		N/	'A	By-product of drinking water disinfectant			
Bromate (ppb)	2019	[NE)]	[]	ND – 8.7]	10		0.	1	By-product of drinking water disinfectant			
Total Organic Carbon (TOC; ppm)	2019	[2.4	1]	[1.9 – 3.4]	TT		n/	'a	Various natural and manmade sources			
CHEMICAL PARAMETERS													
Aluminum (ppb) ^(c)	2019	[NE)]	[]	ND – ND]	1000		60	00	from surf processes			
Arsenic (ppb)	2019	[NE)]	[]	ND – ND]	10		0.0	04	and elect	of natural deposits; glass ronics production waste		
Barium (ppm)	2019	[NE)]	[]	ND – 0.1]	1		2	!		of natural deposits; es of oil drilling		
Fluoride (naturally- occurring; ppm)	2019	[0.2	2]	[0.1 - 0.3]	2		1			of natural deposits		
Fluoride (treatment-related;	1	1				2		1		Water ad	ditive that promotes strong		

Nitrate (as N; ppm)	2019	[ND]	[ND – ND]	10	10	Runoff and leaching from fertilizer use; erosion of natural deposits			
Selenium (ppb)	2019	[ND]	[ND – ND]	50	30	Erosion of natural deposits; refineries, mines, and chemical water discharge			
RADIOACTIVE PARAMETERS									
Gross Alpha Particle Activity (pCi/L)	2019	[4]	n/a	15	0	Erosion of natural deposits			
Gross Beta Particle Activity (pCi/L)	2019	[ND]	n/a	50 ^(d)	0	Decay of natural and manmade deposits			
Uranium (pCi/L)	2019	[2]	n/a	20	0.43	Erosion of natural deposits			
(c) Aluminum has primary and secondary drinking water standards. (d) Division of Drinking Water considers 50 pCi/L to be the level of concern for beta particles									

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	CA SMCL	CSD MDL (DLR)	Typical Source of Contaminant
Aluminum (ppb)	2019	[ND]	[ND – ND]	200 (50)		Erosion of natural deposits; residue from some water treatment processes
Chloride (ppm)	2019	[93.5]	[74.1 – 111]	500	0.5	Runoff/leaching from natural deposits; seawater influence
Color (CU)	2019	[ND]	[ND-1]	15	1	Naturally-occurring organic materials
Manganese (ppb)	2019	[2.2]	[ND – 8.2]	50	(20)	Leaching from natural deposits
Odor-Threshold (OU)	2019	[ND]	[ND – 1]	3	(1)	Naturally-occurring natural deposits
Specific Conductance (µS/cm)	2019	[731]	[547 – 914]	1,600	n/a	Substances that form ions when in water; seawater influence
Sulfate (ppm)	2019	[127]	[73.7 – 200]	500	(0.5)	Runoff/leaching from natural deposits; industrial wastes
Total Dissolved Solids (ppm)	2019	[450]	[314 – 584]	1,000	10	Runoff/leaching from natural deposits
рН	2019	[8.03]	[7.63 - 8.32]	n/a	n/a	low pH: corrosion high pH: deposits
	TABLE '	7 – DETECTION	N OF UNREGUI	ATED CO	ONTAMINA	NTS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level		Health Effects Language
Boron (ppm)	2019	[0.1]	[0.1 – 0.1]	1		Boron exposures resulted in decreased fetal weight (developmental effects) in newborn rats.
Chromium, hexavalent (ppb)	2019	[0.07]	Single Sample	(e)		Studies show that Cr6 in drinking water may cause an increased risk of stomach cancer and reproductive harm.

Summary Information for Violation of a MCL, MRDL, AL, NL, or TT

¹ The San Diego County Water Authority (SDCWA) experienced a treatment process failure at its regional treatment plant. Water in the treatment plant was not in contact with the proper dosage of ozone disinfectant for the required amount of time. On April 21-22, 2019, a segment of the disinfection treatment facility did not provide the intended disinfection of pathogens. Upon being notified of the malfunction, a review of the overall pathogen removal at the treatment plant was performed. It was determined, though unable to be confirmed, that the required reduction of pathogens was most likely achieved. The SDCWA implemented policy and engineering changes to immediately identify and correct improper valve conditions that led to the April 21-22 incident. SDCWA has prepared new procedures for ensuring that the continuous disinfection treatment facility is operating as designed and as required. Inadequately treated water may contain disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.

²The State Water Board, Division of Drinking Water directed the City of San Diego to test a water supply well, El Cajon Well, for per- and poly-fluorinated alkyl substances (PFAS). The El Cajon Well contributes approximately 0.6% of the entire flow of water entering the City's Alvarado Treatment Plant on an annual basis. Of the PFAS chemicals, perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS) have been the most extensively studied and DDW has assigned health-based notification levels of 5.1 and 6.5 parts per trillion (ppt) respectively to these chemicals. In addition, the State Water Board is currently in the process of developing public health goals (PHGs) and maximum contaminant levels (MCLs) for PFOS and PFOA. On June 11, 2019, both PFOA and PFOS were detected from the El Cajon Well above their notification levels at 29 parts per trillion and 18 parts per trillion, respectively. The well water is blended with other water sources and ultimately treated at the water treatment plant.