2018 Consumer Confidence Report

Water System Name: **HEARST MONUMENT STATE PARK** Report Date: 6-18-2019

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2018 and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse [HEARST MONUMENT STATE PARK a [750 HEARST CASTLE ROAD. SAN SIMEON, CA.93452, 805-927-2026] para asistirlo en español.

这份报告含有关于您的饮用水的重要讯息。谓用以下地址和电话联系 [HEARST MONUMENT STATE PARK]以获得中 文的帮助:[750 HEARST CASTLE ROAD. SAN SIMEON, CA. 93452][805-927-2026]

Ang pag-uulat na ito ay naglalaman ng mahalagang impormasyon tungkol sa inyong inuming tubig. Mangyaring makipag-ugnayan sa [HEARST MONUMENT STATE PARK. 750 HEARST CASTLE ROAD SAN SIMEON, CA. 93452] o tumawag sa [805-927-2026] para matulungan sa wikang Tagalog.

Báo cáo này chứa thông tin quan trọng về nước uống của bạn. Xin vui lòng liên hệ [HEARST MONUMENT STATE PARK] tại [750 HEARST CASTLE ROAD, SAN SIMEON, CA 93452. 825-927-2026] để được hỗ trợ giúp bằng tiếng Việt,

Tsab ntawy no muaj cov ntsiab lus tseem ceeb txog koj cov dej haus. Thoy hu rau [HEARST MONUMENT STATE PARK] ntawm [750 HEARST CASTLE ROAD, SAN SIMEON, CA 93452. 805-927-2026] rau kev pab hauv lus Askiv.

Type of water source(s) in use:

TWO SURFACE WATER SPRINGS

Name & general location of source(s):

PHELAN SPRING- LOCATED WEST SIDE OF PINE MOUNTAIN, CHISOLM SPRING LOCATED ON THE WEST SIDE OF LITTLE PINE MOUNTAIN

Drinking Water Source Assessment information:

LAST UPDATED 2-27-13. THE SOURCE IS CONSIDERED MOST VULNERABLE TO THE FOLLOWING ACTIVITIES NOR ASSOCIATED WITH ANY DETECTED CONTAMINANTS: AGRICULTURAL DRAINAGE AND GRAZING (> 5 LARGE ANIMALS OR EQUIVALENT PER ACRE)

Time and place of regularly scheduled board meetings for public participation:

NA

For more information, contact:

LEONARD J. WILLHITE- WATER & SEWAGE PLANT SUPERVISOR

Phone: 805) 712-4820

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Permissions from the State Water Resources Control Board (State Board) to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (µg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

| Microbiological Contaminants (complete if bacteria detected) | Contaminants Petactions | | MCL | MCLG | Typical Source of Bacteria | |
|--|-------------------------|---|--|------|--------------------------------------|--|
| Total Coliform Bacteria (state Total Coliform Rule) | (In a month) | 0 | 1 positive monthly sample | 0 | Naturally present in the environment | |
| Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule) | (In the year) | 0 | A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive | 0 | Human and animal fecal waste | |
| E. coli (federal Revised Total Coliform Rule) | (In the year) | 0 | (a) | 0 | Human and animal fecal waste | |

(a) Routine and repeat samples are total coliform-positive and either is E. coli-positive or system fails to take repeat samples following E. coli-positive routine sample or system fails to analyze total coliform-positive repeat sample for E. coli.

Calcium (ppm)

5-7-18

3.5

N/A

None

| TABLE 2 | -SAMPLI | NG RESU | LTS SH | IOW | ING THE I | ETECT | ION OF | LEA | D AND (| COPPER |
|--|----------------|--------------------------------|--|-------|------------------------------|---------------|--------------|--------------------|---|---|
| Lead and Copper (complete if lead or copper detected in the last sample set) | Sample Date | No. of Samples Collected | 90 th Percen Leve Detect | tile | No. Sites Exceeding AL | AL | PHG | Req | Schools uesting Sampling | Typical Source of Contaminant |
| Lead (ppb) | 7-20-18 | 5 | ND | | 0 | 15 | 0.2 | | 0 | Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits |
| Copper (ppm) | 5-14-18 | 5 | 0.074 | 4 | 0 | 1.3 | 0.3 | Not a | pplicable | Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| | TARIF | 2 _ SAMDI | INC P | FCIII | LTS FOR S | ODIUM | ANDU | ADDA | JECC | |
| Chemical or Constituent | Sample | Leve | | | ange of | MCL | | IG | | 15 |
| (and reporting units) | Date | Detect | | | tections | | | LG) | | l Source of Contaminant |
| Sodium (ppm) | 5-7-18 | 7.4 | | | B5-115 | None | No | ne | | ent in the water and is naturally occurring |
| Hardness (ppm) | 5-7-18 | 20 | | | 70-130 | None | No | one | the water | olyvalent cations present in c, generally magnesium and and are usually naturally |
| TABLE 4 – DET | ECTION | OF CONT. | AMINA | NTS | WITH A P | RIMAR | <u> DRIN</u> | KING | WATE | R STANDARD |
| Chemical or Constituent (and reporting units) | Sample Date | Leve Detec | | | ange of etections | MCL [MRDL] | (MC | IG (LG) DLG] | Typical Source of Contaminar | |
| Nitrate (ppm) | 2018 | 0.4 | | | N/A | 10 | 1 | 0 | Runoff and leaching from fertilize use; leaching from septic tanks ar sewage; erosion of natural deposi | |
| TTHMs [Total Trihalomethanes] (ppb) | 2018 | 19 | | 1 | 12 – 29 | 80 | N. | /A | Byprodu disinfect | ct of drinking water ion |
| HAA5 [Sum of 5 Haloacetic Acids] (ppb) | 2018 | 10 | | | 7 – 16 | 60 | N | /A | Byproduct of drinking water disinfection | |
| Chlorine (ppm) | 2018 | 0.80 | D | 0.5 | 52 – 1.21 | 4 | 1 | 4 | Byprodu disinfect | ct of drinking water ion |
| TABLE 5 – DETE | CTION O | F CONTA | MINAN | its v | VITH A <u>SE</u> | CONDA | RY DR | NKIN | G WAT | ER STANDARD |
| Chemical or Constituent (and reporting units) | Sample Date | Level De | tected | | ange of etections | SMCL | | IG (LG) | Typics | l Source of Contaminant |
| Chloride (ppm) | 5-7-18 | 4.8 | | | N/A | 500 | N | /A | | eaching from natural seawater influence |
| Specific Conductance (μS/cm) | 5-7-18 | 79 | <u> </u> | | N/A | 1,600 | N | /A | Substance | es that form ions when in |
| Sulfate (ppm) | 5-7-18 | 3.5 | | | N/A | 500 | , N | /A | Runoff/l | eaching from natural seawater influence |
| Total Dissolved Solids (ppm) | 5-7-18 | 67 | | | N/A | 1,000 | N | /A | | eaching from natural |
| Turbidity (NTU) | 5-7-18 | 0.54 | 4 | | N/A | 5 | N | /A | Soil run | |
| Zinc (ppm) | 5-7-18 | 0.1 | i | | N/A | 5.0 | N | /A | Runoff/leaching from natural deposits; industrial wastes | |
| | TABLE | 6 – DETE | CTION | OF | UNREGUL | ATED C | ONTA | MINA | | |
| Chemical or Constituent (and reporting units) | Sample Date | Level De | tected | | ange of | Notific | ation La | vel | He | alth Effects Language |
| Alkalinity (ppm) | 5-7-18 | 24 | | | N/A | None | | | | |

| 5-7-18 | 9.4 | N/A | None | |
|--------|-----|-----|------|--|
| 5-7-18 | 2.7 | N/A | None | |
| 5-7-18 | 7.1 | N/A | None | |
| | | | | |

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

For Water Systems Providing Groundwater as a Source of Drinking Water

| TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUNDWATER SOURCE SAMPLES | | | | | | | |
|--|---------------------|------------------------------|----|-----|------------------------------|--|--|
| Microbiological Contaminants (complete if fecal-indicator detected) Total No. of Detections Sample Dates MCL [MRDL] [MRDLG] Typical Source of Contaminant | | | | | | | |
| E. coli | (In the year) 22 | Every month in the year 2018 | 0 | (0) | Human and animal fecal waste | | |
| Enterococci | (In the year) | | TT | N/A | Human and animal fecal waste | | |
| Coliphage | (In the year) 0 | | TT | N/A | Human and animal fecal waste | | |

Summary Information for Fecal Indicator-Positive Groundwater Source Samples, Uncorrected Significant Deficiencies, or Groundwater TT

| SPECIA | L NOTICE OF FECAL IND | ICATOR-POSITIVE | GROUNDWATER SOURCE S | AMPLE |
|--------------|-----------------------|-----------------|--|----------------------------|
| None | | | | |
| | | | | |
| | SPECIAL NOTICE FOR I | UNCORRECTED SIG | GNIFICANT DEFICIENCIES | |
| None | | | | |
| | | • | | |
| | VIOLA | TION OF GROUNDY | VATER TT | |
| TT Violation | Explanation | Duration | Actions Taken to Correct the Violation | Health Effects Language |
| None | | | | |

NA

For Systems Providing Surface Water as a Source of Drinking Water

| TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES | | | | | | |
|--|---|--|--|--|--|--|
| Treatment Technique (a) (Type of approved filtration technology used) | DIATOMACEOUS EARTH FILITRATION | | | | | |
| Turbidity Performance Standards (b) (that must be met through the water treatment process) | Turbidity of the filtered water must: 1 - Be less than or equal to5 NTU in 95% of measurements in a month. 2 - Not exceed _1.0 NTU for more than eight consecutive hours. 3 - Not exceed _2.0 NTU at any time. | | | | | |
| Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1. | 100% | | | | | |
| Highest single turbidity measurement during the year | .499 | | | | | |
| Number of violations of any surface water treatment requirements | 0 | | | | | |

- (a) A required process intended to reduce the level of a contaminant in drinking water.
- (b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

Summary Information for Violation of a Surface Water TT

| VIOLATION OF A SURFACE WATER TT | | | | | | | |
|--|-------------|---|--|--|--|--|--|
| TT Violation Explanation Duration Actions Taken to Correct the Violation | | | | | | | |
| None | | , | | | | | |
| | ··········· | | | | | | |
| | | | | | | | |

Summary Information for Operating Under a Variance or Exemption

| | | | | | - 18- <u></u> |
|---|------|-------|---|---|---------------|
| *************************************** | | | *************************************** | · | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | ····· | | | |
| | | | | | |
| | | | ···· | | |