



What's Inside

Important information about your water

Where your water comes from

Ways to contact the District



Coastside County Water District Water Quality Report **2025**

Coastside County Water District (District) is pleased to present the 2025 Annual Water Quality Report in accordance with state and federal regulations. The data presented are from sampling and testing done in accordance with Safe Drinking Water Act regulations.

The treated drinking water delivered to your home or business met all drinking water quality standards set by the state and federal governments.

This report contains important information about your drinking water. Translate it or speak with someone who understands it.

Este informe contiene información muy importante sobre su agua para beber. Tradúzcalo o hable con alguien que lo entienda bien. Si le gustaría recibir una copia de este reporte en Español, favor de llamar al Coastside County Water District, y le enviaremos una copia por correo.


Where Your Water Comes From

The District receives water originating from pristine and highly protected watersheds in California's Sierra Nevada Mountain Range and San Mateo County's Coastal Mountain Range.

The District owns and operates the Denniston Project (surface and groundwater) and the Pilarcitos Creek Infiltration Well Field, both of which receive water originating from the local coastal range.

The District purchases raw water from the San Francisco Public Utilities Commission (SFPUC). Raw water from SFPUC originates from Pilarcitos Reservoir, which is supplied by local runoff from the coastal range, and from Upper Crystal Springs Reservoir, which is supplied by imported water from SFPUC's Regional Water System, including the Hetch-Hetchy watershed.


Water delivered to customers receives full treatment at our two water treatment facilities in accordance with federal and state standards. The Nunes Water Treatment Plant is capable of treating up to 4.5 million gallons per day (mgd) of water from Pilarcitos Reservoir, infiltration wells in Pilarcitos Creek Canyon, and from Upper Crystal Springs Reservoir. The Denniston Water Treatment Plant treats up to 1.4 mgd of water from Denniston Creek and Denniston Well Field.



Coastside County Water District does not fluoridate its drinking water.

For information about fluoridation, go to www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/Fluoridation.html


District Water Sources for Calendar Year 2025



Source Water Assessment – Watershed Sanitary Survey

The District updated the source water assessment in 2025 for the San Vicente Creek and the Denniston Creek watersheds. This assessment can be found on the District's website under Resources. The Upper Pilarcitos Creek watershed and Upper Crystal Springs Reservoir watershed source water assessments were completed by SFPUC. The assessments are available for review at the Division of Drinking Water (DDW) – San Francisco District Office.

DDW–San Francisco District ► (510) 620-3474



Pilarcitos Reservoir Spillway

Conserving Water Around the House and Yard

Implementing changes in our daily water use can make a big impact toward ensuring we have enough water supply to meet current and future needs. We all need to do our part to conserve water and use it as efficiently as possible. Here are ways you can do your part to save water:

- Consider replacing your lawn with water wise plants, and add hardscaping elements to your yard, like pavers, decomposed granite, or bark, to create year-round spaces that eliminate the need to weed, mow, and irrigate regularly.
- Install drip irrigation for your trees, shrubs, and flowers.
- Adjust sprinkler heads to make sure your sprinklers water the plants, not your driveway.
- Use mulch to help the soil retain more moisture.
- Use a broom instead of a hose to clean outdoor areas and save up to six gallons of water every minute.

Let's make every drop count!

More information ► coastsidewater.org/save-water



Wash Full Loads of Clothes & Dishes

Washer: saves 15–45 gallons per load
Dishwasher: saves 5–15 gallons per load



Install a High-Efficiency Toilet

Saves 19 gallons per person/day



Fix Leaks

Even a small leak can waste up to 6,300 gallons of water per month!



Adjust Sprinkler Heads

Saves 12–15 gallons each time you water



Use Mulch

Saves 20–30 gallons per 1000 sq. ft. each time



Drought Resistant Trees & Plants

Saves 30–60 gallons per 1000 sq. ft. each time

Information about Per- and Polyfluoroalkyl Substances (PFAS)

We are very pleased to report that PFAS has not been detected in the District's drinking water. Below are some frequently asked questions and answers about PFAS.

What is PFAS and where does it come from?

PFAS are a group of thousands of manufactured chemicals that have been used in a variety of industrial and consumer products since the 1940s. PFAS have been used to make coatings and products that are used as oil and water repellents for carpets, clothing, paper packaging for food, and cookware. They are also contained in some firefighting foams used to put out petroleum fires.

How does PFAS get into drinking water?

PFAS can get into drinking water when products containing them are used or spilled onto the ground or into lakes and rivers. Once in groundwater, PFAS are easily transported large distances and can contaminate drinking wells. PFAS in the air can end up in rivers and lakes used for drinking water. PFAS are very stable in the environment and are resistant to

breaking down. They are referred to as “forever chemicals” and accumulate in water, soil, food, and the human body.

What are the health effects of PFAS exposure?

Long term exposure to PFAS is potentially harmful to health. A recent review from the U.S. Centers for Disease Control and Prevention outlines that over a long time PFAS may decrease fertility and birth weight; weaken a body's ability to fight disease; increase the risk for some cancers, asthma, thyroid disease, and liver damage; and increase cholesterol levels (which can increase the risk for heart attack or stroke).

How is PFAS in drinking water regulated?

The U.S. Environmental Protection Agency (USEPA) published a Final PFAS National Primary Drinking Water Regulation on April 26, 2024, for six PFAS compounds which have been detected in drinking water across the nation; the rule became effective on June 25, 2024.

To learn more about PFAS visit www.epa.gov/pfas

2025

Water Quality Test Results

The Annual Water Quality Report contains water quality data tables that show the results of treated water from the Nunes and Denniston Water Treatment Plants as well as the distribution system. In addition, the District monitors the treatment process 24 hours a day. The District’s water quality monitoring program includes many compounds or water quality parameters that are not regulated or harmful, such as Hardness, Alkalinity, Magnesium and many others. Knowledge of these parameters allows us to provide you with the best treatment available.

The table contains the name of each substance, the highest level allowed by regulation (MCL), the ideal goals for public health (MCLG/PHG), the range of samples detected from lowest to highest, and the usual sources of the constituent. To help you understand these tables, we have included definitions and notes to the right and on the following page.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA Safe Drinking Water Hotline.

USEPA Safe Drinking Water Hotline ► (800) 426-4791



PRIMARY DRINKING WATER STANDARDS (PUBLIC HEALTH RELATED STANDARDS)									
PARAMETER	Unit	MCL, (AL), or [MRDL]	PHG, (MCLG), or [MRDLG]	Nunes WTP		Denniston WTP		Typical Sources*	
				Average	Range	Average	Range		
TREATMENT PLANT WATER SAMPLING									
INORGANIC CHEMICALS									
Aluminum	ppm	1	0.6	ND	ND–0.07	ND	ND	3, 4	
Fluoride	ppm	2	1	ND	ND–0.3	0.2	0.2	3, 5, 6	
Nitrate (NO ₃) as Nitrogen (N)	ppm	10	10	0.5	0.5	ND	ND	3, 18, 19	
DISINFECTION BYPRODUCT PRECURSOR									
Total Organic Carbon	ppm	TT	NA	1.0	0.8–1.6	1.0	0.7–1.7	8	
MICROBIOLOGICAL									
Turbidity	NTU	TT _a	NA	0.026	0.019– 0.062	0.024	0.018–0.144	2	
DISTRIBUTION SYSTEM SAMPLING								Typical Sources*	
DISINFECTION RESIDUAL				Average		Range			
Disinfectant Residual as Chlorine (Cl ₂)	ppm	[4]	[4]	0.86		0.20–1.46		1	
DISINFECTION BYPRODUCTS				Highest Location RAA		Range			
Total Trihalomethanes (TTHMs)	ppb	80	NA	53		32–66		7	
Total Haloacetic Acids (HAA5)	ppb	60	NA	24		11–24		7	
LEAD AND COPPER (2024 AT-THE-TAP SAMPLING)				90 th percentile		Samples above AL			
Lead (42 Sample Sites) _b	ppb	(15)	0.2	1.7		None		3, 15, 17	
Copper (42 Sample Sites)	ppm	(1.3)	0.3	0.080		None		3, 15, 16	
SECONDARY DRINKING WATER STANDARDS (AESTHETIC STANDARDS)									
PARAMETER	Unit	MCL		Average	Range	Average	Range	Typical Sources*	
Aluminum	ppb	200		ND	ND–68	ND	ND	3, 4	
Chloride	ppm	500		26	21–33	34	32–37	9, 10, 12	
Color	Color Units	15		ND	ND–5	3	ND–7	3, 15, 16	
Foaming Agents (surfactants)	ppb	500		ND	ND	ND	ND–80	13, 20	
Manganese	ppb	50		ND	ND–35	ND	ND	10	
Odor – Threshold	T.O.N.	3		2	ND–4	1	ND–3	11	
Silver	ppb	100		ND	ND–3	ND	ND	13	
Specific Conductance	µS/cm	1600		303	228–359	303	278–333	12, 14	
Sulfate	ppm	500		22	18–28	6	5–8	9, 10, 13	
Total Dissolved Solids	ppm	1000		178	124–234	173	142–188	9, 10	
OTHER WATER QUALITY PARAMETERS									
PARAMETER	Unit	MCL, (AL), or [MRDL]	PHG, (MCLG), or [MRDLG]	Nunes WTP		Denniston WTP		Distribution System	
				Average	Range	Average	Range	Average	Range
PFAS _c	ppt	4–10	(0–10)	ND	ND	ND	ND	NA	NA
PARAMETER	Unit	Notification Level		Average	Range	Average	Range	Average	Range
Alkalinity	ppm	NS		88	54–112	91	78–100	NA	NA
Boron	ppb	1000		ND	ND	ND	ND	NA	NA
Calcium	ppm	NS		25	14–33	21	19–24	NA	NA
Hardness (as Calcium Carbonate)	ppm	NS		94	52–122	79	71–89	NA	NA
Magnesium	ppm	NS		8	4–10	7	6–7	NA	NA
Potassium	ppm	NS		0.8	0.5–1.1	0.9	0.6–1.2	NA	NA
pH	no unit	NS		8.2	7.7–8.7	8.2	7.4–8.6	NA	NA
Sodium	ppm	NS		25	21–31	31	27–37	NA	NA

Abbreviations

DDW	Division of Drinking Water
NA	Not applicable
ND	Not detected
NS	No standard established
NTU	Nephelometric turbidity unit
ppb	Parts per billion (micrograms per liter)
ppm	Parts per million (milligrams per liter)
µS/cm	MicroSiemens per centimeter
RAA	Running annual average
SFPUC	San Francisco Public Utilities Commission
TON	Threshold odor number
USEPA	United States Environmental Protection Agency
WTP	Water Treatment Plant

Table Notes

- a For filtered water, the MCL is ≤0.3 NTU 95% of the time and ≤1 NTU at any time. This standard was met 100% of the time.
- b In 2025, there were no requests for lead testing in schools.
- c PFAS testing was conducted in 2024 and the first quarter of 2025. Results consist of both regulated and unregulated chemicals tested by the District.

* Typical Sources in Drinking Water

- 1 Drinking water disinfectant added for treatment
- 2 Soil runoff
- 3 Erosion of natural deposits
- 4 Residue from some surface water treatment processes
- 5 Water additive that promotes strong teeth
- 6 Discharge from fertilizer and aluminum factories
- 7 By-product of drinking water disinfection
- 8 Various natural and man-made sources
- 9 Runoff from natural deposits
- 10 Leaching from natural deposits
- 11 Naturally occurring organic materials
- 12 Seawater influence
- 13 Industrial wastes
- 14 Substances that form ions when in water
- 15 Internal corrosion of household plumbing systems
- 16 Leaching from wood preservatives
- 17 Discharges from industrial manufacturers
- 18 Runoff and leaching from fertilizer use
- 19 Leaching from septic tanks and sewage
- 20 Municipal waste discharges



More information ►

For more information about this report or the District’s water quality monitoring program contact: Sean Donovan, Water Treatment Manager (650) 276-0817.

Definitions of Key Terms

Maximum Contaminant Level (MCL). The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water. MCLs are established by USEPA and the State Water Board.

Maximum Contaminant Level Goal (MCLG). The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the USEPA.

Maximum Residual Disinfectant Level (MRDL). The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG). The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Notification Level (NL). Notification levels are health-based advisory levels established by the State Water Board for chemicals in drinking water that lack MCLs. When chemicals are found at concentrations greater than their notification levels, certain requirements and recommendations apply.

Per- and Polyfluoroalkyl Substances (PFAS). A group of thousands of manufactured chemicals that have been used in a variety of industrial and consumer products since the 1940s which are very stable in the environment and resistant to breaking down and for which long term exposure is potentially harmful to health.

Primary Drinking Water Standard (PDWS). MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Public Health Goal (PHG). The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Regulatory Action Level (AL). The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Treatment Technique (TT). A required process intended to reduce the level of a contaminant in drinking water.

Total Organic Carbon (TOC). TOC has no health effects. However, TOC provides a medium for the formation of disinfection byproducts including trihalomethanes and haloacetic acids. Drinking water containing disinfection byproducts in excess of the MCL may lead to adverse health effects, liver or kidney problems, or nervous system effects, and may lead to an increased risk of cancer.

Turbidity. Turbidity has no health effects. It is a measure of water clarity and is monitored because it is a good indicator of water quality and the effectiveness of a filtration system. The MCL for turbidity is based on the TT. For unfiltered water, the MCL is 5.0 NTU. For filtered water, the MCL is ≤ 0.3 NTU 95% of the time and ≤ 1 NTU at any time.

Waiver. State permission to decrease the monitoring frequency for a particular contaminant.

Health and Education Information

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- **Microbial Contaminants** such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- **Inorganic Contaminants** such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- **Pesticides and Herbicides** that may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- **Organic Chemical Contaminants** including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application and septic systems.
- **Radioactive Contaminants** that can be naturally-occurring or be the result of oil and gas production and mining activities.

To ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Water Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy; persons who have undergone organ transplants; people with HIV/AIDS or other immune system disorders; some elderly; and infants can be particularly at risk from infections. These people should seek advice from their health care providers.

USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the USEPA Safe Drinking Water Hotline.

USEPA Safe Drinking Water Hotline ► (800) 426-4791



Important Information about your Water Quality

Lead

Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breastfed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and in home plumbing. The District is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead at one point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter, certified by an American National Standards Institute accredited certifier to reduce lead, is effective in reducing lead exposures. Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula. Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formula, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry or a load of dishes. If you have a lead service line or galvanized service line requiring replacement, you may need to flush your pipes for a longer period. If you are concerned about lead in your water and wish to have your water tested, contact the District at (650) 276-0817. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at www.epa.gov/safewater/lead.

Lead Pipeline Inventory

The USEPA issued revisions in 2021 and 2024 to the existing Lead and Copper Rule (LCR) that was first implemented in 1991. The Revised LCR (2021) and LCR Improvements (2024) were issued to address concerns about the presence of lead in drinking water throughout the nation.

Drinking water systems were required to develop an inventory of water services from the water main in the street up to the meter, including the connection to the meter on the private property side. This inventory identified the material used for the pipes and fittings supplying the drinking water to customers. It is not common for public water systems in California to use lead pipes and fittings.

Upon completion of this inventory, the District did not identify any lead pipe or fittings. You can find the District's inventory and additional information about lead in drinking water on our website.

coastsidewater.org/production/water-quality/lead-information



Hardness

Water hardness is determined mainly by the presence of calcium and magnesium salts. Although hard water does not pose a health risk, it may be considered undesirable for other reasons. Some benefits of water softening are reductions in soap usage, longer life for water heaters and a decrease in encrustation of pipes. Some disadvantages of water softening are an increase in sodium intake (depending on type of water softener used), an increase in maintenance and servicing requirements and potential adverse effects on salt-sensitive plants and landscaping. To convert hardness from ppm to grains per gallon, divide by 17.1. A hardness scale is provided for your reference.

Hardness Classification	Grains per Gallon	mg/L or ppm
Soft	less than 1.0	less than 17.1
Slightly hard	1.0–3.5	17.1–60
Moderately hard	3.5–7.0	60–120
Hard	7.0–10.5	120–180
Very hard	over 10.5	over 180

Facility Highlight:

Carter Hill Tank Project

The Carter Hill tank site has three treated water storage tanks at the site, built between 1950 and 1963, for a total of 2.5 million gallons of water storage.

The Carter Hill Prestressed Concrete Tank and Seismic Upgrades Project involves the demolition and removal of two of the tanks and construction of a new 2.1 million gallon prestressed concrete tank, yard piping, and related infrastructure. The new tank will meet current seismic standards and improve hydraulic conditions in the water system to provide safe and reliable drinking water to the community. Water storage is important to the water system to provide capacity for fire fighting, peak demand, and operational flexibility.



New 2.1 million gallon prestressed concrete tank on Carter Hill

The project commenced in January 2025 with scheduled completion in Summer of 2026. This is a \$10.9 million investment in the water system with an expected 80-year life cycle.

Visit the District's website for more information on its Capital Improvement Program. coastsidewater.org/projects

Connect With Us!

The District encourages community participation in the decisions affecting drinking water. Regular Board meetings occur at 6:00 p.m. on the second Tuesday of each month in the District's Board Room at 766 Main Street, Half Moon Bay, CA 94019. Videos of past Board meetings are available at www.coastsidewater.org/board-activities/board-meeting-videos.html, and are also broadcast on Pacific Coast Television.



If you have any questions or desire additional information about this report or water quality, contact Sean Donovan, Water Treatment Manager, at (650) 276-0817.

To receive communications from the District about current

events and news, sign up for our E-newsletter on the District's website.

To communicate with Customer Service and Utility Billing (650) 726-4405 | customerservice@coastsidewater.org

WaterSmart




The District partners with VertexOne Software to offer customers access to a free web portal.

In the portal you can:

- View hourly and daily water usage.
- Set up high usage alerts.

To register for the free web portal, go to the WaterSmart sign up page or email watersmart@coastsidewater.org and ask for a link to register. Make sure you have your water account, email, and zip code.



coastsidewater.watersmart.com

Questions? Email watersmart@coastsidewater.org or call (650) 726-4405.

Service Area Map

District service areas (in green) include the City of Half Moon Bay and unincorporated areas of San Mateo County including San Mateo Road, Moonridge, El Granada, Miramar, and Princeton.

