



583 San Ysidro Road,
Montecito, CA 93108
phone: 805.969.2271
email: info@montecitowater.com



Message from Nick Turner, General Manager

2018 was a year of challenges and opportunities for MWD, as it was for the entire community. When the rains came shortly after the Thomas Fire, and caused the January 9, 2018 debris flows, MWD's infrastructure was severely impacted. Our disaster response was immediate, and included the issuance of a Boil Water Notice. Water service was fully restored within 30 days, including all work needed to access, repair and disinfect our heavily damaged facilities. The MWD team, with tremendous support from mutual aid and neighboring agencies, did a remarkable job in extreme conditions.

While nothing could have prepared us for the unprecedented twin disasters, in completing the needed repairs we've utilized all available opportunities to upgrade infrastructure, thereby maximizing the resilience of MWD facilities. The test results included in this report demonstrate that MWD's water quality met or exceeded all state and federal standards in 2018. The Montecito and Summerland communities can be assured of MWD's unwavering commitment to providing a reliable supply of high quality water to our customers — under any circumstances. If ever we can be of assistance, please contact us.

We encourage public participation.

For meeting times, agendas, and additional resources:
www.montecitowater.com

2018 ANNUAL DRINKING WATER CONSUMER CONFIDENCE REPORT

This report explains where your water comes from, provides information on water quality and how it is measured, and presents the District's 2018 test results which show that **drinking water met, or was better than, state and federal water quality standards.**



OUR WATER SOURCES >>

LOCAL SURFACE WATER

Lake Cachuma (A Primary Water Source)

Tecolote Tunnel

Carries water from Lake Cachuma 6.4 miles through the Santa Ynez mountains to the South Coast.

South Coast Conduit Pipeline

Conveys water from Tecolote Tunnel across the South Coast, from Goleta to Carpinteria.

Cater Treatment Plant City of Santa Barbara

Provides treated water to Montecito Water District via the South Coast Conduit.

Jameson Lake (A Primary Water Source)

Doulton Tunnel

Carries water 2.2 miles from Jameson Lake, and ground water seeps into it providing additional supply.

Bella Vista and Doulton Treatment Plants

The District provides treated water from Jameson Lake and Doulton Tunnel to customers.

POTENTIAL NEW SOURCES

Desalinated water

The District is working toward participation in the regional use of the City of Santa Barbara's desalination facility.

Recycled water

The District facilitates the import of recycled water from South Coast recycled water facilities, and is evaluating recycled water feasibility.

SUPPLEMENTAL SURFACE WATER

State Water Project Table A Allocation and Supplemental Water Purchases

San Luis Reservoir

Stores State Water and supplemental water supplies.

California Aqueduct and the Coastal Branch Pipeline

Convey water from San Luis Reservoir to Lake Cachuma.

LOCAL GROUNDWATER

Groundwater wells

District groundwater resources are limited, but provide an important and reliable supply.

CONSERVATION

Efficient use of water

Customers have reduced overall water use, and are achieving the District's current conservation target of 30% or more. Conservation is a California way of life!

Este informe contiene información muy importante sobre su agua potable.

Tradúzcalo o hable con alguien que lo entienda bien. Para información en español llame al 805.969.2271.

Montecito's Water Quality Summary 2018

Primary Standards (PDWS)	Units	Maximum Contaminant Level	Public Health Goal (MCLG)	Jameson Lake Average	Jameson Lake Range	Ground Water Average	Ground Water Range	Cachuma Lake Average	Cachuma Lake Range	Common Sources of Contamination in Drinking Water
Water Clarity										
Treated Turbidity	NTU	TT = 1 NTU TT = 95% of Samples < 0.3	NA	0.07	0.03 - 0.22 100%	0.20	0.10 - 0.20 100%	NA	ND - 0.10 100%	Soil runoff.
Radioactive Contaminants										
Gross Alpha Particle Activity	pCi/L	15	(0)	1.74	1.74	2.63	1.72 - 3.86	ND	NA	Erosion of natural deposits.
Uranium	pCi/L	20	0.43	NA	NA	1.10	0.82 - 1.56	0.66	ND - 0.83	
Inorganic Contaminants										
Aluminum	µg/L	1000	600	10	ND - 20	ND	ND	30	ND - 60	Erosion of natural deposits; residue from some surface water treatment processes.
Arsenic	µg/L	10	0.004	ND	ND	0.25	ND - 1.0	2.3	ND - 4.5	Erosion of natural deposits.
Fluoride	mg/L	2	1	0.2	0.2	0.8	0.5 - 1.0	0.33	ND - 0.45	Erosion of natural deposits; discharge from fertilizer.
Nitrate as N (Nitrogen)	mg/L	10	10	ND	ND	1.99	0.6 - 6.4	ND	NA	Runoff or leaching from fertilizer use; leaching from septic tanks and sewage; erosion from natural deposits
Selenium	µg/L	50	30	ND	ND	4.8	2.0 - 9.0	NA	NA	Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive).
Primary Standards for Distribution System	Units	Maximum Contaminant Level		Public Health Goal (MCLG)	Distribution System Average		Distribution System Range	Common Sources of Contamination in Drinking Water		
Disinfectant										
Free Chlorine Residual	mg/L	MRDLG, 4.0		MRDLG, 4.0	0.73		0.20 - 3.40	Drinking water disinfectant added for treatment		
Disinfection By Products										
Total Trihalomethanes	µg/L	80		NA	Highest LRAA, 77.2		36.0 - 136.0	By-product of drinking water disinfection		
Haloacetic Acids	µg/L	60		NA	Highest LRAA, 32.2		3.0 - 59.0	By-product of drinking water disinfection		
Bromate (Cachuma Lake)	µg/L	10		0.1	4.5		3.2 - 5.7	By-product of drinking water disinfection		
Microbiological Contaminant Samples										
Total Coliform Bacteria	% Tests Positive	<5% of Monthly Samples		0	3.33%		0 - 2	Naturally present in the environment.		
Cryptosporidium	No. of oocyst/L	TT		0	0		0	Naturally present in the environment.		
Lead and Copper Rule (2018)	Units	RAL	PHG	Samples collected	Above RAL	90th Percentile				
Lead	µg/L	15	0.2	32	0	ND	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits.			
Copper	µg/L	1300	300	32	0	309	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.			
Secondary Standards	Units	Maximum Contaminant Level	Jameson Lake Average	Jameson Lake Range	Ground Water Average	Ground Water Range	Cachuma Lake Average	Cachuma Lake Range	Common Sources of Contamination in Drinking Water	
Aesthetic Standards										
Chloride	mg/L	500	7	7	256	142 - 472	60	33 - 140	Runoff or leaching from natural deposits; seawater influence.	
Iron	µg/L	300	ND	ND	25	ND - 110	14	ND - 21	Leaching from natural deposits; industrial wastes.	
Manganese	µg/L	50	ND	ND	10	ND - 30	0.53	ND - 0.64	Leaching from natural deposits.	
Threshold Odor at 60 degrees celcius	Units	3	ND	ND	ND	ND	3	2 - 3	Naturally-occurring organic minerals.	
Specific Conductance	µS/cm	1600	781	781	1602	1140 - 1830	867	550 - 1050	Substances that form ions in water; seawater influence.	
Sulfate	mg/L	500	173	173	197	120 - 261	210	2.3 - 335	Runoff or leaching from natural deposits; industrial wastes.	
Total Dissolved Solids	mg/L	1000	510	510	1043	650 - 1180	595	270 - 804	Runoff or leaching from natural deposits.	
Zinc	mg/L	5	ND	ND	0.013	ND - 0.030	NA	NA	Runoff or leaching from natural deposits; industrial wastes.	

Secondary Standards	Units	Maximum Contaminant Level	Jameson Lake Average	Jameson Lake Range	Ground Water Average	Ground Water Range	Cachuma Lake Average	Cachuma Lake Range
Additional Constituents Analyzed								
pH	pH units	NS	7.87	7.60 - 8.30	7.4	7.3 - 7.4	7.76	7.50 - 9.03
Total Hardness	mg/L	NS	385	368 - 412	458	190 - 706	330	58 - 476
Total Alkalinity	mg/L	NS	191	156 - 208	210	190 - 230	170	51 - 205
Calcium	mg/L	NS	92	92	116	48 - 169	79	21 - 106
Magnesium	mg/L	NS	21	21	41	17 - 69	30	1.4 - 45
Sodium	mg/L	NS	30	30	99	65 - 141	60	51 - 80
Potassium	mg/L	NS	2	2	1	1	4.4	3.8 - 5.1
Boron	µg/L	NS	NA	ND	ND	20	ND - 80	NA

Lead and Copper Rule: Every three years, a minimum of 30 residences are tested for lead and copper levels at the tap. The most recent set of 32 samples was collected in 2017. All of the samples were well below the regulatory action level (RAL). Copper was detected in 29 samples. The 90th percentile value was at 309 ug/L. Lead was detected in 1 sample (7.6 ug/L). The 90th percentile value was Non-Detect. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Montecito Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components on private property. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/lead>.

Nitrate as N (Nitrogen) Systems with nitrate (as nitrogen) above 5 mg/L (50% of the MCL), but below 10 mg/L (the MCL), must include the following statement: Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant’s blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

MWD’s highest nitrate level in 2018 was 6.4 mg/L

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-

occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.

Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S Environmental Protection Agency (USEPA) and the California Department of Public Health (CDPH) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. CDPH regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Last year, as in years past, your tap water met all EPA and State drinking water health standards. Montecito Water District vigilantly safeguards its water supplies and once again we are proud to report that our system has never violated a maximum contaminant level or any other water quality standard. This brochure is a snapshot of last year’s water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards. We are committed to providing you information because informed customers are our best allies.

contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Drinking Water Info

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency’s (USEPA’s) Safe Drinking Water Hotline (1-800-426-4791).

WATER QUALITY TERMINOLOGY

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Primary Drinking Water Standard (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Regulatory Action Level (RAL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

mg/L: Milligrams per liter, or parts per million. 1 mg/L is equal to about one drop in 17 gallons of water.

µg/L: Micrograms per liter, or parts per billion. 1 ug/L is equal to about one drop in 17,000 gallons of water.

< : Less than.

NA: Not applicable.

NS: No Standard.

ND: Non-detected.

pCi/L: Pico curies per liter, a measure of radiation.

umhos/cm: Micromhos per centimeter (an indicator of dissolved minerals in water).

NTU: Nephelometric turbidity unit.

LRAA: Locational Running Annual Average

For Water Softeners: MWD’s surface water has a hardness range of 21 to 24 grains per gallon, while groundwater has a hardness range of 15 to 34 grains per gallon. One grain per gallon equals 17.1 mg/L.

Footnotes:

The State allows monitoring of some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data presented herein, though representative, are more than one year old.

Surface water sources include the District’s Jameson Lake and Lake Cachuma. The District’s Amapola Well, Paden Well No. 2, Ennisbrook Well No. 5, Ennisbrook Well No. 2 and T Mosby Well No. 2 were used as groundwater supply sources.

On average, 47 coliform samples were collected each month at 12 District sampling stations in compliance with the Federal Revised Total Coliform Rule. All sample results were negative.

Turbidity is a measure of the cloudiness of the water. Montecito Water District monitors for it continuously because turbidity is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants. 100% of the District’s samples met the Turbidity Performance standard. The highest single surface water turbidity measurement during the year was 0.22 NTU.

Source Water Assessment: A comprehensive source water assessment of the District’s drinking water sources was adopted in May 2017. A copy of this report is available for public inspection at the District Office.

People with Sensitive Immune Systems

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial

Droughts may come and
droughts may go...
Water Conservation is a
California Way of Life!



Jameson Lake spilled
February 3, 2019 for the
first time since 2011.

BOARD OF DIRECTORS:
Floyd Wicks, *President*
Ken Coates, *Director*
Cori Hayman, *Director*
Brian Goebel, *Director*
Tobe Plough, *Vice-President*
(left to right)

Nick Turner, P.E.
General Manager & Board Secretary
(not pictured)



583 San Ysidro Road,
Montecito, CA 93108
phone: 805.969.2271
www.montecitowater.com