2023 Consumer Confidence Report

Water System Name: Casa de Fruta Report Date: 3/15/2024

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2023.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.

Type of water source(s) in use: Well

Name & location of source(s): Supply Well #5, Supply Well #6 10011 Pacheco Pass Hwy Hollister, CA 95023

Drinking Water Source Assessment information: Most recent assessment was conducted by the California Rural Water Association, January 2004. The source public system code is 4300611-002&004. The summary states that the most vulnerable activities are: Septic Systems – low density and Agricultural Irrigation Wells. No chemicals were detected in the water. A copy of the full assessment is available at 10021 Pacheco Pass Hwy Hollister, CA 95023 by contacting the below. The most recent Sanitary Survey was conducted on April 19, 2021.

Time and place of regularly scheduled board meetings for public participation:

None, however you may contact us to ask questions or provide input.

For more information, contact: Joe C. Zanger Phone: (408) 842-7282 x354

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring

2010 SWS CCR Form

Revised Jan 2011

minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the state Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public bealth

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

				THE DETEC	TIONUF	COLIFORM BACTERIA
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation	Me	CL	MCLG	Typical Source of Bacteria
Total Coliform Bacteria	0	0	More than 1 sar with a detection	nple in a month	0	Naturally present in the environment
Fecal Coliform or <i>E. coli</i>	0	0	A routine samp sample detect to and either samp fecal coliform o	otal coliform de also detects	0	Human and animal fecal waste
TABLE 2	- SAMPLING	G RESUL	TS SHOWING	THE DETE	CTION O	F LEAD AND COPPER
Lead and Copper (complete if lead or copper detected in the last sample set)	No. of samples collected	90 th percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant
Lead (ppb)	5	0.000	0	15	2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natura deposits
Copper (ppm)	5	0.000	0	1.3	0.17	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
	TABLE 3 –	SAMPLIN	NG RESULTS	FOR SODIU	M AND H	ARDNESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium ppm	8/25/22	32		none	none	Salt present in the water and is generally naturally occurring
Hardness ppm	8/25/22	240		none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium.

2010 SWS CCR Form

and are usually natural ly occurring *Any violation of an MCL or AL is asterisked. Additional information regarding the violation is provided later in this report. TABLE 4 – DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD PHG Chemical or Constituent Sample Level Range of MCL (MCLG) (and reporting units) Date Detected Typical Source of Contaminant Detections [MRDL] MRDLG Nitrate ppm 12/14/23 3.6 3.6 10 10 Runoff and leaching from fertilizer use: leaching from septic tarnks and sewage; erosion of natural deposits Fluoride ppm 8/25/22 .26 2 1 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and alumninum factories Barium ppb 8/25/22 75 Discharge of oil drilling wastes and from metal refineries; erosion of natural deposits 1000 2 TABLE 5 – DETECTION OF CONTAMINANTS WITH A <u>SECONDARY</u> DRINKING WATER ST ANDARD Chemical or Constituent Sample Level Range of RL or **PHG** (and reporting units) Date Typical Source of Contaminant Detected Detections **MCL** (MCLG) Aluminum mg/L 8/25/22 ND ND - ND .050 Sulfate ppm 8/25/22 44 500 Chloride ppm 8/25/22 19 500 Specific Conductance 8/25/22 610 1600 umho/cm Total Filterable Residue 8/25/22 350 1500 ppm TABLE 6 - DETECTION OF UNREGULATED CONTAMINANTS Chemical or Constituent Sample Level Range of (and reporting units) Notification Level Date Health Effects Language Detected Detections None

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

^{*}Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

Violation	Explanation		Actions Taken to Correct	
	zapanation .	Duration	the Violation	Health Effect Language
None				Language
]				
	1			

For Water Systems Providing Ground Water as a Source of Drinking Water

FECAL	TABLE 7 INDICATOR-F	– SAMPLING POSITIVE GR	G RESULTS COUND WA	S SHOWING TER SOUR	CE SAMPLES
Microbiological Contaminants (complete if feeal-indicator detected)	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
E. coli	0		0	(0)	Human and animal fecal waste
Enterococci	0		TT	n/a	Human and animal fecal waste
Coliphage	0	-	TT	n/a	Human and animal fecal waste

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

	SPECIAL NOTICE FOR	UNCORRECTED SI	GNIFICANT DEFICIENCIES	
		ONCORRECTED SIG	INITICANT DEFICIENCIES	
	·			
	VIOLA	TION OF GROUND V	VATER TT	
TT Violation None	VIOLATE Explanation	ΓΙΟΝ OF GROUND \ Duration	VATER TT Actions Taken to Correct the Violation	Health Effects Language

For Systems Providing Surface Water as a Source of Drinking Water TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES Treatment Technique (2) (Type of approved filtration technology used) Turbidity Performance Standards (2) (that must be met through the water treatment process) 1 - Be less than or equal to	Consumer Confidence Rep	oort			Page 5
Treatment Technique (a) (Type of approved filtration technology used) Turbidity Performance Standards (b) (that must be met through the water treatment process) Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1. Lighest single turbidity measurement during the year Number of violations of any surface water treatment equirements A required process intended to reduce the level of a contaminant in drinking water. 1 Turbidity results which meet performance standards are considered to be in compliance with filtration requirements. In yevolation of a TI is marked with an asserisk. Additional information regarding the violation is provided below. Summary Information for Violation of a Surface Water TT TI Violation Explanation Duration Actions Taken to Correct the lefects the Violation Health Effects Language N/A					
Trubidity Performance Standards (h) (that must be met through the water treatment process) Turbidity Performance Standards (h) (that must be met through the water treatment process) Turbidity Performance Standards (h) (that must be met through the water treatment process) Turbidity Performance Standards (h) Turbidity Performance Standards (h) Turbidity Performance Standard No. 1. Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1. Italy be stingle turbidity measurement during the year Number of violations of any surface water treatment equirements A required process intended to reduce the level of a contaminant in drinking water. Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performate Turbidity results which meet performance standards are considered to be in compliance with filtration requirements. In violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below. Summary Information for Violation of a Surface Water TT TViolation Explanation Duration Actions Taken to Correct the Violation Explanation Duration the Violation the V	For S	Systems Providing S	Surface Water as	a Source of Drinking W	ater
Turbidity of the filtered water must: Turbidity Performance Standards (b) Turbidity of the filtered water must: 1 - Be less than or equal to NTU in 95% of measure ments in a month that must be met through the water treatment process) Not exceed NTU for more than eight consecutive hours. Not exceed NTU at any time.		SAMPLING RESULTS S	SHOWING TREATM	ENT OF SURFACE WATERS	OURCES
I - Be less than or equal toNTU in 95% of measurements in a month (that must be met through the water treatment process) 2 - Not exceedNTU for more than eight consecutive hours.		technology used)			
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1. Fighest single turbidity measurement during the year			1 – Be less than 2 – Not exceed	or equal toNTU in 95% of mo	easure ments in a month.
In A required process intended to reduce the level of a contaminant in drinking water. Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance standards are considered to be in compliance with filtration requirements. In a Turbidity results which meet performance standards are considered to be in compliance with filtration requirements. In a Turbidity results which meet performance standards are considered to be in compliance with filtration requirements. In a Turbidity results which meet performance standards are considered to be in compliance with filtration requirements. Summary Information for Violation of a Surface Water TT VIOLATION OF A SURFACE WATER TT TT Violation Explanation Duration Actions Taken to Correct the Violation N/A N/A N/A Health Effects Language	Lowest monthly percentage	of samples that met Turbidity		NTO at any time.	
Number of violations of any surface water treatment equirements A required process intended to reduce the level of a contaminant in drinking water. Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performation Turbidity results which meet performance standards are considered to be in compliance with filtration requirements. In violation of a TI is marked with an asterisk. Additional information regarding the violation is provided below. Summary Information for Violation of a Surface Water TT VIOLATION OF A SURFACE WATER TT TT Violation Explanation Duration Actions Taken to Correct the Violation N/A N/A Actions Taken to Correct the Violation N/A		<u> </u>			
A required process intended to reduce the level of a contaminant in drinking water. Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance standards are considered to be in compliance with filtration requirements. In violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below. Summary Information for Violation of a Surface Water TT VIOLATION OF A SURFACE WATER TT TT Violation Explanation Duration Actions Taken to Correct the Violation Language N/A N/A	Number of violations of any				
N/A Duration the Violation Language	thy violation of a 11 is mail	ked with an asterisk. Addition	e considered to be in com-	Dilance With filtration requirements	and irrelation performan
N/A		Summary Informati	ion for Violation	of a Surface Water TT	
Public Notification Requirement	S	Summary Informati VIOLAT	ion for Violation	of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects
Public Notification Requirement	TT Violation	Summary Informati VIOLAT	ion for Violation	of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects
Public Notification Requirement	TT Violation	Summary Informati VIOLAT	ion for Violation	of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects
	TT Violation	Summary Informati VIOLAT	ion for Violation	of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects
	TT Violation	Summary Informati VIOLAT Explanation	ion for Violation ION OF A SURFACE Duration	of a Surface Water TT WATER TT Actions Taken to Correct the Violation	Health Effects
	TT Violation	Summary Informati VIOLAT Explanation	ion for Violation ION OF A SURFACE Duration	of a Surface Water TT WATER TT Actions Taken to Correct the Violation	Health Effects
	TT Violation	Summary Informati VIOLAT Explanation	ion for Violation ION OF A SURFACE Duration	of a Surface Water TT WATER TT Actions Taken to Correct the Violation	Health Effects
	TT Violation	Summary Informati VIOLAT Explanation	ion for Violation ION OF A SURFACE Duration	of a Surface Water TT WATER TT Actions Taken to Correct the Violation	Health Effects