# 2020 Consumer Confidence Report

Water System Name: Snug Harbor Resorts

Report Date: May 24, 2021

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2020 and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse Snug Harbor Resorts, LLC a (707) 253-8232 para asistirlo en español.

这份报告含有关于您的饮用水的重要讯息。请用以下地址和电话联系 以获得中文的帮助: Snug Harbor Resorts - 3356 Snug Harbor Dr., Ryer Island, CA - (707) 253-8232.

Ang pag-uulat na ito ay naglalaman ng mahalagang impormasyon tungkol sa inyong inuming tubig. Mangyaring makipag-ugnayan sa Snug Harbor Resorts – 3356 Snug Harbor Dr., Ryer Island, CA o tumawag sa (707) 253-8232 para matulungan sa wikang Tagalog.

Báo cáo này chứa thông tin quan trọng về nước uống của bạn. Xin vui lòng liên hệ Snug Harbor Resorts tại 3356 Snug Harbor Dr., Ryer Island, CA (707) 253-8232 để được hỗ trợ giúp bằng tiếng Việt.

Tsab ntawv no muaj cov ntsiab lus tseem ceeb txog koj cov dej haus. Thov hu rau Snug Harbor Resorts ntawm 3356 Snug Harbor Dr., Ryer Island, CA (707) 352-8232 rau kev pab hauv lus Askiv.

Type of water source(s) in use: Groundwater Wells 02 & DW-1R – Community Water System

Name & general location of source(s): PWS No. 4800561-002/004-located at 3356 Snug Harbor Dr., Ryer Island, CA

Drinking Water Source Assessment information: 08/08/2002 – On file with State Water Resources Control Board

Time and place of regularly scheduled board meetings for public participation:

For more information, contact: Nicole Suard, Esq., Managing Member Phone: (707) 253-8232

#### **TERMS USED IN THIS REPORT**

| Maximum Contaminant Level (MCL): The highest level           | Secondary Drinking Water Standards (SDWS): MCLs for                  |
|--|--|
| of a contaminant that is allowed in drinking water. Primary  | contaminants that affect taste, odor, or appearance of the drinking  |
| MCLs are set as close to the PHGs (or MCLGs) as is           | water. Contaminants with SDWSs do not affect the health at the       |
| economically and technologically feasible. Secondary         | MCL levels.  |
| MCLs are set to protect the odor, taste, and appearance of   | Treatment Technique (TT): A required process intended to             |
| drinking water.  | reduce the level of a contaminant in drinking water.                 |
| Maximum Contaminant Level Goal (MCLG): The level             | Regulatory Action Level (AL): The concentration of a                 |
| of a contaminant in drinking water below which there is no   | contaminant which, if exceeded, triggers treatment or other          |
| known or expected risk to health. MCLGs are set by the       | requirements that a water system must follow.                        |
| U.S. Environmental Protection Agency (U.S. EPA).             | Variances and Exemptions: Permissions from the State Water           |
| Public Health Goal (PHG): The level of a contaminant in      | Resources Control Board (State Board) to exceed an MCL or not        |
| drinking water below which there is no known or expected     | comply with a treatment technique under certain conditions.          |
| risk to health. PHGs are set by the California Environmental | Level 1 Assessment: A Level 1 assessment is a study of the water     |
| Protection Agency.   | system to identify potential problems and determine (if possible)    |
| Maximum Residual Disinfectant Level (MRDL): The              | why total coliform bacteria have been found in our water system.     |
| highest level of a disinfectant allowed in drinking water.   | Level 2 Assessment: A Level 2 assessment is a very detailed study    |
| There is convincing evidence that addition of a disinfectant | of the water system to identify potential problems and determine (if |
| is necessary for control of microbial contaminants.          | possible) why an E. coli MCL violation has occurred and/or why       |
| Maximum Residual Disinfectant Level Goal (MRDLG):            | total coliform bacteria have been found in our water system on       |
| The level of a drinking water disinfectant below which there | multiple occasions.  |
| is no known or expected risk to health. MRDLGs do not        | ND: not detectable at testing limit                                  |
| reflect the benefits of the use of disinfectants to control  | <b>ppm</b> : parts per million or milligrams per liter (mg/L)        |
| microbial contaminants.                                      | <b>ppb</b> : parts per billion or micrograms per liter ( $\mu$ g/L)  |
| Primary Drinking Water Standards (PDWS): MCLs and            | <b>ppt</b> : parts per trillion or nanograms per liter (ng/L)        |
| MRDLs for contaminants that affect health along with their   | <b>ppq</b> : parts per quadrillion or picogram per liter (pg/L)      |
|  | pCi/L: picocuries per liter (a measure of radiation)                 |

**The sources of drinking water** (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

#### Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- *Radioactive contaminants*, that can be naturally-occurring or be the result of oil and gas production and mining activities.

**In order to ensure that tap water is safe to drink**, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

| TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA   |                                 |                      |  |  |         |          |  |
|---|---------------------------------|----------------------|--|--|---------|----------|--|
| Microbiological<br>Contaminants<br>(complete if bacteria detected)  | Highest No.<br>of<br>Detections | No. of mo<br>violati |  | MCL  |         | MCLG     | Typical Source of Bacteria   |
| Total Coliform Bacteria<br>(state Total Coliform Rule)  | (In a mo.)<br>0                 | 0                    |  | 1 positive monthly sample <sup>(a)</sup>   |         | 0        | Naturally present in the environment   |
| Fecal Coliform or <i>E. coli</i><br>(state Total Coliform Rule)   | (In the year)<br>0              | 0                    |  | A routine sample and<br>a repeat sample are<br>total coliform<br>positive, and one of<br>these is also fecal<br>coliform or <i>E. coli</i><br>positive |         |          | Human and animal fecal waste   |
| <i>E. coli</i><br>(federal Revised Total<br>Coliform Rule)  | (In the year)<br>0              | 0                    |  | (b)  |         | 0        | Human and animal fecal waste   |
| <ul> <li>(a) Two or more positive monthly samples is a violation of the MCL</li> <li>(b) Routine and repeat samples are total coliform-positive and either is <i>E. coli</i>-positive or system fails to take repeat samples following <i>E. coli</i>-positive routine sample or system fails to analyze total coliform-positive repeat sample for <i>E. coli</i>.</li> </ul> |                                 |                      |  |  |         |          |  |
| TABLE 2   | – SAMPLIN                       | IG RESUL             | TS SHC   | WING T   | HE DETE | CTION OF | LEAD AND COPPER  |
| Lead and Copper<br>(complete if lead or copper<br>detected in the last sample set)  | Sample<br>Date                  | samples<br>collected | 90 <sup>th</sup><br>percenti<br>le level<br>detected | No.<br>sites<br>exceedi<br>ng AL   | AL      | PHG      | Typical Source of Contaminant  |
| Lead (ppb)  | 03/06/18                        | 5                    | ND   |  | 15      | 0.2      | Internal corrosion of household water<br>plumbing systems; discharges from<br>industrial manufacturers; erosion of natural<br>deposits |

| Copper (ppm)  | 03/06/18       | 5                 | ND                      | 1.3               | 0.3                          | Internal corrosion of household plumbing<br>systems; erosion of natural deposits;<br>leaching from wood preservatives              |
|---|----------------|-------------------|-------------------------|-------------------|------------------------------|--|
|   | TABLE 3        | - SAMPLIN         | G RESULTS F             | OR SODIU          | JM AND H                     |  |
| Chemical or Constituent<br>(and reporting units)                    | Sample<br>Date | Level<br>Detected | Range of<br>Detections  | MCL               | PHG<br>(MCLG)                | Typical Source of Contaminant  |
| Sodium (ppm)  | 11/04/19       | 135               | 130 - 140               | none              | none                         | Salt present in the water and is generally naturally occurring   |
| Hardness (ppm)  | 11/04/19       | 161.5             |                         | none              | none                         | Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring               |
| TABLE 4   | - DETECTIO     | ON OF CONTA       | MINANTS WITH            | I A <u>PRIMAR</u> | <u>Y</u> DRINKING            | WATER STANDARD   |
| <b>Chemical or Constituent</b> (and reporting units)                | Sample<br>Date | Level<br>Detected | Range of<br>Detections  | MCL<br>[MRDL]     | PHG<br>(MCLG)<br>[MRDLG<br>] | Typical Source of Contaminant  |
| *Arsenic<br>ppb   | 11/02/20       | *13.28            | 8.3 - 19                | 10                | 0.004                        | Erosion of natural deposits; runoff from<br>orchards; glass and electronics<br>production wastes                                   |
| Barium<br>ppm   | 11/04/19       | 0.235             | ND – 0.47               | 1                 | 2                            | Discharge of oil drilling wastes and<br>from metal refineries; erosion of<br>natural deposits                                      |
| Chromium<br>ppb   | 11/04/19       | 55                | ND - 110                | 50                | (100)                        | Discharge from steel and pulp mills<br>and chrome plating; erosion of natural<br>deposits  |
| Fluoride<br>ppm   | 11/04/19       | 0.04              | ND - 0.11               | 2.0               | 1                            | Erosion of natural deposits; water<br>additive which promotes strong teeth;<br>discharge from fertilizer and aluminum<br>factories |
| Gross Alpha Particle Activity<br>pCi/L                              | 05/04/20       | 2.38              | 2.34 - 2.42             | 15                | (0)                          | Erosion of natural deposits  |
| Haloacetic Acids (HAA5)<br>ppb                                      | 11/03/20       | 13.43             |                         | 60                | N/A                          | Byproduct of drinking water disinfection   |
| *TTHMs (Total<br>Trihalomethanes) ppb                               | 11/03/20       | *84.33            |                         | 80                | N/A                          | Byproduct of drinking water disinfection   |
| TABLE 5 – DETE  | CTION OF       | CONTAMI           | NANTS WITH              | A SECON           | DARY DRI                     | NKING WATER STANDARD   |
| Chemical or Constituent<br>(and reporting units)                    | Sample<br>Date | Level<br>Detected | Range of<br>Detections  | MCL               | PHG<br>(MCLG)                | Typical Source of Contaminant  |
| Chloride<br>ppm   | 11/04/19       | 137               | 84 - 190                | 500               |                              | Runoff/leaching from natural deposits;<br>seawater influence   |
| lron<br>ppb   | 11/02/20       | 179               | ND – 390                | 300               |                              | Leaching from natural deposits; industrial wastes  |
| *Manganese<br>ppb   | 11/02/20       | *185              | 44 – 350                | 50                |                              | Leaching from natural deposits   |
| rr <sup>2</sup>   |                | 2                 | ND – 2                  | 3                 |                              | Naturally-occurring organic materials  |
|   | 11/04/19       | -                 |                         |                   |                              |  |
| Odor-Threshold  | 11/04/19       | 720               | 140 - 1300              | 1600              |                              | Substances that form ions when in water; seawater influence  |
| Odor-Threshold<br>Units<br>Specific Conductance                     |                |                   | 140 - 1300<br>3.57 - 29 | 1600<br>500       |                              |  |
| Odor-Threshold<br>Units<br>Specific Conductance<br>µS/cm<br>Sulfate | 11/04/19       | 720               |                         |                   |                              | Runoff/leaching from natural deposits;   |

| Chemical or Constituent<br>(and reporting units) | Sample<br>Date | Level<br>Detected | Range of<br>Detections | Notification Level | Health Effects Language |
|--|----------------|-------------------|------------------------|--------------------|-------------------------|
|  |                |                   |                        |                    |                         |

### **Additional General Information on Drinking Water**

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. <u>Snug Harbor Resorts, LLC</u> is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [Optional: If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4701) or at <u>http://www.epa.gov/lead</u>.

# Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

| VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT |  |  |   |   |  |  |  |
|---|--|--|---|---|--|--|--|
| Violation   | Explanation  | Duration   | Actions Taken to Correct<br>the Violation   | Health Effects<br>Language  |  |  |  |
| *Arsenic  | The raw water source<br>exceeds the MCL for<br>Arsenic | Continuous Raw Well<br>(prior to treatment)            | This water system<br>operates an Iron removal<br>system and consistently<br>delivers water that is<br>below MCL levels for this<br>constituent. | Leaching from natural<br>deposits; industrial<br>wastes   |  |  |  |
| *Manganese  | This system exceeds the<br>MCL.                        | Continuous Raw Well<br>(prior to treatment)            | None  | The notification level<br>for manganese is used<br>to protect consumers<br>from neurological<br>effects. High levels of<br>manganese in people<br>have been shown to<br>result in effects of the<br>nervous system. |  |  |  |
| Total Trihalomethanes   | This system exceeds the MCL.                           | Continuous Distribution<br>System (after<br>treatment) | An Operational<br>Evaluation was<br>submitted to SWRCB on<br>05/20/2021, for further  | Some people who<br>drink water containing<br>trihalomethanes in<br>excess of the MCL over   |  |  |  |

|  | review and action if necessary. | many years may<br>experience liver,<br>kidney, or central<br>nervous system<br>problems, and may<br>have an increased risk<br>of getting cancer. |
|--|---------------------------------|--|
|--|---------------------------------|--|

#### For Water Systems Providing Groundwater as a Source of Drinking Water

| TABLE 7 – SAMPLING RESULTS SHOWING<br>FECAL INDICATOR-POSITIVE GROUNDWATER SOURCE SAMPLES                       |                    |               |                          |                               |                              |  |  |
|---|--------------------|---------------|--------------------------|-------------------------------|------------------------------|--|--|
| Microbiological Contaminants<br>(complete if fecal-indicator detected)Total No. of<br>DetectionsSample<br>Dates |                    | MCL<br>[MRDL] | PHG<br>(MCLG)<br>[MRDLG] | Typical Source of Contaminant |                              |  |  |
| E. coli   | (In the year)<br>0 | Monthly       | 0                        | (0)                           | Human and animal fecal waste |  |  |
| Enterococci   | (In the year)<br>0 |               | TT                       | n/a                           | Human and animal fecal waste |  |  |
| Coliphage   | (In the year)<br>0 |               | TT                       | n/a                           | Human and animal fecal waste |  |  |

### Summary Information for Fecal Indicator-Positive Groundwater Source Samples, Uncorrected Significant Deficiencies, or Groundwater TT

| SPECIAL NOTICE OF FECAL INDICATOR-POSITIVE GROUNDWATER SOURCE SAMPLE |                    |                   |   |                            |  |  |
|--|--------------------|-------------------|---|----------------------------|--|--|
| Not Applicable   |                    |                   |   |                            |  |  |
|  | SPECIAL NOTICE FOR | UNCORRECTED SIGNI | FICANT DEFICIENCIES                       |                            |  |  |
| Not Applicable   |                    |                   |   |                            |  |  |
| VIOLATION OF GROUNDWATER TT  |                    |                   |   |                            |  |  |
| TT Violation   | Explanation        | Duration          | Actions Taken to Correct<br>the Violation | Health Effects<br>Language |  |  |
| Not Applicable   |                    |                   |   |                            |  |  |

# Summary Information for Operating Under a Variance or Exemption

Not Applicable

# Summary Information for Federal Revised Total Coliform Rule Level 1 and Level 2 Assessment Requirements

#### Level 1 or Level 2 Assessment Requirement not Due to an E. coli MCL Violation

Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, waterborne pathogens may be present or that a potential pathway exists through which contamination may enter the drinking water distribution system. We found coliforms indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessment(s) to identify problems and to correct any problems that were found during these assessments.

Snug Harbor was not required to conduct Level 1 or 2 Assessment(s) during 2020.