

## 2022 Consumer Confidence Report

### Water System Information

Water System Name: Madrone Mutual Water Company

Report Date: April 2, 2023

Type of Water Source(s) in Use: Groundwater

Name and General Location of Source(s): Well03, not used regularly and Well04

Drinking Water Source Assessment Information: An assessment of the drinking water source was completed in 2002. At that time, the sources were considered most vulnerable to septic systems (high density >1/acre)

Time and Place of Regularly Scheduled Board Meetings for Public Participation: We meet annually, typically in the fall.

For More Information, Contact: Christopher Brooks at 707-665-0131 or [cxbrooks@gmail.com](mailto:cxbrooks@gmail.com)

### About This Report

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2022 and may include earlier monitoring data.

### Importance of This Report Statement in Five Non-English Languages (Spanish, Mandarin, Tagalog, Vietnamese, and Hmong)

Language in Spanish: Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse Madrone Mutual Water Company a 707-332-0670 para asistirlo en español.

Language in Mandarin: 这份报告含有关于您的饮用水的重要讯息。请用以下地址和电话联系 Madrone Mutual Water Company 以获得中文的帮助: 7729 Isabel Dr., Cotati, CA 94931 707.332.0670.

Language in Tagalog: Ang pag-uulat na ito ay naglalaman ng mahalagang impormasyon tungkol sa inyong inuming tubig. Mangyaring makipag-ugnayan sa Madrone Mutual Water Company, 7729 Isabel Dr., Cotati, CA 94931 o tumawag sa 707-332-0670 para matulungan sa wikang Tagalog.

Language in Vietnamese: Báo cáo này chứa thông tin quan trọng về nước uống của bạn. Xin vui lòng liên hệ Madrone Mutual Water Company tại 707-332-0670 để được hỗ trợ giúp bằng tiếng Việt.

Language in Hmong: Tsab ntawv no muaj cov ntsiab lus tseem ceeb txog koj cov dej haus. Thov hu rau Madrone Mutual Water Company ntawm 707-332-0670 rau kev pab hauv lus Askiv.

## Terms Used in This Report

Term	Definition
Level 1 Assessment	A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
Level 2 Assessment	A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an <i>E. coli</i> MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.
Maximum Contaminant Level (MCL)	The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
Maximum Contaminant Level Goal (MCLG)	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).
Maximum Residual Disinfectant Level (MRDL)	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Maximum Residual Disinfectant Level Goal (MRDLG)	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
Primary Drinking Water Standards (PDWS)	MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
Public Health Goal (PHG)	The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
Regulatory Action Level (AL)	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
Secondary Drinking Water Standards (SDWS)	MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.
Treatment Technique (TT)	A required process intended to reduce the level of a contaminant in drinking water.
Variances and Exemptions	Permissions from the State Water Resources Control Board (State Board) to exceed an MCL or not comply with a treatment technique under certain conditions.
ND	Not detectable at testing limit.
ppm	parts per million or milligrams per liter (mg/L)
ppb	parts per billion or micrograms per liter (µg/L)
ppt	parts per trillion or nanograms per liter (ng/L)
ppq	parts per quadrillion or picogram per liter (pg/L)
pCi/L	picocuries per liter (a measure of radiation)

## Sources of Drinking Water and Contaminants that May Be Present in Source Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

## Regulation of Drinking Water and Bottled Water Quality

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

## About Your Drinking Water Quality

### Drinking Water Contaminants Detected

Tables 1, 2, 3, 4, 5, 6, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

**Table 1. Sampling Results Showing the Detection of Coliform Bacteria**

Complete if bacteria are detected.

Microbiological Contaminants	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria
<i>E. coli</i>	(In the year) 0	0	(a)	0	Human and animal fecal waste

(a) Routine and repeat samples are total coliform-positive and either is *E. coli*-positive or system fails to take repeat samples following *E. coli*-positive routine sample or system fails to analyze total coliform-positive repeat sample for *E. coli*.

**Table 2. Sampling Results Showing the Detection of Lead and Copper**

Complete if lead or copper is detected in the last sample set.

Lead and Copper	Sample Date	No. of Samples Collected	90 <sup>th</sup> Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	7/15/2019	5	4.8	0	15	0.2	0	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	7/15/2019	5	0.54	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

**Table 3. Sampling Results for Sodium and Hardness**

Values for Well04 and Well03 are both reported. In September 2021, we started using only water from Well04. However, in April of 2022, we used water from Well03 for about 10 days.

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	6/15/2020	Well04 68 Well03 51 (Well03 not usually used)	51-68	None	None	Salt present in the water and is generally naturally occurring
Hardness (ppm)	6/02/21	Well04 160 Well 03 140	140-160	None	None	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

Table 4. Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Arsenic (ug/L)	6/15/2020 6/02/2021	Well04 3.5 Well03 4.8	3.5-4.8	10	0.004	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Barium (mg/L)	6/15/2020 6/02/2021	Well04 160 Well03 140	140-160	1	2	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits
Chloride (mg/L)	6/15/2020 6/02/2021	Well04 69 Well03 56	56-69	500		Runoff/leaching from natural deposits; seawater influence
Fluoride (mg/L)	6/15/2020	Well04 0.27		2.0	1	Erosion of natural

	6/02/21	Well03 0.27				deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Gross Particle Alpha Activity pCi/L	9/20/2020	Well04 0.57600		15	(0)	Decay of natural and man-made deposits
Nitrate (mg/L)	6/2/2021  6/8/2022	Well04 0.43  Well03 not detected	n.d – 0.43	10 (as N)		Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Radium-226 (pCi/L)	6/15/2020  6/11/2007	Well04 0.26 Well03 0.099	0.099-0.26		0.05 pCi/L	Erosion of natural deposits
Radium-228 (pCi/L)	6/15/2020 11/04/2007	Well04 0.247 Well03 0.010	0.010-0.247		0.019 pCi/L	Erosion of natural deposits

**Table 5. Detection of Contaminants with a Secondary Drinking Water Standard**

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	SMCL	PHG (MCLG)	Typical Source of Contaminant
Hardness, Total (AS CaCO3)	6/15/2020 6/2/2021	Well04 160 Well03 140	140-160	N/A	N/A	“Hardness” is the sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally occurring.
Iron (ug/L)	12/6/2021  3/7/2022	Well04 none detected Well03 <b>1100</b>	n.d-1600	300		Leaching from natural deposits; industrial wastes

	6/7/2022	Well03 <b>1400</b>				
	7/11/2022	Well03 <b>1400</b>				
	10/10//2022	Well03 <b>1600</b>				
Manganese (ug/L)	6/15/2020 3/7/2022 6/7/2022 7/11/2022 10/10/2022	Well04 22 Well03 <b>180</b> Well03 <b>160</b> Well03 <b>140</b> Well03 <b>150</b>	22-180	50		Leaching from natural deposits
Sodium (mg/L)	6/15/2020 6/2/2021	Well04 68 Well03 21	21-68	N/A	N/A	“Sodium” refers to the salt present in the water and is generally naturally occurring.
Sulfate (mg/L)	6/15/2020 6/2/2021	Well04 18 Well03 41	18-41	500		Runoff/leaching from natural deposits; industrial wastes
Specific Conductance (µS/cm)	6/15/2020 6/2/2021	Well04 590 Well03 500	500-590	1600		Substances that form ions when in water; seawater influence
Total Dissolved Solids (TDS)	6/15/2020 6/2/2021	Well04 350 Well03 310	310-350	1000		Runoff/leaching from natural deposits
Turbidity (Units)	6/15/2020 6/2/2021	Well04 0.3 Well03 8.1	0.3-8.1	5		Soil runoff

**Table 6. Detection of Unregulated Contaminants**

<b>Chemical or Constituent (and reporting units)</b>	<b>Sample Date</b>	<b>Level Detected</b>	<b>Range of Detections</b>	<b>Notification Level</b>	<b>Health Effects</b>
None					

**Additional General Information on Drinking Water**

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA’s Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Madrone Mutual Water Company is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/lead>.

**Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement**

**Table 7. Violation of a MCL, MRDL, AL, TT or Monitoring Reporting Requirement**

<b>Violation</b>	<b>Explanation</b>	<b>Duration</b>	<b>Actions Taken to Correct Violation</b>	<b>Health Effects Language</b>
Iron	Well04 had no detectible iron, but Well03 violated the secondary levels. Values for Well04 and	Ongoing	We have always had high iron levels. Well 03 has somewhat better levels than our previous well.	Iron was found at levels that exceed the secondary MCL of 300 µg/L. The iron MCL was set to protect you against



	<p><b>Well03 are both reported. In September 2021, we started using only water from Well04. However, in April of 2022, we used water from Well03 for about 10 days.</b></p>		<p><b>Our new well (Well 04) has less than 100 ug/L MCL.</b></p>	<p><b>unpleasant aesthetic effects (e.g., color, taste, and odor) and the staining of plumbing fixtures (e.g., tubs and sinks) and clothing while washing. The high iron levels are due to leaching of natural deposits.</b></p>
<p><b>Manganese</b></p>	<p><b>Well04 meets the standard, but Well03 violated the secondary levels. Values for Well04 and Well03 are both reported. In September 2021, we started using only water from Well04. However, in April of 2022, we used water from Well03 for about 10 days.</b></p>	<p><b>Ongoing</b></p>	<p><b>Our new well (Well04) has 22 ug/L, which is below the MCL of 50 ug/L.</b></p>	<p><b>The notification level for manganese is used to protect consumers from neurological effects. High levels of manganese in people have been shown to result in effects of the nervous system.</b></p>

Actions taken to Correct the Violation for Iron and Manganese: Note that we are testing Well03 quarterly for iron and manganese. If we are found to be over the secondary MCL, then we may choose to apply for a waiver. To get a waiver, we will need to get an estimate for iron and manganese removal, then calculate how much rates would increase and then survey the customers. If the customers decide that we don't want to pay for removal, then we can decline iron and manganese treatment and we will test less often for iron and manganese. If our levels are more than 3x the secondary MCL, then getting a waiver is not possible. In Well03, our iron level is just over 2x the secondary MCL and our manganese level is just over the secondary MCL, so this is not an issue. Note that if the iron and manganese causes other violations such as iron bacteria in the pipes harboring E. Coli., then we may be required to treat iron and manganese so as to address the other violation.

To view our sampling results, search the web for "Madrone Mutual Monitor Results" or go to:

[https://sdwis.waterboards.ca.gov/PDWW/JSP/WaterSystemDetail.jsp?tinwsys\\_is\\_number=4874&tinwsys\\_st\\_code=CA&wsnumber=CA4900513](https://sdwis.waterboards.ca.gov/PDWW/JSP/WaterSystemDetail.jsp?tinwsys_is_number=4874&tinwsys_st_code=CA&wsnumber=CA4900513)

More About Our Friend, Manganese:

[http://www.waterboards.ca.gov/drinking\\_water/certlic/drinkingwater/Manganese.shtml](http://www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/Manganese.shtml) states  
---start--

## Manganese in Drinking Water

### Announcement

The Division of Drinking Water (DDW) has initiated the process of revising the current notification and response levels for manganese.

More information can be found on the [Drinking Water Notification Levels page](#).

### Background Information

Manganese is the 12th most abundant element of the earth's crust, which makes it ubiquitous in the environment. It can naturally occur in both surface water and groundwater sources.

Manganese is an essential nutrient and enzyme cofactor that is naturally present in many foods and available as a dietary supplement, but despite its nutritional benefits, adverse health effects can be caused by over-exposure. There is substantial evidence that demonstrates that exposure to manganese at high levels can pose a neurotoxic risk (ATSDR, 2012; US EPA, 2004; WHO, 2004). Occupational manganese exposure has been shown to cause a distinct neurologic condition known as manganism, a clinical syndrome of cognitive and motor dysfunction that resembles Parkinson disease.

The main route of manganese absorption is through the gastrointestinal tract, but absorption also occurs in the lungs following inhalation exposure of airborne manganese. There is little evidence that dermal contact with manganese results in significant absorption through the skin and dermal contact is not generally viewed as an important source of exposure (ATSDR, 2012).

Children are considered to be particularly susceptible to possible effects of high levels of manganese exposure because they absorb and/or retain more manganese than adults (ATSDR, 2012).

Attention to the potential health concerns of high levels of manganese in drinking water is appropriate, as the 0.5-mg/L notification level provides, given the possibility of neurologic effects at very high concentrations. Similar advisory levels for manganese have been established by the US EPA, which has a manganese health advisory level of 0.3 mg/L (USEPA, 2004), and the World Health Organization, which has a manganese health guideline level of 0.4 mg/L (WHO, 2004).

## Drinking Water Notification Level for Manganese

The current notification level for manganese is 0.5 milligram per liter (0.5 mg/L). When manganese is present in water served to customers at concentrations greater than the notification level, certain requirements and recommendations apply, as described below.

The notification level applies to all public water systems, regardless of being covered by the current regulation of manganese.

A health-based notification level for manganese is helpful in addressing high manganese levels in drinking water sources, in several ways:

- It provides guidance and information to systems with manganese above the secondary MCL, as they deal with the [regulatory requirements associated with exceeding the secondary standard \(PDF\)](#), such as addressing costs associated with treatment.
- It provides guidance to DDW staff in evaluating waivers from treatment requirements to meet the secondary MCL. Currently, consumers are to be surveyed about their acceptance of exceeding a secondary MCL. A notification level allows health-based considerations to enter into the consumer survey and waiver from treatment process.
- It allows consumers of water from NTNC systems to be informed about the potential for health concerns associated with sources that have high levels of manganese.

When manganese is present in concentrations greater than the notification level, the following [requirements and recommendations apply](#):

- Systems with drinking water sources with manganese concentrations greater than the notification level are required to notify local city and county governing bodies, just as for other contaminants with notification levels and for contaminants that exceed MCLs.
- Consumer notification is recommended at levels greater than the notification level. This may be handled through the water systems' annual [consumer confidence reports](#). Other means could be used as well, if more appropriate, such as direct mailing, or posting a notice. These should be coordinated with the local [DDW district office](#).
- Source removal is recommended at ten times the notification level.

Monitoring for manganese is required within the framework of secondary MCL regulations, but generally not outside that framework. For sources not subject to the secondary MCL requirements, DDW recommends analyses of sources that are near other sources that have very high manganese levels.

For community systems subject to the secondary MCL monitoring and compliance requirements ([22 CCR §64449](#)) with manganese greater than the notification level, DDW recommends that information about the health concerns associated with high manganese exposures be provided to consumers as part of the required consumer dissatisfaction determination.

## Current Regulation of Manganese

Manganese is regulated by a 0.05-mg/L secondary maximum contaminant level (MCL) (see [drinking water regulations](#)). The secondary standard was established to address issues of aesthetics (discoloration), not health concerns. In California, secondary MCLs are enforceable. (USEPA's 0.05-mg/L federal secondary standard for manganese is a non-enforceable guideline.)

Secondary MCLs are enforceable standards in California but are applicable only to community systems. Thus, noncommunity systems, particularly nontransient noncommunity (NTNC) systems such as schools and workplaces, do not receive the benefits of the secondary standard.

[See the web page for maps]

**References**

- [Agency for Toxic Substances and Disease Registry \(ATSDR\). \(2012\). Toxicological Profile for Manganese.](#)
- [U.S. Environmental Protection Agency \(EPA\). \(2004\). Drinking Water Health Advisory for Manganese.](#)
- [World Health Organization \(WHO\). \(2004\). Manganese in drinking water - background document for development of WHO Guidelines for drinking-water quality.](#)

--end--

**For Water Systems Providing Groundwater as a Source of Drinking Water**

**Table 8. Sampling Results Showing Fecal Indicator-Positive Groundwater Source Samples**

<b>Microbiological Contaminants (complete if fecal-indicator detected)</b>	<b>Total No. of Detections</b>	<b>Sample Dates</b>	<b>MCL [MRDL]</b>	<b>PHG (MCLG) [MRDLG]</b>	<b>Typical Source of Contaminant</b>
<i>E. coli</i>	(In the year) 0		0	(0)	Human and animal fecal waste
Enterococci	(In the year) 0		TT	N/A	Human and animal fecal waste
Coliphage	(In the year) 0		TT	N/A	Human and animal fecal waste

**Table 9. Violation of Groundwater TT**

<b>Violation</b>	<b>Explanation</b>	<b>Duration</b>	<b>Actions Taken to Correct Violation</b>	<b>Health Effects Language</b>
None				