

25500 Road 204 Exeter California 93221

April 19, 2021

Bryan Potter 265 West Bullard Ave. Suite 101 Fresnc, CA 93704

Re: 2021 Consumer Confidence Report Waterman Valve

Brian:

Enclosed is a copy of Waterman Valve's 2020 Consumer Confidence Report.

If you have any questions or concerns please contact me at 559-562-8640 or eric.squire@watermanusa.com

Sincerely,

Eric Squire

Environmental Manager

Waterman Valve

2020 Consumer Confidence Report

Danast Data

Tracor System rumo.	Waterman valve LLC	C - CA 5402040 Report Date: 3/18/2021
We test the drinking we the results of our monit	ater quality for many const toring for the period of Jan	tituents as required by state and federal regulations. This report show. uary 1 - December 31, 2017 and may include earlier monitoring data.
		tante sobre su agua potable. Tradúzcalo ó hable con alguien que le
Type of water source(s) in use: _Groundwater	
Name & general location	on of source(s): On-site	supply well
Drinking Water Source	Assessment information:	A source water assessment was conducted for Well 01 in December 2002
Time and place of regu	larly scheduled board meet	tings for public participation: Not applicable
For more information,	contact: Eric Squire	Phone: (559) 562-8640

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Waterman Valva I I C

Water System Name:

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbia! contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial
 processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural
 application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bettled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of Months in Violation	FG THE DETECTION OF O	MCLG	Typical Source of Bacteria
Total Coliform Bacteria (state Total Coliform Rule)	(In a mo.)	0	O positive monthly samples	0	Naturally present in the environment
Fecal Coliform or <i>E. coli</i> (state Total Col form Rule)	(In the year)	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive	0	Human and animal fecal waste
E. co!i (federal Revised Total Coliform Rule)	(In the year)	0	(a)	0	Human and animal fecal waste

(a) Routine and repeat samples are total coliform-positive and either is E. coli-positive or system fails to take repeat samples following E. coli-positive routine sample or system fails to analyze total coliform-positive repeat sample for E. coli.

Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of Samples Collected	90 th Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	9/23/2018	5	0	0	15	0.2	Not applicable	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	9/23/2018	5	i	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems erosion of natural deposits;

- W.C. J. O.J. 7
leaching from wood preservatives

	TABLE 3	- SAMPLING	RESULTS FOR	SODIUM	AND HARD	NESS
Chemical or Constituent	Sample	Level	Range of		PHG	
(and reporting units) Sodium (ppm)	Date 12/22/2016	Detected 117	Detections N/A	MCL	(MCLG)	Typical Source of Contamina
Hardness (ppm)	12/22/2016			none	none	Salt present in the water and is generally naturally occurring
		230	N/A	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually
TABLE 4 – DET	TECTION O	F CONTAMIN	ANTS WITH A	PRIMARY	DRINKTNO	WATER STANDARD
Chemical or Constituent	1					WATER STANDARD
(and reporting units) N trate as N (ppm)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typica. Source of Contaminan
	4/13/2020	10.1	N/A	10	10	Runoff and leaching from fertilize use; leaching from septic tanks and
Nitrate as N (ppm)	4/20/2020	10.2	N/A	10	10	sewage; erosion of natural deposit Runoff and leaching from fertilize use; leaching from septic tanks and
Nitrate as N (ppm)	4/28/2020	10.1	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilize use; leaching from septic tanks and
Nitrate as N (ppm)	5/4/2020	10.4	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilize use; leaching from septic tanks and
Nitrate as N (ppm)	5/19/2020	10.5	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilizer use; leaching from septic tanks and
Nitrate as N (ppm)	5/28/2020	10.7	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilizer use; leaching from septic tanks and
Nitrate as N (ppm)	6/1/2020	11.3	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilizer use; leaching from septic tanks and
Nitrate as N (ppm)	6/11/2020	11	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilizer use; leaching from septic tanks and
Nitrate as N (ppm)	7/13/2020	11.8	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilizer use; leaching from septic tanks and
Nitrate as N (ppm)	10/15/2020	11.5	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilizer use; leaching from septic tanks and
Nitrate as N (ppm)	12/3/2020	11.8	N/A	10	10	sewage; erosion of natural deposits Runoff and leaching from fertilizer use; leaching from septic tanks and
TABLE 5 - DETEC	CTION OF C	ONTAMINAN	TS WITH A SE	CONDARV	DDINIUTAV	sewage; erosion of natural deposits G WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
					(MCLG)	
	TABLE 6 -	DETECTION	OF UNREGUL	ATED CON	TAMINAN	TS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notificati		Health Effects Language

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Waterman Valve is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [Optional: If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in crinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

Violation Nitrate	N OF A MCL, MRDL, AL Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
Nurae	Quarterly Monitor ng exceeds MCL	January 2026 - December 2020	Quarterly monitoring per SWRCB Compliance Order No. 03-24-16R-020 Waterman Valve installed a nitrate treatment system. The system is awaiting permitting from the state.	Infants below the age of six months who drink water containing nitrate in excess of the MCL may quickly become seriously ill and, if untreated, may die because high nitrate levels can interfere with the capacity of the infant's blood to carry oxygen. Symptoms include shortness of breath and blueness of the skin. High nitrate levels may also affect the oxygen-carrying ability of the blood of pregnant women.

For Water Systems Providing Groundwater as a Source of Drinking Water

FECAL	TABLE LINDICATOR	7 – SAMPLING POSITIVE GR	RESULTS OUNDWA	SHOWING TER SOUR	CE SAMPLES
Microbiological Contaminants (complete if fecal-indicator detected)	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
E. coli	0		0	(0)	Human and animal fecal waste
Enterococci	0		ТТ	n/a	Human and animal fecal waste
Coliphage	0		ТТ	n/a	Human and animal fecal waste

Summary Information for Fecal Indicator-Positive Groundwater Source Samples, **Uncorrected Significant Deficiencies, or Groundwater TT**

	NOTICE OF RECAT TAN	MCATOD DOCTORY		
	TO LICE OF FECAL IN	DICATOR-POSITIVE	GROUNDWATER SOURCE	SAMPLE
······································				
				· · · · · · · · · · · · · · · · · · ·
			-	
	SPECIAL NOTICE FOR	UNCORRECTED SIG	GNIFICANT DEFICIENCIES	
			DEFICIENCIES	
	VIOTA	TION OF COOK		
	VIOLA	TION OF GROUNDY	VATER TT	
TT Violation	VIOLA Explanation		Actions Taken to Correct	Health Effects
TT Violation		TION OF GROUNDY Duration	VATER TT Actions Taken to Correct the Violation	Health Effects Language
TT Violation			Actions Taken to Correct	Health Effects Language
TT Violation			Actions Taken to Correct	
TT Violation			Actions Taken to Correct	
TT Violation			Actions Taken to Correct	

For Systems Providing Surface Water as a Source of Drinking Water

Treatment Technique (a) (Type of approved filtration technology used)	WING TREATMENT OF SURFACE WATER SOURCES
Turbidity Performance Standards (b) (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 – Be less than or equal to NTU in 95% of measurements in a month. 2 – Not exceed NTU for more than eight consecutive hours. 3 – Not exceed NTU at any time.
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	- 113 de dity tillo.
Highest single turbidity measurement during the year	
Number of violations of any surface water treatment requirements	

⁽a) A required process intended to reduce the level of a contaminant in drinking water.

(b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

Summary Information for Violation of a Surface Water TT

		ION OF A SURFACE		
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
				Zanguage
·				
				······································
**				

Sum	mary Information for Operating Under a Variance or Exemption

Summary Information for Federal Revised Total Coliform Rule Level 1 and Level 2 Assessment Requirements

Level 1 or Level 2 Assessment Requirement not Due to an E. coli MCL Violation

Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, waterborne pathogens may be present or that a potential pathway exists through which contamination may enter the drinking water distribution system. We found coliforms indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessment(s) to identify problems and to correct any problems that were found during these assessments.

During the past year we were required to conduct 0 Level 1 assessments. 0 Level 1 assessments were completed. In addition, we were required to take 0 corrective actions and we completed 0 of these actions.

During the past year 0 Level 2 assessments were required to be completed for our water system. 0 Level 2 assessments were completed. In addition, we were required to take 0 corrective actions and we completed 0 of these actions.

Waterman Valve installed a chlorination system at the well to chlorinate the water prior to distribution. chlorinator there have been not further issues with coliform.	With the
	

Level 2 Assessment Requirement Due to an E. coli MCL Violation

E. coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Human pathogens in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a greater health risk for infants, young children, the elderly, and people with severely-compromised immune systems. We found E. coli bacteria, indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessment(s) identify problems and to correct any problems that were found during these assessments.

We were required to complete a Level 2 assessment because we found *E. coli* in our water system. In addition, we were required to take 0 corrective actions and we completed 0 of these actions.

Waterman Valve installed a chlorination system at the well to chlorinate the water prior to distribution. With the chlorination system there have been no further issues with E. coli.

APPENDIX F: Certification Form (Suggested Format)

Consumer Confidence Report **Certification Form**

(to be submitted with a copy of the CCR)

(To certify electronic delivery of the CCR, use the certification form on the State Water Board's website at

http://www.swrcb.ca.gov/drinking water/certlic/drinkingwater/CCR.shtml)

Water System Name: Water System Number:		Waterman Valve CA 5402046		
vailability ha the report	ve been given)	Further, the system certification of the consistent with the	its Consumer Confidence Reponers (and appropriate notices fies that the information contain liance monitoring data previous, Division of Drinking Water.	
Certified by:	Name:	Olivier Marietta	, = water or brinking water.	
	Signature:	Commence of the Commence of th		
	Title:	General Manager	Prince and the prince and the second principle of the	
	Phone Number:	(559-562-4000)	Date: 04-/16/2021	
CCR was delivery r office bul that the C	distributed by nethods used: etin board. Ar CCR was poste	mail or other direct deliver The CCR was posted on to e-mail was sent to all come data both locations.	y methods. Specify other direc he shop bulletin board and the pany employees notifying them	
CCR was delivery roffice bul that the C	distributed by nethods used: etin board. Ar CR was poste th" efforts were he following m	mail or other direct deliver The CCR was posted on to e-mail was sent to all come dat both locations. See used to reach non-bill pay sethods:	appropriate:	
CCR was delivery roffice bul that the C "Good fair included to Post Mair	distributed by nethods used: etin board. Are CR was posted: th" efforts were he following mating the CCR to	mail or other direct deliver The CCR was posted on to e-mail was sent to all come dat both locations. Second to reach non-bill pay ethods:	appropriate: y methods. Specify other directhe shop bulletin board and the spany employees notifying them	
CCR was delivery roffice bull that the C "Good fair included the Post Mair use Adv	distributed by nethods used: etin board. Ar CCR was poste th" efforts were he following muting the CCR to ding the CCR to di)	mail or other direct deliver The CCR was posted on to e-mail was sent to all come dat both locations. e used to reach non-bill pay ethods: on the Internet at www.	appropriate: y methods. Specify other directive shop bulletin board and the apany employees notifying them wing consumers. Those efforts	
CCR was delivery roffice bull that the Communication included to the communication included to the copy of the cop	distributed by nethods used: etin board. Ar CR was poste th" efforts were he following m ting the CCR to d) ertising the ava	mail or other direct deliver The CCR was posted on to e-mail was sent to all come dat both locations. e used to reach non-bill pay ethods: or the Internet at www. o postal patrons within the statistics of the CCR in new	y methods. Specify other directive shop bulletin board and the apany employees notifying them ving consumers. Those efforts service area (attach zip codes as media (attach copy of press	
CCR was delivery roffice bull that the C "Good fair included the line of the	distributed by nethods used: etin board. Ar CR was poste th" efforts were he following m ting the CCR to ling the CCR to d) ertising the ava	mail or other direct deliver The CCR was posted on to e-mail was sent to all come dat both locations. Secured to reach non-bill payethods: The Internet at www Depostal patrons within the second all come and the come and the come all come all come and the come all	y methods. Specify other directive shop bulletin board and the apany employees notifying them ving consumers. Those efforts service area (attach zip codes as media (attach copy of press of general circu ation (attach a of newspaper and date	

Rev	rerence Manual, Appendix G Vised <mark>February 2021</mark>		
	Delivery to community organizations (attach a list of organizations)Other (attach a list of other methods used)		
	For systems serving at least 100,000 persons: Posted CCR on a publicly-accessible internet site at the following address: www		
	For investor-owned utilities: Delivered the CCR to the California Public Utilities		
Thi	is form is provided as a convenience for use to meet the certification requirement of the California Code of Regulations, section 64483(c).		

■ Complete items 1, 2, and 3. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits. I. Article Addressed to: Bryan Pottor 265 W. Ballord Ave Suite 101 Fresho CA 93704	A. Signature X. COV () B. Received by (Printed Name) D. Is delivery address different from If YES, enter delivery address	C. Date of Deliver
9590 9402 5866 0038 1908 11 702C 2450 0000 3902 5225	3. Service Type Adult Signature Adult Signature Restricted Delivery Certified Mail® Certified Mail Restricted Delivery Collec: on Delivery Collec: on Delivery Restricted Delivery all Restricted Delivery (over 3000)	☐ Priority Mail Express®☐ Registered Mail™ ☐ Registered Mail Restrict Delivery ☐ Return Receipt for Merchandise ☐ Signature Confirmation ☐ Signature Confirmation ☐ Restricted Delivery
'S Form 3811, July 2015 PSN 7530-02-000-9053	D	omestic Return Receip
U.S. Postal Service* CERTIFIED MAIL® RECEIPT Domestic Mail Only For delivery information, visit our website at www. Freshors And 3714 Certified Mail Fee And 3714 Certified Mail Fee And 3714 Return Receipt (nardcopy) Return Receipt (nardcopy) Return Receipt (nardcopy) Adult Signature Required Adult Signature Receipted Delivery Short Total Postage And Fees Sent To Sireet and Apt. No., or PO Box No. City, State, ZIP+4* PS Form 3800, April 2015 PSN 753C-02-000-9047 See Receipt Certified Mail Fee And See Receipt Certified Mail	0521 04 Postmark Here	