Treehouse California Almonds, LLC Consumer Confidence Report for 2019



Treehouse California Almonds well water consumer confidence report for Earlimart CA5403139. Prepared July 2020 for the period of January 1 2019 - December 31 2019 and does include earlier monitoring data.

Name, Location, and Type of Water Source: This report covers the two active wells Treehouse utilizes at the Earlimart facility located at 6914 Road 160, Earlimart, CA, 93219, which are on site and used for almond blanching, plant sanitation and restroom needs.

Drinking water assessment: Treehouse California Almonds certifies that the test results meet requirements for our use in the manufacturing of almonds. Water test were sampled by McMor Chlorination and tested at BC laboratories a certification lab.

Public Participation: This well water is privately owned and controlled for water use only at Treehouse Almonds. No public meetings are held; thus, no public participation is encouraged and has no effect on the decision made in relation to our water. This report will be written in English and posted in our employee break area for access to all persons at Treehouse Earlimart.

Contact: Treehouse California Almonds, LLC is a corporation that is privately owned, and who owns the well. Brian Ball is the manager that would answer any questions in regard to the water system or the confidence report; you may contact him at (559) 757-5020. If he is unavailable one may contact Jonathan Meyer.

Definitions: MCL = Maximum Contamination Level.

Levels of Detected Contaminants: Given within the tables below are found levels of contaminants found at Treehouse California Almonds Earlimart facility.

Summary: Treehouse California Water is clean and drinkable as per the California state water resources control board definitions. TCA meets all MRL – maximum residue levels for all bacteria, heavy metals and pesticides. It is safe to drink as well as use in almond blanching and cleaning.

Contaminant	Month with highest counts	Months with two or more positives/month	Source							
Coliform	June	June only	Naturally present in the environment							
E. coli	Absent	Absent	Human and animal Fecal waste							

Table 1: Microbiological Contaminants (Total Coliform Rule)

Table 2: Lead and Copper

Contaminant	Method	Result 90% level	Action level	Sites that exceeded AL	Source			
Copper (Cu) five samples	E200.7 EPA 200.8	<10,.00 3 mg/L	(50)1. 3 mg/L	0	Internal pipe corrosion, erosion of natural deposits & leaching from wood preservatives			
Lead (Pb) five samples	E200.8 EPA 200.8	<1.0, .0052 mg/L	(5).01 5 mg/L	0	Internal pipe corrosion, discharges from industrial manufactures & erosion of natural deposits			

\\tcaapps\Quality\4 Site Standards\4.10 Water Plans & Reports\Water Reports 2010-2019\Well Water Reports 2014-2016\Water Reports\19 Consumer Confidence Report Earlimart.doc Page 1 of 4

Table 3: Sodium and Hardness

Table 5. Soul								
Contaminant	Method		Result	Range		Source		
Sodium (Na)	EPA 20	00.7	68	68	Salt present	in water is naturally occurring		
			mg/L	mg/L				
Hardness	SM234	0 B	150mg/	150		valent cations in water, generally		
(CaCO3)			L	mg/L	-	d are naturally occurring		
		Boiler, v	vater is al	ways hard	l with out tre	eatment. Water used in the		
boiler is condit								
Table 4: Prima					L, MRDL, O	E		
Contaminant	Unit	Level	Range	MCL		Source		
Copper (Cu)	ug/L	<10	.0002- .0064	1000		e corrosion, erosion of natural eaching from wood preservatives		
Fluoride	ug/L	0.11	0.11	2.0	Erosion of na	atural deposits		
Nitrate (NO3)	ppm	32	32	45	Runoff & lea	ching from fertilizer		
Nitrate as N (E300.0)	mg/L	8.7	8.0-9.0	10	Runoff & lea	ching from fertilizer		
Nitrite as N (E353.2)	mg/L	<0.05, <.10	0.05- .10	1.0	Runoff & lea	ching from fertilizer		
Uranium	pCi/L	1.0	1.0	20	Erosion of na	atural deposits		
Gross Alpha	pCi/L	3.0	3.0	15	Erosion of na	atural deposits		
Table 5: Seco	ndary I	Drinking	g Water S	tandard (MCL)			
Contaminant	Unit	Level	Range	MCL		ource / Health Effects		
Iron (Fe)	ppb	2400	2400	300	Erosion of na	atural deposits		
Specific Conductance	μS/c m	900	900	1600	Substances that form ions in when in water			
Chloride	ppm	390	390	500	Runoff/leaching of natural deposits			
Odor –	Units	0	0	3	Natural occurring organic material			
Threshold	••••••	U	U	0				
Manganese (E200.7)	mg/ L	9.3	9.3	50	High levels have been shown to affect the nervous system			
Sulfate (SO4) (E300.0)	mg/ L	80	80	500	Runoff/leaching of natural deposits			
Turbidity	NTU	0.22	0.22	5	Soil runoff			
Table 6: Unre	gulated	l Contai	minants					
Contaminant	Unit	Level	Range	MCL		Health Effects		
Boron	ug/L	900	900	1000	The babies of some pregnant women who drink water containing boron in excess of the notification level may have an increase risk of developmental effects, based on studies in lab animals.			
Table 7: Othe	r Conta		S					
Contaminant		Unit	Level	Range	MCL	Health Effects		
1,2-Dichloroethane	-d4	ug/L	<0.50	0.5	10	Some people who use water containing 1,2- dichloroethane in excess of the MCL over many yea may have an increased risk of getting cancer		
Alachlor		ug/L	<0.20	<0.20	2			
Ammonia		ug/L	0.15	0.15				
Atrazine		ug/L	<0.30	< 0.30	1			
Bicarbonate		ug/L	380	380				
Bis(2-Ethylhexyl)ph	thalate	-			A			
		ug/L	<3.0	<3.0	4			

\\tcaapps\Quality\4 Site Standards\4.10 Water Plans & Reports\Water Reports 2010-2019\Well Water Reports 2014-2016\Water Reports\19 Consumer Confidence Report Earlimart.doc Page 2 of 4

Benzo[a]pyrene	ug/L	<0.10	<0.10	0.2	
Bromodichloromethane	ug/L	<0.10	<0.10	1	
Bromoform	ug/L	<0.5	<0.5	1	
Calcium (Ca)	ug/L	45	45		
Carbonate	ug/L	<2.5	2.5		
Carbon tetrachloride	ug/L	<0.50	<0.50	1	
Chloroform	ug/L	<0.5	<0.5	1	
Chlorobenzene	ug/L	< 0.50	<0.50	70	
Dichlorobenzene	ug/L	< 0.50	<0.50	0.50	
Cic-1,2-Dichloroethene	ug/L	< 0.50	<0.50	6	
cis-1,-3-Dichloropropene	ug/L	< 0.50	< 0.50	0.5	
1,3-Dichlorobenzene	ug/L	<0.50	<0.50	0.50	
Dichlorodifloromethane	ug/L	<0.50	<0.50	0.50	
Dibromochloromethane	ug/L	<0.5	<0.5	1	
Ethylbenzene	ug/L	<0.50	<0.50	300	
Ethylene dibromide	ug/L	<0.010	<0.010	0.05	
Hexachlorobenzene	ug/L	<0.010	<0.20	1	
Hexachlorocyclopentadiene	ug/L	<1.0	<1.0	50	
Hydroxide	ug/L	ND	ND		
Toluene-d8	ug/L	<.50	.50	150	
Total Trihalomethanes	ug/L	<2.0	<2.0	80	
Dibromoacetic Acid	ug/L	<1.0	<1.0	1	
Dichloroacetic Acid	ug/L	<1.0	<1.0	1	
Magnesium (Mg)	ug/L	9.3	9.3		
Molinate	ug/L	< 0.50	<0.50	20	
Monobromoacetic Acid	ug/L	<1.0	<1.0	1	
Monochloroacetic Acid	ug/L	<1.0	<1.0	2	
Methyl t-butyl ether	ug/L	<0.50	<0.50	13	
Methylene chloride	ug/L	<0.50	<0.50	5	
pH, Laboratory	pH	8.09	8.09	0	
Phosphate	ug/L	44	44		
Potassium (K)	ug/L	3.6	3.6		
Radium 226	pCi/L	ND	ND	1.0	
Radium 228	pCi/L	ND	ND	1.0	
Simazine	ug/L	<0.30	< 0.30	4	
Strontium 90	pCi/L	ND	<0.00 ND	2.0	
Styrene	ug/L	<0.50	<0.50	100	
Thiobencarb	ug/L	<0.50	<0.50	70	
Tritium	pCi/L	ND	<0.30 ND	1000	
	-		<1.0	1000	
I richloroacetic Acid					
Trichloroacetic Acid Trans-1,3-Dichloropropene	ug/L ug/L	<1.0 <0.50	<0.50	0.5	

\\tcaapps\Quality\4 Site Standards\4.10 Water Plans & Reports\Water Reports 2010-2019\Well Water Reports 2014-2016\Water Reports\19 Consumer Confidence Report Earlimart.doc Page 3 of 4

1,2-Dibromo-3-	ug/L	<0.010	<0.010	0.20	
chloropropane 1,2-Dichloroethane-d4	0/	00.4	00.4	405	
•	%	96.1	96.1	125	
1,2-Dichlorobenzene	ug/L	<0.50	<0.50	600	
1,4-Dichlorobenzene	ug/L	<0.50	<0.50	5	
1,2-Dichloroethene	ug/L	<0.50	<0.50	5	
1,1-Dichloroethene	ug/L	<0.50	<0.50	0.50	
1,2-Dichloropropane	ug/L	<0.50	<0.50	5	
Total 1,3-Dichloropropane	ug/L	<0.50	<0.50	0.50	
1,1,2,2-Tetrachloroethane	ug/L	<0.50	<0.50	1	
Tetrachlorethene	ug/L	<0.50	<0.50	5	
Touene	ug/L	<0.50	<0.50	150	
Touene-8B	%	98.5	98.5	120	
1,2,4-Trichlorobenzine	ug/L	<0.50	<0.50	5	
1,1,1-Trichloroethane	ug/L	<0.50	<0.50	200	
1,1,2-Trichloroethane	ug/L	<0.50	<0.50	5	
Trichloroethene	ug/L	<0.50	<0.50	5	
Trichlorofluoromethane	ug/L	<0.50	<0.50	150	
1,12-Trichloro-1,2,2- trifluoroehahane	ug/L	<0.50	<0.50	1200	
4-Bromofluorobenzene	%	95.6	95.6	120	
2,3-Dibromopropionic acid	%	30.6	30.6	130	
Perchlorate	ug/L	<4.0	<4.0	6	
Hexavalent Chromium	ug/L	<2.0, 2.7	<2.0- 2.7	10	
1,3-Dichlorpropene	ug/L	<.50	.5		
Vinyl chloride	ug/L	<0.50	<0.50	0.50	
Total Xylenes	ug/L	<0.50	<0.50	1750	

Special Language Section:

Nitrate: Nitrate in drinking water at levels above 45mg/L is a health risk for infants on less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen resulting in serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice form your health car provider.

Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. **Arsenic:** While your drinking water meets the federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and plumbing. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using the water for drinking or cooking. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://wwwl.epa.gov/safewater.lead.

APPENDIX F: Certification Form (Suggested Format)

Consumer Confidence Report

Certification Form

(to be submitted with a copy of the CCR)

(To certify electronic delivery of the CCR, use the certification form on the State Water Board's website at <u>http://www.swrcb.ca.gov/drinking_water/ccrtlic/drinkingwater/CCR.shtml</u>)

Water System Name:	Earlimart, CA	
Water System Number:	CA 5403139	

The water system named above hereby certifies that its Consumer Confidence Report was distributed on *(date)* to customers (and appropriate notices of availability have been given).

Further, the system certifies that the information contained in the report is correct and consistent with the compliance monitoring data previously submitted to the State Water Resources Control Board, Division of Drinking Water.

Certified by:	Name:	Brian Ball		
	Signature:	R Ball		
	Title:	QA Manager		
	Phone Number:	(559) 757-5020 ext 221	Date:	10/13/2020

To summarize report delivery used and good-faith efforts taken, please complete the below by checking all items that apply and fill-in where appropriate:

CCR was distributed by mail or other direct delivery methods. Specify other direct delivery methods used:

Treehouse Posts every July in our break room area where all employees on site may review.

"Good faith"	efforts v	were used	to reach	non-bill	paying	consumers.	Those	efforts	included	the
following m	ethods:									

Posting the (CCR on	the Internet	at www.
---------------	--------	--------------	---------

| |

- Mailing the CCR to postal patrons within the service area (attach zip codes used)
 - Advertising the availability of the CCR in news media (attach copy of press release)
 - Publication of the CCR in a local newspaper of general circulation (attach a copy of the published notice, including name of newspaper and date published)
- Posted the CCR in public places (attach a list of locations)
- Delivery of multiple copies of CCR to single-billed addresses serving several persons, such as apartments, businesses, and schools
- Delivery to community organizations (attach a list of organizations)
- Other (attach a list of other methods used)
- For systems serving at least 100,000 persons: Posted CCR on a publicly-accessible internet site at the following address: www._____
- For investor-owned utilities: Delivered the CCR to the California Public Utilities Commission

This form is provided as a convenience for use to meet the certification requirement of the California Code of Regulations, section 64483(c).