

APPENDIX B: eCCR Certification Form (Suggested Format)


Consumer Confidence Report Certification Form

(To be submitted with a copy of the CCR)

Water System Name:	Casitas Municipal Water District
Water System Number:	CA5610024

The water system named above hereby certifies that its Consumer Confidence Report was distributed on 06/24/2022 (date) to customers (and appropriate notices of availability have been given). Further, the system certifies that the information contained in the report is correct and consistent with the compliance monitoring data previously submitted to the State Water Resources Control Board, Division of Drinking Water (DDW).

Certified by:

Name: Jordan Switzer	Title: Water Quality Supervisor
Signature: 	Date: 07/08/2022
Phone number: 805-649-2251 Ext. 120	blank

To summarize report delivery used and good-faith efforts taken, please complete this page by checking all items that apply and fill-in where appropriate:

- ☐ CCR was distributed by mail or other direct delivery methods (attach description of other direct delivery methods used).
- ☒ CCR was distributed using electronic delivery methods described in the Guidance for Electronic Delivery of the Consumer Confidence Report (water systems utilizing electronic delivery methods must complete the second page).
- ☒ "Good faith" efforts were used to reach non-bill paying consumers. Those efforts included the following methods:
 - ☒ Posting the CCR at the following URL: www.casitaswater.org/2021cmwdccr
 - ☐ Mailing the CCR to postal patrons within the service area (attach zip codes used)
 - ☒ Advertising the availability of the CCR in news media (attach copy of press release): Ojai Valley News, Ventura County Star, Casitaswater.org newsfeed
 - ☐ Publication of the CCR in a local newspaper of general circulation (attach a copy of the published notice, including name of newspaper and date published)
 - ☒ Posted the CCR in public places (attach a list of locations): District Office message board

- ☐ Delivery of multiple copies of CCR to single-billed addresses serving several persons, such as apartments, businesses, and schools
- ☐ Delivery to community organizations (attach a list of organizations)
- ☐ Publication of the CCR in the electronic city newsletter or electronic community newsletter or listserv (attach a copy of the article or notice)
- ☐ Electronic announcement of CCR availability via social media outlets (attach list of social media outlets utilized)
- ☐ Other (attach a list of other methods used)
- ☐ *For systems serving at least 100,000 persons:* Posted CCR on a publicly-accessible internet site at the following URL: www.
- ☐ *For privately-owned utilities:* Delivered the CCR to the California Public Utilities Commission

Consumer Confidence Report Electronic Delivery Certification

Water systems utilizing electronic distribution methods for CCR delivery must complete this page by checking all items that apply and fill-in where appropriate.

- ☒ Water system mailed a notification that the CCR is available and provides a direct URL to the CCR on a publicly available website where it can be viewed (attach a copy of the mailed CCR notification). URL: www.casitaswater.org/2021cmwdccr
- ☐ Water system emailed a notification that the CCR is available and provides a direct URL to the CCR on a publicly available site on the Internet where it can be viewed (attach a copy of the emailed CCR notification). URL: www.
- ☐ Water system emailed the CCR as an electronic file email attachment.
- ☐ Water system emailed the CCR text and tables inserted or embedded into the body of an email, not as an attachment (attach a copy of the emailed CCR).
- ☐ *Requires prior DDW review and approval.* Water system utilized other electronic delivery method that meets the direct delivery requirement.

Provide a brief description of the water system's electronic delivery procedures and include how the water system ensures delivery to customers unable to receive electronic delivery.

-Postcard with notification of availability of CCR's for both the Ojai Water System
(5610014) and the Casitas Municipal Water District (5610024) delivered to postal

routes in Zip Codes: 93001, 93022, 93023, 93024. Notification includes
direct links to each CCR and messaging regarding which CCR is applicable to the
postcard recipient with interactive map link www.casitaswater.org/ccrdirectservicemap
Postcard informs recipients to call 805-649-2251 to receive a mailed copy of the CCR.
-Public notices were published in the Ojai Valley News and Ventura County Star on
6/24/2022 for each system with direct links and directions to receive a mailed copy.
-A news item was placed on www.casitaswater.org linking to the Water Quality landing
page with CCR directory and interactive map for determining applicable CCR.
-Copies of CCR's were posted on public message board outside of district office.
-Customers receiving Carpinteria Valley Water District Water were mailed letters
notifying of CVWD's CCR availability and URL link:
https://cvwd.net/documents/2021ccr.pdf

This form is provided as a convenience and may be used to meet the certification requirement of section 64483(c) of the California Code of Regulations.



Annual Drinking Water Quality Report Now Available

2021 Data

Casitas Municipal Water District's (CMWD) annual 2021 Consumer Confidence Reports (CCR) are now available online. If you would like a copy of the report mailed to you, please call 805-649-2251.

Please visit **www.casitaswater.org/2021cmwdccr** for information regarding Lake Casitas and water quality standards within the CMWD service area.

If you live in the Ojai city limits, you are receiving water from additional groundwater sources. The CMWD's 2021 Ojai Water System CCR is now available at:
www.casitaswater.org/2021owscrr

If unsure which CCR is most applicable to you, please see our Direct Service Area Map available at **www.casitaswater.org/ccrdirectservicemap** or call 805-649-2251.



Questions about your water sources or water quality issues?

Contact Water Quality Supervisor Jordan Switzer at 805-649-2251 ext 120.

Este informe contiene informacion muy importante sobre su agua beber. Traduzcalo o hable con alguien que lo entienda bien. Para la informacion llame por favor 805-649-2251.

**The Board of Directors conducts meetings scheduled on the 2nd and 4th Wednesday of every month. The public open session begins at 5:00 PM. Due to COVID-19 precautions, meetings may be held via teleconference. Please refer to meeting agendas for current information on how to participate:
www.casitaswater.org/about-us/board-of-directors**



1055 Ventura Ave.
Oak View, CA 93022
805-649-2251
www.casitaswater.org

PRSRT STD
U.S. POSTAGE
PAID
OXNARD, CA
PERMIT NO. 2020

ECRWSS

POSTAL CUSTOMER

OVN06-00-2022
Published Ojai Valley News
June 24, 2022
Casitas Water Municipal Water District
PUBLIC NOTICE to
Customers of Casitas Municipal
Water District

Water System ID #CA5610024 The Casitas Municipal Water District's Annual Consumer Confidence Report is available at the District Office, located at 1055 Ventura Ave, Oak View, CA 93022. You can also view the report at www.casitaswater.org/2021cmwdccr If you have any questions or would like the report mailed to you, please call (805) 649-2251.

OVN06-00-2022
Published Ojai Valley News
June 24, 2022
Casitas Water Municipal Water District
PUBLIC NOTICE to
Customers of Casitas
Municipal Water District's

"Ojai Water System"
ID # CA5610014

The Ojai Water System's Annual Consumer Confidence Report is available at the District Office, located at 1055 Ventura Ave, Oak View, CA 93022. You can also view the report at www.casitaswater.org/2021owscrr If you have any questions or would like the report mailed to you, please call (805) 649-2251.

OVN06-16-2022
Published Ojai Valley News
June 24, 2022
Casitas Water Municipal Water District
PUBLIC NOTICE
to Customers of Casitas Municipal
Water District
Water System ID #CA5610024 The
Casitas Municipal Water District's An-
nual Consumer Confidence Report is
available at the District Office, located
at 1055 Ventura Ave, Oak View, CA
93022. You can also view the report at
www.casitaswater.org/2021cmwdccr.
If you have any questions or would like
the report mailed to you, please call (805)
649-2251.

OVN06-17-2022
Published Ojai Valley News
June 24, 2022

Casitas Water Municipal Water District
PUBLIC NOTICE
to Customers of Casitas
Municipal Water District's
"Ojai Water System"
ID # CA5610014
The Ojai Water System's Annual Con-
sumer Confidence Report is avail-
able at the District Office, located
at 1055 Ventura Ave, Oak View, CA
93022. You can also view the report at
www.casitaswater.org/2021owscrr. If you
have any questions or would like the re-
port mailed to you, please call (805) 649-
2251.

VENTURA COUNTY
STAR
PART OF THE USA TODAY NETWORK

CASITAS MUNICIPAL WATER EC LGL
1055 N VENTURA AVE

OAKVIEW, CA 93022

State of California)
))
County of Ventura)

I hereby certify that the Ventura County Star Newspaper has been adjudged a newspaper of general circulation by the Superior Court of California, County of Ventura within the provisions of the Government Code of the State of California, printed in the City of Camarillo, for circulation in the County of Ventura, State of California; that I am a clerk of the printer of said paper; that the annexed clipping is a true printed copy and publishing in said newspaper on the following editions dates to wit:

06/24/2022

I certify under penalty of perjury, under the laws of the State of California, that the foregoing is true and correct.

Dated this June 24, 2022; in Green Bay, Wisconsin, County of Brown



Legal Clerk

PUBLIC NOTICE
to Customers of Casitas
Municipal Water District,
Water System ID
#CA5610024

The Casitas Municipal Water District's Annual Consumer Confidence Report is available at the District Office, located at 1055 Ventura Ave, Oak View, CA 93022. You can also view the report at www.casitaswater.org/2021cmwdccr. If you have any questions or would like the report mailed to you, please call (805) 649-2251.
VCS 6/24/22 #5305060

Publication Cost: \$69.41
Ad No: 0005305060
Customer No: 303885
PO #:

of Affidavits 1

Public Notices

Public Notices

FILE NO. 2022100007462
FICTITIOUS
BUSINESS NAME
STATEMENT
THE FOLLOWING
PERSON(S) IS (ARE) DO-
ING BUSINESS AS:
INNOVATIVE VISION
WINDOW, GLASS &
DOORS
510 N. MONTGOMERY ST
APT G, OAI CA 93023
County of Ventura
State of Incorporation/ Or-
ganization:
Full Name of Registrant:
RAMON SANCHEZ JIME-
NEZ
510 N MONTGOMERY ST
APT G, OAI CA 93023
ISMAEL MACEDA
CAMARENA
1440 W IRIS ST, OXNARD
CA 93033
This Business is conducted
by A General Partnership
The registrant commenced
to transact business under
the fictitious business name
or names listed above on
04/01/2022
I declare that all informa-
tion in this statement is true
and correct. (A registrant
who declares information as
true any material matter
pursuant to Section 17913
of Business and Professions
Code that the registrant
knows to be false is guilty of
a misdemeanor punishable
by a fine not to exceed one
thousand dollars (\$1,000.)
/s/ RAMON SANCHEZ JIMENEZ
THIS STATEMENT WAS
FILED WITH THE COUN-
TY CLERK OF VENTURA
COUNTY ON 05/13/2022
NOTICE - In accordance
with subdivision (a) of Sec-
tion 17920, a fictitious name
statement generally expires
at the end of five years
from the date on which it
was filed in the office of the
county clerk, except, as pro-
vided in subdivision section
17920 where it expires 40
days after any change in
the facts set forth in the
statement pursuant to sec-
tion 17913 other than a
change in residence address
or registered owner. A
NEW FICTITIOUS BUSI-
NESS NAME STATEMENT
MUST BE FILED BEFORE
THE EXPIRATION. The fil-
ing of this statement does
not of itself authorize the
use in this state of a fic-
titious business name in vi-
olation of the rights of an-
other under Federal, State,
or Common Law (See Section
14411 ET SEQ., B & P
Code).
Pub: Jun 3, 10, 17 & 24, 2022
Ad#5266056

FILE NO. 2022100008983
FICTITIOUS
BUSINESS NAME
STATEMENT
THE FOLLOWING
PERSON(S) IS (ARE) DO-
ING BUSINESS AS:
EARTHBOUND BIRTH
SERVICES

Public Notices

708 PARRISH PLACE,
VENTURA CA 93003
County of Ventura
State of
Incorporation/Organization:
CA
Full Name of Registrant:
A L E X A N D R A
GERKENSMAYER, 708
PARRISH PLACE, VEN-
TURA CA 93003
This Business is conducted
by An Individual
The registrant commenced
to transact business under
the fictitious business name
or names listed above on
10/05/2020
I declare that all informa-
tion in this statement is true
and correct. (A registrant
who declares information as
true any material matter
pursuant to Section 17913
of Business and Professions
Code that the registrant
knows to be false is guilty of
a misdemeanor punishable
by a fine not to exceed one
thousand dollars (\$1,000.)
/s/ A L E X A N D R A
GERKENSMAYER
THIS STATEMENT WAS
FILED WITH THE COUN-
TY CLERK OF
XXX(VENTURA) COUNTY
ON 06/10/2022
NOTICE - In accordance
with subdivision (a) of Sec-
tion 17920, a fictitious name
statement generally expires
at the end of five years
from the date on which it
was filed in the office of the
county clerk, except, as pro-
vided in subdivision section
17920 where it expires 40
days after any change in
the facts set forth in the
statement pursuant to sec-
tion 17913 other than a
change in residence address
or registered owner. A
NEW FICTITIOUS BUSI-
NESS NAME STATEMENT
MUST BE FILED BEFORE
THE EXPIRATION. The fil-
ing of this statement does
not of itself authorize the
use in this state of a fic-
titious business name in vi-
olation of the rights of an-
other under Federal, State,
or Common Law (See Section
14411 ET SEQ., B & P
Code).
Publish: June 24, July 1, 8,
15, 2022
Ad#5307237

FILE NO. 2022100008693
FICTITIOUS
BUSINESS NAME
STATEMENT
THE FOLLOWING
PERSON(S) IS (ARE) DO-
ING BUSINESS AS:
Panoramic RV
4593 1st Drive Unit 320
Simi Valley CA 93063
County of Ventura
State of Incorporation/
Organization: CA
Full Name of 1st Regis-
trant:
Panoramic RV Corporation
4593 1st Drive Unit 320
Simi Valley CA 93063
This Business is conducted
by A Corporation
The registrant commenced

Public Notices

to transact business under
the fictitious business name
or names listed above on
11/1/2021
I declare that all informa-
tion in this statement is true
and correct. (A registrant
who declares information as
true any material matter
pursuant to Section 17913
of Business and Professions
Code that the registrant
knows to be false is guilty of
a misdemeanor punishable
by a fine not to exceed one
thousand dollars (\$1,000.)
Panoramic RV Corporation
/s/ Philippe Marcotte
Philippe Marcotte President
THIS STATEMENT WAS
FILED WITH THE COUN-
TY CLERK OF VENTURA
COUNTY ON JUN 03 2022
NOTICE - In accordance
with subdivision (a) of Sec-
tion 17920, a fictitious name
statement generally expires
at the end of five years
from the date on which it
was filed in the office of the
county clerk, except, as pro-
vided in subdivision section
17920 where it expires 40
days after any change in
the facts set forth in the
statement pursuant to sec-
tion 17913 other than a
change in residence address
or registered owner. A
NEW FICTITIOUS BUSI-
NESS NAME STATEMENT
MUST BE FILED BEFORE
THE EXPIRATION. The fil-
ing of this statement does
not of itself authorize the
use in this state of a fic-
titious business name in vi-
olation of the rights of an-
other under Federal, State,
or Common Law (See Section
14411 ET SEQ., B & P
Code).
Publish: June 10, 17, 24, Ju-
ly 1, 2022
Ad#292788

**NOTICE OF PUBLIC
HEARING**
A Public Hearing will be
held before the Ventura
County Transportation Com-
mission, acting as the Air-
port Land Use Commission,
City of Camarillo City Hall, City
of Camarillo Chambers, located
at 601 Carmen Drive, Camar-
illo, CA 93010, at 9:00 a.m.,
on Friday, July 8, 2022, to
consider:
**TEAL CLUB SPECIFIC
PLAN, CITY OF OXNARD.**
The City of Oxnard has re-
ferred the Teal Club Specif-
ic Plan project in Oxnard
for a consistency review
and determination. The pro-
posed project is located
north of the Oxnard Airport,
bounded by Ventura Rd.,
Doris Ave, Patterson Rd.,
and Teal Club Rd. The pro-
posed Specific Plan will
amend the General Plan
and Zoning to allow for a
161-acre mixed use develop-
ment consisting of residen-
tial, parks and open space,
commercial/mixed use, light
manufacturing/warehouse,
and

Public Notices

infrastructure/roadways.
Proposed future develop-
ment includes 990 new resi-
dential units constructed on
approximately 73 acres. The
proposal has been submit-
ted to the Ventura County
Airport Land Use Commis-
sion to determine consisten-
cy with the Ventura County
Airport Comprehensive
Land Use Plan.
Any person may appear to
participate in the Airport
Land Use Commission pub-
lic hearing and speak on
this matter. The Commis-
sion Agenda will be posted
on Friday, July 1, 2022, and
available online at:
<https://www.govventura.org/current-meetings/>.
Further information regard-
ing the above application
may be obtained from
Amanda Fagan, Director of
Planning & Sustainability,
Ventura County Transporta-
tion Commission, 751 E.
Dail Drive, Suite 420, Ca-
marillo, California, 93010, or
by calling (805) 642-1591
(ext. 103).

s/ MARTIN ERICKSON
Executive Director
Publish: June 24, 2022
Ad#310280

Superior Court of
California, County of VEN-
TURA
Petition of Brooke Janell
Metcalfe for change of
name
**ORDER TO SHOW CAUSE
FOR CHANGE OF NAME**
Case Number: 56-2022-
00565040-CU-PT-VTA
TO ALL INTERESTED
PERSONS:
Petitioner: Brooke Janell
Metcalfe filed a petition
with this court for a decree
changing names as follows:
Brooke Janell Metcalfe to
Emma Julia Saxon
THE COURT ORDERS that
all persons interested in this
matter appear before this
court at the hearing indicat-
ed below to show cause, if
any, why the petition for
change of name should not
be granted. Any person ob-
jecting to the name change
described above must file a
written objection that in-
cludes the reasons for the
objection at least two court
days before the matter is
scheduled to be heard and
must appear at the hearing
to show cause why the pe-
tition should not be granted.
If no written objection is
timely filed, the court may
grant the petition without a
hearing.
NOTICE OF HEARING:
Date: 7/11/22 Time: 8:30 am
Dept: 43
The address of the court is
Superior Court of California
County of VENTURA
A copy of this Order to
Show Cause shall be pub-
lished at least once each
week for forty successive
weeks prior to the date set
for hearing on the petition

Public Notices

in the following newspaper
of general circulation, print-
ed in this county Ventura
County Star.
Date: APR 28 2022
By Order of the Court
BRENDA L. MCCORMICK,
Ventura Superior Court, Ex-
ecutive Officer and Clerk by
D. HERNANDEZ Deputy
Clerk
Publish: June 10, 17, 24, Ju-
ly 1, 2022 Ad#5292535

**SOUTHERN CALIFORNIA
REGIONAL RAIL
AUTHORITY**
IFB NO. EP22SR-23
UPDATE GROUND AIR
SYSTEMS AT EMF & CMF
FACILITIES
The Southern California Re-
gional Rail Authority
(SCRRRA) is seeking Bids
for the replacement of EMF
Ground Air System 3,800-gal
Receiver Tanks and update
of current Ground Air Sys-
tems at CMF facilities. Bid
documents may be down-
loaded at SCRRRA's website
at <http://metrolinktrains.com/contracts/> Select Vendor
Portal. Electronic Bids are
due at 2:00 P.M. (PT) on
July 5, 2022.
For further information
contact: Carlos Delgado,
Contract Administrator, at
cdelgado@scrrra.net
6/24/22
CNS-3597353#
VENTURA COUNTY STAR
Publish: June 24th, 2022
Ad#5306093

Notice is hereby given that
at the Regular Board Meet-
ing, June 14, 2022 the Chan-
nel Islands Beach Commu-
nity Services District, Board
of Directors, held a public
hearing and adopted Ord-
inance 96: CHANNEL IS-
LANDS BEACH COMMU-
NITY SERVICES DISTRICT
RATES AND REGULA-
TIONS FOR WATER, SEW-
ER AND REFUSE COL-
LECTION SERVICES. The
exact rate increases are de-
pendent on the exact ser-
vice provided to each prop-
erty. YES votes: Directors
Bouchard, Marcus, Brewer,
Debley and Nast. No votes:
None. A copy of the adopted
Ordinance may be exam-
ined at the District Office, 353
Santa Monica Drive, Chan-
nel Islands Beach, CA 93035-
4473, during regular busi-
ness hours or on the District
website at CIBICSD.com.
Pub: June 24, 2022 Ad#310469

**SOUTHERN CALIFORNIA
REGIONAL RAIL
AUTHORITY**
RFQ NO. MTL2204691
Screw Spikes
The Southern California Re-
gional Rail Authority
(SCRRRA) is seeking quotes
for Screw Spikes. Bid docu-
ments may be obtained at
<https://metrolinktrains.com/doing-business/> (free registra-
tion). Electronic Bids are
due at 2:00 P.M. (PT) on
July 1, 2022.
For further information,

Public Notices

contact Arisa Hicks, Con-
tract Specialist, at (213)
452-0250 or hicksa@scrra.net
6/24/22
CNS-3597408#
VENTURA COUNTY STAR
Publish June 24, 2022
Ad#5305756

PUBLIC NOTICE
to Customers of Casitas
Municipal Water District's
"Olai Water System" ID
#CA5610014
The Olai Water System's
Annual Consumer
Confidence Report is
available at the District
Office, located at 1055
Ventura Ave, Oak View, CA
93022. You can also view
the report at
www.casitaswater.org/2021
w.s.c.c.r. If you have any
questions or would like the
report mailed to you, please
call (805) 649-2251.
VCS 6/24/22 Ad#305073

PUBLIC NOTICE
to Customers of Casitas
Municipal Water District's
Water System ID
#CA5610024
The Casitas Municipal
Water District's Annual
Consumer Confidence
Report is available at the
District Office, located at
1055 Ventura Ave, Oak
View, CA 93022. You can
also view the report at
www.casitaswater.org/2021
m.w.d.c.c.r. If you have any
questions or would like the
report mailed to you, please
call (805) 649-2251.
VCS 6/24/22 Ad#305060



Finding a job
shouldn't feel like one.

ZipRecruiter
The Smartest Way To Hire

Get started by visiting
jobs.usatoday.com



Business & Service Directory

to advertise, email: ServiceDirectory@vcstar.com or call: 805.437.0347

Appliance Repair
and Service

**AFFORDABLE
APPLIANCE REPAIR**
****SUMMER SPECIAL****
24 HOUR SERVICE
ALL MAJOR BRANDS
(SAME DAY SERVICE WITH
NO SERVICE CHARGE)
FIREPLACES, STOVES,
OVENS, AND MORE
*****10% Discount When
You Mention This Ad****
SERVING VENTURA CTY
For Over 40 Years!
Senior Discounts Available
CALL VICTOR
805-302-1866

Auto Repair - Service

CASH
ON THE SPOT
FOR RV'S,
CARS, SUV,
TRUCKS,
CLASSIC CARS.
We come to you!
702-210-7725

Clean Up and
Removal

**BLB HAULING &
JUNK REMOVAL**
SERVING THE
VENTURA COUNTY AREA
All Types of Hauling
Waste Removal, Storage,
Moving Out, & Yard Cleanup
& MORE!
All Types of Junk
Furniture, Appliances &
MORE!
Call or Email For
Free Estimate
805-853-1318
blbhauling@gmail.com

Clean Up and
Removal

**EDDIE'S HAULING &
GARDENING SERVICE**
Garage & Yard Cleanups,
Dirt & Concrete Removal,
We Do Fences,
Spa Removal,
Bobcat Services
Stump Removal/Grinding
* Senior Discounts
Covid 19 Precautions:
-Wearing Gloves
-Wearing Masks
FREE Estimates!
805-758-8920
WE ARE OPEN!!
We Accept Visa &
Mastercard

JUNK

Removal • Hauling
And Clean-up
•Yard Waste Removal
•Appliance Removal
•Mattress Removal
•Furniture Removal
•TV & Monitor Removal
•Construction Debris
Removal
FREE ESTIMATES
No Job Too Small - Reasonable
Call Walt 805-638-7157

MOONS
HAULING

Trash, Garage &
Yard Clean-Up,
Jacuzzi, Elect,
Chainsaw Job,
Dirt Deliveries,
Demolition.
Free Estimates
(805)405-7909
Love the house.
Know the neighborhood.
Homes

Cleaning - Maid
Service

**Andrade's
HOUSE CLEANING**
Available Weekly,
Bi-Weekly & Monthly
20 Years Experience
(805) 312-5649

Concrete and Paving

**CLARK & SONS
CONCRETE**
•Driveway/RV Pad•Patios
•Pool Decks •Sidewalks
Stamped Concrete
No Job Too Small!!
805-583-0480
Lic#A08242

Electrical

DECKERS ELECTRIC
•Ceiling Fans • Recessed Lights •
•Landscape Lights •
•Security Lights & Cameras •
•Main Panel Upgrades •
•Electric Car Chargers •
•Restore Lost Power •
Honest & Reliable/Lic# 574567
Serving Ventura
County for 30 Years!
Free Estimates 661-713-4332

Fences

**FENCING
SERVICES**

• wood fencing, any style
• small fence projects
• gates & repairs

FREE Estimates!
Call KEN
(805) 944-8047

ZipRecruiter
The Smartest Way To Hire
Get started at
jobs.usatoday.com

General Contracting

805.921.0405
REMODELING CONTRACTOR
BBB Rating: A+
Bath Remodeling
Bath Renovations
Solar Energy/ Water Remediation
General Construction
Free Estimates
No Job Too Small
info@LEConstruction.net
www.LEConstruction.net
Financing Available Lic. 920095
805.921.0405

DRYWALL

"No Job Too Small!"
All Your Drywall Needs!
45+ Years Experience
Competitive Rates
805-701-3108
Lic #955634



Tub ReFinishing
Repair and Re-Glazing
Save 75% compared to cost of
replacement. Complete
Repairs 29years in business
Fiberglass Tubs, Showers,
Sinks, Ceramic Tiles
Porcelain Tubs, Kitchen
Counter & Vanity Tops.
Residential & Commercial For
Property management,
Apartments, contractors Visit
www.ClassicTubRepairs.com
Fully insured and bonded
CA License # 1013492
Se Habla Espanol
805.389.5380 Free Estimates!

**SELL IT
BUY IT
FIND IT**
Place your
classified ad today.

Home Maintenance

HANDYMAN
Stucco, Fencing, Drywall,
Doors, Paint Texture,
Plumbing, Tile, Roof
Repair, Carpentry,
Windows, Concrete.
All Work Guaranteed
805-491-9330
St LIC/BOND 905329

A Woman In Trade

Kitchen & Bath Remodeling
Home Remodeling & Repair
Kitchen & Bath Remodeling
Custom Cabinets
Cabinet Refacing
Baseboard & Crown Molding
Stone & Tile
Paint & drywall
Plumbing, Electric, Lighting
Reasonable & Clean-Free Est
Lynn 805-487-7709
Lic#285372

JAIME'S HANDYMAN
All Trades. FREE Estimates
Low Rates, 25 Years Exp.
Plumbing, Electrical, Tile &
Hardwood Floors, Concrete,
Carpentry, Stucco, Drywall,
Paint, Rain Gutters, Shower
& Tub Recaulk & Seal,
Doors, Windows & Screens.
805-558-7525

Landscaping

JJ's Gardening
Landscaping • General
Cleanups • Haul Trash
• Sodding & Seeding
• Tree & Shrub Removal
GOOD Prices! FREE Estimates!
805-760-2204
805-815-2664
Lic#81512180

NEED LANDSCAPING?
CALL KEN 805-423-5785
SPECIALIZING IN
Drought Tolerant Landscaping
Drip Systems, Sprinklers,
Sod, New Planting,
Outdoor Lighting,
Small Tree Removal
In Business Since 1982
Lic#80276
FREE ESTIMATES

jobs.

ZipRecruiter
jobs.vcstar.com

Landscaping

VENTURA LANDSCAPING
"Gardening Services"
Lawn Maintenance, Trimming
& Edging, Pruning and
Fertilizing, Weeding & Clean-up
Reasonable/Reliable For FREE
Estimates 805-981-1642
805-766-5026 lic#76014

Pest Control

TERMITE SEASON IS HERE!!
(805) 201-2341
Our Specialty is
• "NO TENT! NO MOVE OUT!"
• Low Toxic Approach
• FREE TERMITE INSPECTIONS
Residential or Commercial
Lic# PR 6497
GET 10% OFF ASK US HOW
www.bestinpest.com
thebestinpest@gmail.com
CLIFTON PEST CONTROL

Plumbing - Heating

**\$50 Dollar
Blockbuster Price**
**CLOGGED
DRAINS?**
Any drain or sewer line
unclogged only \$50!
24 hr/7 Service
805-758-9420
Insured/lic #B13894

Roofing - Siding

MIKE'S ROOFING REPAIRS
Tile • Asphalt Shingles
Flat Roofs • Wind Repair
All Roof Types
Honest & Reliable
No Job Too Small
Over 30 years of experience
Mike Molina
(805) 336-7601

Manage News

Stories

Categories

Trash

4 stories match of 41

DELETE

IMPORT

EXPORT

ADD STORY

Search	(All News)	Current Stories	(All Categories)	(All Departments)	(All Content)	(All Content Groups)
News Title	Status	Post Date	Expire Date	Last Updated	By	
Annual Water Quality Reports	Current	06/24/2022		06/24/2022 9:29 AM	Malagon, Josh	

casitaswater.org/home

WaterTran FGL VCWPD CMWD Weather Sage Stations ARC GIS Regulators Algae Maps Gmail Ventura County Cal...

CASITAS Municipal Water District

FOR CUSTOMERS RECREATION ABOUT US YOUR WATER I WANT TO...

NEWS

-  Annual Water Quality Reports
-  Notice of Intent: To Adopt IS-MND for
-  West and East Ojai Ave Pipeline
-  Algae Treatment Notification

EVENTS

- JUN 29** Water Bill Due Date
All Day
- JUN 29** Hang Tag Day
All Day

FULL CALENDAR

CASITAS Municipal Water District

FOR CUSTOMERS RECREATION ABOUT US YOUR WATER I WANT TO...

Report A Leak

Report Water Waste Anonymously

Sign up for E-Notifications

+ Water Conservation

- Water Quality & Utility

Backflow

Annual Consumer Confidence (Water Quality) Reports

Frequently Asked Questions

Emergency Tips!

COVID-19

Public Safety Power Shutoff (PSPS)


Your District at Work

Accessibility Statement

Report Archive

-  [Casitas MWD - Annual Consumer Confidence Reports](#)
-  [Casitas/Ojai Water System - Annual Consumer Confidence Reports](#)

Water Source Map - CMWD



5). Radioactive contaminants that can be naturally-occurring or be the result of oil and gas production and mining activities.

Lake Casitas has no industrial water runoff and limited urban runoff as few residents still live in the immediate watershed. There is no oil or gas production in our watershed and one rock quarry mine is located in the indirect watershed upstream of the Robles Diversion Canal.

Chloramine Disinfection

All public drinking water must be disinfected to prevent waterborne diseases. Casitas disinfects the water by adding chlorine and a small amount of ammonia to the water to form chloramines. Chloramine disinfection is approved by the SWRCB Division of Drinking Water and the USEPA. Many United States and Canadian cities have used chloramines for decades to disinfect water. Chloramines reduce the level of unwanted disinfection by-products in our water. Disinfection by-products are formed when chlorine mixes with naturally occurring organic material in water. Currently, regulated disinfection by-products include trihalomethanes and haloacetic acids. Chloramines limit the formation of these by-products, and chloraminated water has less of a chlorine taste and odor than chlorinated water.

Chloramines do not pose a health hazard to the general population. Chloraminated water is safe for drinking, bathing, cooking and other normal uses. Two specific groups of people, however, do need to take special care with chloraminated water - kidney dialysis patients and tropical fish hobbyists. Chloramines are toxic to fish and animals that use gills to breathe and must be removed from water used for fish; contact your local pet store for assistance in chloramine removal. For more information on chloramines, visit <https://www.epa.gov/dwreginfo/chloramines-drinking-water>

Dialysis Patients Have Special Needs

Kidney patients are not harmed from drinking, cooking or bathing in chloraminated water. However, there is a problem that needs to be addressed for individuals who are undergoing dialysis treatment on artificial kidney machines. Chloramines must not be present in the water used in dialysis machines. Chloramines can be removed through a filtration system. We have worked with the SWRCB Division of Drinking Water to ensure that everyone involved with treatment of dialysis patients is alerted to the facts about chloraminated water.

Fluoride

Casitas does not add fluoride, but there is some naturally-occurring fluoride in the water. This level was tested at an average of 0.4 mg/L for all sources during 2021. For more information on fluoride, check the SWRCB Division of Drinking Water's Fluoridation website for more information on fluoridation, oral health, and current issues: http://www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/Fluoridation.shtml

Lead and Copper

The latest results from Casitas' lead and copper testing were below the action levels. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Casitas is responsible for providing high quality drinking water, but cannot control the variety of materials used in private plumbing components. When your water has been

sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. Elevated levels of copper can occur when corrosive water causes leaching of copper plumbing. To prevent leaching, Casitas implemented a Corrosion-Control Plan and adds a small amount of phosphate to the water to lower the corrosivity and reduce copper levels

Additionally, as part of the school lead testing program, CMWD sampled four schools in our service area, and provided them with testing results.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders. Some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the USEPA's Safe Drinking Water Hotline at (1-800-426-4791).

February 2022 Monitoring Violation

CMWD is required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not your drinking water meets health standards. During the month of February, 2022; CMWD did not complete all monitoring requirements for total coliforms. A minimum of ten samples are required to be collected and analyzed for total coliforms each month, and during the month of February 2022, CMWD collected and analyzed nine routine samples.

CMWD collected 15 samples in the 30 day period from January 31, 2022 through March 01, 2022. There is no indication of potential adverse health risk as all routine weekly samples collected during this time were non-detect for total coliform bacteria. There is no need to use alternative water supplies and no further action is required. CMWD regularly collects 12 -15 routine samples for each 30 day period and will ensure at least ten are collected each month. For more information regarding this notice, please contact Jordan Switzer at (805) 649-2251 Ext. 120.

Please share this information with all the people who drink this water, especially those who may not have received this public notice directly (for example, people in apartments, nursing homes, schools and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.



High Water Quality Standards

Casitas MWD strives to meet all USEPA and State drinking water health standards. To ensure that you receive the highest quality drinking water, we test beyond what state and federal regulations mandate. This report shows the results of our monitoring for the period of January 1 through December 31, 2021 which is the most recent testing period required.

Este informe contiene informacion muy importante sobre su agua beber. Traduzcalo o hable con alguien que lo entienda bien. Para la informacion llame por favor 805-649-2251.

Board meetings are held on the second and fourth Wednesdays of each month. The public open session begins at 5:00 PM. Due to COVID-19 precautions, meetings may be held via teleconference and are broadcast live via the internet. Please refer to meeting agendas for current information on how to participate: www.casitaswater.org/about-us/board-of-directors. For additional details on the subjects outlined here, important updates and notices, and for more information about Casitas Municipal Water District, visit us at our web site: www.casitaswater.org, or call Jordan Switzer, Water Quality Supervisor, at 805-649-2251 Ext. 120.

Ensuring Tap Water Is Safe to Drink

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board (SWRCB) Division of Drinking Water prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration Regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water, including bottled water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). Additional information on bottled water is available on California Department of Public Health's website at <https://www.cdph.ca.gov/Programs/CEH/DFDCS/Pages/FDBPrograms/FoodSafetyProgram/Water.aspx>

Do You Know the Source of Your Water?

The Casitas Municipal Water District is supplied by a blend of ground water and surface water that is treated before it is distributed to the public. The surface water comes from Lake Casitas, located near the junction of Highway 150 and Santa Ana Road. Lake Casitas receives runoff from its direct watershed, including Santa Ana Creek and Coyote Creek. Water is also diverted from the upper Ventura River via the Robles Diversion Canal.

The ground water is drawn from the Mira Monte Well,

Annual Drinking Water Quality Report

Casitas Municipal Water District System ID # CA5610024, 2021 Data

located in Mira Monte. Most of the watershed is federally protected to limit contamination of the lake. For additional protection, we inspect the watershed on a regular basis.

The 2021 Watershed Sanitary Survey Update concluded the Lake Casitas Watershed, while protected, is most vulnerable to the following: Wildfire & erosion, sediment transport, unauthorized activities (e.g. illegal dumping & marijuana cultivation), and hazardous spills from boating or traffic accidents. There have not been any associated contaminants detected in exceedance of USEPA or State standards in the water supply, however, the lake is still vulnerable to activities located near this major source of our drinking water. Additional potential sources of contaminants include private sewage disposal systems, livestock and wildlife grazing, limited pesticide and herbicide use, recreational activities and natural gas pipelines.

The 2002 Drinking Water Source Assessment for the Mira Monte Well concluded the well is considered to be most vulnerable to the use of fertilizers and animal grazing, which raise nitrate levels in the water. In addition, the Mira Monte Well may be vulnerable to activities associated with an urban environment. However, these activities have not resulted in contamination of the well. The 2021 Watershed Sanitary Survey Update and 2002 Drinking Water Source Assessment for the Mira Monte Well are available upon request by contacting Jordan Switzer at (805) 649-2251 Ext. 120.

Influences on Your Water Quality

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity.

Contaminants that may be present in source water include:

1). Microbial contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

2). Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff; industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

3). Pesticides and herbicides that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

4). Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, which can also come from gas stations, urban storm water runoff, agricultural applications and septic systems.

Continued on page 4 ➤

Casitas Municipal Water District, PWS CA5610024 - Water Quality Summary, 2021 Data

WATER CLARITY	MCL or [MRDL]	PHG, (MCLG)	LAKE CASITAS TREATED WATER				SAMPLE SOURCE & YEAR TESTED		SOURCE OF CONSTITUENT
	Direct Filtration		Treatment technique (TT)	FILTER EFFLUENT		RANGE		Filter Effluent	
Filter Effluent Turbidity (NTU) ^a	TT < 1 NTU	NA	Highest Value = 0.03		0.01-0.03		2021		Soil runoff
	95% < 0.2 NTU	NA	100% of turbidity measurements were < 0.2 NTU				2021		
			100% = lowest monthly % of samples meeting turbidity limits				2021		
MICROBIOLOGICAL	MCL	(MCLG)	DISTRIBUTION SYSTEM				Distribution System		
			HIGHEST POSITIVE SAMPLES		NUMBER OF MONTHS IN VIOLATION				
Total Coliform Bacteria ^b	1 Positive MonthlySample ^b	(0)	0 / Month		0		2021		Naturally present in the environment
Fecal Coliform & E. Coli	0	(0)	0 / Year		0		2021		Human and Animal Fecal Waste
INORGANIC CHEMICALS	MCL	PHG	LAKE CASITAS TREATED WATER		MIRA MONTE WELL TREATED		Lake Casitas Treated	Mira Monte Well	
			AVERAGE	RANGE	AVERAGE	RANGE			
Arsenic (ppb)	10	0.004	< 2	ND - 2	< 2 ^f	ND - 2	2021	2019 ^d	Erosion of natural deposits; runoff from orchards
Barium (ppm)	1	2	0.11	0.11 - 0.11	0.11 ^f	0.10 - 0.11	2021	2019 ^d	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits
Fluoride (ppm)	2.0	1	0.4	0.3 - 0.4	0.4 ^f	0.3 - 0.5	2021	2019 ^d	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Nitrate as N (ppm)	10	10	ND	ND - ND	0.6 ^c	0.4 - 0.8 ^c	2021	2021	Runoff and leaching from fertilizer use; leaching from tanks and sewerage; erosion from natural products
DISINFECTANT RESIDUALS AND DISINFECTION BY-PRODUCTS	RUNNING ANNUAL AVERAGE (RAA) MCL OR [MRDL]	PHG or [MRDLG]	DISTRIBUTION SYSTEM				Distribution System		
			HIGHEST [RAA]/LOCATIONAL RAA		INDIVIDUAL SAMPLE RANGE				
Chloramines as Cl ₂ (ppm)	[4.0]	[4.0]	[2.6] ^g		1.0 - 3.6		2021		Drinking water disinfectant added for treatment
Trihalomethanes (ppb)	80	NA	50 ^g		33-56		2021		By-product of drinking water disinfection
Haloacetic acids (ppb)	60	NA	41 ^g		11-54		2021		By-product of drinking water disinfection
LEAD AND COPPER	Regulatory Action Level (RAL)	PHG	# of samples collected	Homes above RAL	Level detected at 90th percentile		Individual Taps ^d		
Lead (ppb) ^e	15	0.2	30	0	ND		2020		Internal corrosion of household plumbing systems; discharges from industrial manufacturers; erosion of natural products
Copper (ppm) ^e	1.3	0.3	30	0	1.0		2020		Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead School (ppb)	15	0.2	Number of schools requesting lead sampling = 4; Sample locations = 19; Locations above RAL = 0				2017		Internal corrosion of end-user plumbing systems; discharges from industrial manufacturers; erosion of natural products

Secondary Aesthetic Standards									
CONSTITUENTS	State MCL	PHG	LAKE CASITAS TREATED		MIRA MONTE WELL TREATED		Year Tested		SOURCE OF CONSTITUENT
			AVERAGE	RANGE	AVERAGE	RANGE	Lake Treated	Mira Monte Well ^d	
Turbidity(NTU)	5	NA	ND	ND - ND	< 0.1 ^f	ND - 0.2	2021	2019	Soil run-off
Total Dissolved Solids (ppm)	1000	NA	445	440 - 450	443 ^f	390 - 450	2021	2019	Run-off/leaching from natural deposits
Specific Conductance (uS/cm)	1600	NA	724	707 - 740	722 ^f	683 -740	2021	2019	Substances that form ions in water; seawater influence
Chloride (ppm)	500	NA	22	22 - 22	23 ^f	22 -63	2021	2019	Run-off/leaching from natural deposits; seawater influence
Sulfate (ppm)	500	NA	183	180 - 186	178 ^f	39 - 186	2021	2019	Run-off/leaching from natural deposits; industrial wastes

Additional Constituents									
ADDITIONAL CONSTITUENTS	SECONDARY MCL	PHG (NL)	LAKE CASITAS TREATED		MIRA MONTE WELL TREATED		Year Tested		SOURCE OF CONSTITUENT
			AVERAGE	RANGE	AVERAGE	RANGE	Lake Treated	Mira Monte Well ^d	
Alkalinity (Total as CaCO ₃ (ppm)	NA	NA	155	150 - 160	155 ⁱ	150 - 160	2021	2019	A measure of the capacity to neutralize acid
Bicarbonate Alkalinity HCO ₃ (ppm)	NA	NA	185	180 - 190	185 ⁱ	180 - 190	2021	2019	A measure of the capacity to neutralize acid
Boron (ppb)	NA	(1000)	200	200 - 200	195 ^f	ND - 200	2021	2019	A naturally-occurring element
Calcium (ppm)	NA	NA	65	64 - 65	64 ^f	53 - 65	2021	2019	A naturally-occurring element
Corrosivity (Langlier Index) ^e	Noncorrosive (US EPA)	NA	0.08	0.05 - 0.10	0.07 ⁱ	-0.20 - 0.10	2021	2019	Indicator of corrosion. A positive Langlier Index indicates the water is non-corrosive
Hardness - Total as CaCO ₃ (ppm)	NA	NA	268 (15.7 gpg)	267 - 269 (15.6 - 15.7 gpg)	266 ^f (15.5 gpg)	198 - 269 (11.6 - 15.7 gpg)	2021	2019	“Hardness” is the sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally occurring.
Magnesium (ppm)	NA	NA	26	26 - 26	26 ^f	16 - 26	2021	2019	A naturally-occurring element
pH (pH standard units)	6.5-8.5 (US EPA)	NA	7.6	7.5 - 7.6	7.5 ⁱ	7.3 - 7.6	2021	2019	A measure of acidity or alkalinity
Potassium (ppm)	NA	NA	4	3 - 4	3 ^f	ND - 4	2021	2019	A naturally-occurring element
Sodium (ppm)	NA	NA	31	30 - 32	32 ^f	30 - 50	2021	2019	“Sodium” refers to the salt present in the water and is generally naturally occurring.

TERMS USED IN THIS REPORT:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (US EPA).

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Running Annual Average (RAA): Some MCLs are determined based on the running annual average which is calculated by averaging all sample results within the previous four quarters. Locational running annual average includes results averaged over the previous four quarters for a specific sample site.

Notification Level: Health based advisory levels established by the State Board for chemicals in drinking water that lack MCLs.

Primary Drinking Water Standards (PDWS): MCLs, MRDLs and treatment techniques (TT) for contaminants that affect health, along with their monitoring and reporting requirements.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Regulatory Action Level (RAL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Key To Table (ACRONYMS)

NA = Not Applicable or Available
ND = None Detected at or above the limits of detection for reporting purposes
NL = Notification Level
NS = No Sample
NTU = Nephelometric Turbidity Units (a measure of turbidity)
ppm = Parts per million, or milligrams per liter (mg/L)
ppb = Parts per billion, or micrograms per liter (ug/L)
RAA = Running Annual Average
uS/cm = Micro Siemens per Centimeter (a measure of specific conductance)
gpg = Grains per gallon, an alternative unit used to measure hardness
US EPA = United States Environmental Protection Agency

Water Quality Table Footnotes:

a) Turbidity is a measure of the cloudiness of water and is a good measure of water quality and filtration performance; 100 % of the samples tested for turbidity were below the required TT level of 0.2 NTU and 100% is the lowest monthly percentage of samples meeting the turbidity limits.

b) For systems collecting fewer than 40 samples per month: two or more positive monthly samples is a violation of the total coliform MCL. During 2021 Casitas collected 156 distribution system samples for total coliform bacteria testing. Total coliform bacteria were not detected in any of these samples.

c) Mira Monte Well water receives blending treatment with lake Casitas Treated water and when operated, blended water is sampled weekly for nitrates with the resulting nitrate level averaging 0.6 ppm as nitrogen in 2021.

d) The State monitoring requirements for some contaminants is less than once per year because the concentrations of these contaminants do not change frequently. These data are from the most recent sampling, and although representative, are more than one year old.

e) Casitas has implemented a corrosion control plan by adding a small amount of phosphate to the water to lower corrosivity and reduce copper levels.

f) Mira Monte Well Treated is calculated as a weighted average using Lake Casitas Treated and Mira Monte Well sample results and average 2021 blended water production from each source.

g) Highest running annual average and locational running annual averages are used to calculate the MCL / MRDL and include sample results from a previous reporting period, whereas range only includes individual sample results in 2021.



June 28, 2022

AVAILABILITY OF ANNUAL CONSUMER CONFIDENCE REPORT (2021 DATA)

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien. Para la información llame por favor 805-649-2251.

Dear valued Casitas customer,

Casitas Municipal Water District (CMWD) serves water to your parcel from Carpinteria Valley Water District's (CVWD) distribution system. This is to inform you CVWD's Annual Consumer Confidence Report will be available online July 1st, 2022 at <https://cwwd.net/documents/2021ccr.pdf>. If you would like a report mailed to you, please call 805-649-2251. The Carpinteria Valley Water District in 2021 met, and currently meets all state and federal drinking water standards.

Casitas Municipal Water District remains your water purveyor and is responsible for ensuring you continue to be served reliable, high quality drinking water. If you have any questions regarding water quality or your water service please call 805-646-2251. If you would like more information about CMWD, its Board of Directors, or how to get involved, please visit www.casitaswater.org.

Sincerely,

A handwritten signature in blue ink that reads "Jordan Switzer".

Jordan Switzer
Water Quality Supervisor