# 2021 PU CONSUMER CONFIDENCE REPORT





## **COMMITTED TO WATER QUALITY: ABOUT THE CCR**

Industry Public Utilities is committed to keeping our customers informed about the quality of their water. We provide a safe, reliable drinking water supply to your homes continuously that meets or exceeds all state and federal drinking water standards.

Our 2021 Consumer Confidence Report (CCR) is an annual drinking water quality report that the Safe Drinking Water Act requires public water systems to provide to its customers and includes important information on where our water comes from and the quality of your water.

For information or questions regarding this report, please contact **Paul Zampiello, (626) 336-1307.** 

Este informe contiene información muy importante sobre su agua de beber. Tradúzcalo ó hable con alguien que lo entienda bien. Para más información o preguntas con respecto a este informe, póngase en contacto con **el Sr. Paul Zampiello, (626) 336-1307.** 

此報告包含有關您的飲用水的重要信息。可以翻譯此報告或與了解它的人交談。 这报告包含有关您的饮用水的重要信息。可以翻译此报告或与了解它的人交谈。



### COMMISSION

Cory C. Moss, President Catherine Marcucci, Commissioner Mark Radecki, Commissioner Newell W. Ruggles, Commissioner Michael Greubel, Commissioner

### **COMMISSION MEETINGS**

2nd Thursdays of each month at 8:30 a.m. 15651 East Stafford St., Industry

### **CONTACT US**

112 N. 1st Street La Puente, CA 626-336-1307 service@lapuentewater.com industrypublicutilities.com



# **OUR GROUNDWATER SUPPLY**

INDUSTRY PUBLIC UTILITIES' water system is operated and managed by the La Puente Valley County Water District (LPVCWD). During 2021, Industry Public Utilities' water supply relied on local groundwater provided by San Gabriel Valley Water Company (SGVWC), LPVCWD and the City of Industry Well No. 5 (all located within the Main San Gabriel Groundwater Basin)

The majority of the water delivered to customers through the water system undergoes a significant treatment process. The treatment systems are designed to treat specific types of contaminants. This process is monitored closely and the water is sampled regularly.

# **DRINKING WATER SOURCE ASSESSMENT**

In accordance with the Federal Safe Drinking Water Act, an assessment of the drinking water sources for SGVWC was completed in October 2008. The goal of this assessment was to identify types of activities in the proximity of our drinking water sources that could pose a threat to the water quality. The assessment concluded SGVWC's water sources are most vulnerable to contaminants from the following activities or facilities, including leaking underground storage tanks (known as contaminant plumes); hardware/lumber/parts stores; hospitals; gasoline stations; above ground storage tanks; spreading basins; storm drain discharge points; and transportation corridors, such as freeways and state highways.

An assessment of the drinking water sources for LPVCWD was updated in March 2008. The assessment concluded LPVCWD's water sources are most vulnerable to contaminants from the following activities or facilities, including leaking underground storage tanks (known as contaminant plumes), high-density housing and transportation corridors, such as freeways and state highways.



REQUEST A SUMMARY OF THE LPVCWD OR SGVWC ASSESSMENT BY CONTACTING PAUL ZAMPIELLO AT (626) 336-1307.

# PRECAUTIONS FOR IMMUNO COMPROMISED PEOPLE

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised people, such as those with cancer taking chemotherapy, people who have undergone organ transplants, those with HIV/AIDS or other immune system disorders, the elderly and infants, can be particularly at risk from infections. Immuno-compromised people should seek advice about drinking water from their health care providers.

US-EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline: 1-800-426-4791.

## **HOW WE TREAT YOUR WATER**



- 1. Granular Activated Carbon Filled (GAC) Vessels remove VOCs to below detection levels.
- 2. A single pass ion exchange system uses resin specifically manufactured to remove perchlorate.
- 3. A hydrogen peroxide injection system injects hydrogen peroxide in preparation for the UV reactors.
- 4. UV reactors treat for NDMA and 1, 4-Dioxane.
- 5. Water exiting the facility is chlorinated to provide disinfectant residual in the water system.
- 6. Treated water then enters the water system and is delivered to your home.



# ABOUT YOUR DRINKING WATER: SAMPLING RESULTS

Your drinking water is tested thousands of times per year to ensure it meets or exceeds all state and federal drinking water standards. Our water is tested by certified professionals and laboratories to ensure the highest levels of safety.

#### IMPORTANT INFORMATION ABOUT THE TABLES IN THIS REPORT:

- Tables show the average and range of concentrations of the constituents tested during the 2021 calendar year.
- The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently.
- Unless otherwise noted, the data in this table are from the testing performed from January 1 to December 31, 2021.
- The table lists all the contaminants detected in your drinking water that have federal and state drinking water standards.
- Detected unregulated contaminants of interest are also included.

### INFORMATION ABOUT DRINKING WATER CONTAMINANTS

Drinking water sources (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As the water travels over the surface of the land or through the ground, the water dissolves naturally occurring minerals – sometimes including radioactive material – and can also pick up substances resulting from the presence of animals and human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the **USEPA's Safe Drinking Water Hotline, 1-800-426-4791**.

# NATURAL CONTAMINANTS PRESENT IN SOURCE WATER PRIOR TO TREATMENT MAY INCLUDE:

*Microbial contaminants:* Such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.

*Inorganic contaminants:* Such as salts and metals, that can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

*Pesticides and herbicides:* That may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.

**Organic chemical contaminants:** Including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application, and septic systems.

*Radioactive contaminants:* Can be naturally occurring or be the result of oil and gas production and mining activities.

### **CONTAMINANTS IN DRINKING WATER**

### **NITRATE ADVISORY**

At times, nitrate in your tap water may have exceeded half the MCL, but it was never greater than the MCL. The following advisory is issued because in 2021, IPU recorded a nitrate measurement in its treated drinking water above half the nitrate MCL. Nitrate in drinking water at levels above 10 milligrams per liter (mg/L) is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

#### **LEAD AND DRINKING WATER**

Regulations require local water agencies to test for lead at all K-12 schools constructed before 2010. K-12 schools (total of 2) within the boundaries of the IPU water system were sampled and tested for lead in 2018. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

IPU is responsible for providing high-quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the **Safe Drinking Water Hotline**, **1-800-426-4791**, or epa.gov/lead.



### WATER QUALITY STANDARDS, DEFINITIONS, ACRONYMS AND ABBREVIATIONS

The chart in this report shows the following types of water quality standards:

MAXIMUM CONTAMINANT LEVEL (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLS are set to protect the odor, taste, and appearance of drinking water.

MAXIMUM RESIDUAL DISINFECTANT LEVEL (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**PRIMARY DRINKING WATER STANDARD (PDWS):** MCLs, MRDLs and treatment techniques (TTs) for contaminants that affect health, along with their monitoring and reporting requirements.

**REGULATORY ACTION LEVEL (AL):** The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

**NOTIFICATION LEVEL (NL):** NLs are health-based advisory levels established by the State Board for chemicals in drinking water that lack MCLs. When chemicals are found at concentrations greater than their NL, certain requirements and recommendations apply.

The chart in this report includes three types of water quality goals:

MAXIMUM CONTAMINANT LEVEL GOAL (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the USEPA.

MAXIMUM RESIDUAL DISINFECTANT LEVEL GOAL (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**PUBLIC HEALTH GOAL (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

TREATMENT TECHNIQUE (TT): A required process intended to reduce the level of a contaminant in drinking water.

CONSTITUENTS	MCL PHG or (MCLG) DLR		DLR	TREATED WATER		TYPICAL SOURCE OF CONTAMINANT
AND (UNITS)		•••		AVERAGE [1]	RANGE (MIN-MAX)	
	PRIMARY	DRINKI	NG WAIER	STANDARDS - I	Health-Related S	standards
INORGANIC CHEMICALS						
Arsenic (µg/l)	10	0.004	2	2.3388	ND - 2.70	Erosion of natural deposits
Barium (mg/l)	1	2	0.1	0.15	0.10 - 0.21	Erosion of natural deposits
Fluoride (mg/l)	2	1	0.1	0.30	0.21 - 0.37	Erosion of natural deposits
Nitrate as N (mg/l)	10	10	0.4	5.12	1.8 - 8.6	Leaching from fertilizer use
RADIOACTIVITY	15	(0)	2	21		Evening of national deposite
Gross Alpha (pCi/l) Uranium (pCi/l)	15 20	(0) 0.43	3	3.1 3.5	ND - 4.95 1.2 - 5.70	Erosion of natural deposits Erosion of natural deposits
	-					
	DNDARY DRIN	KING WA	ATER STAN	DARDS - Aesthe		ot Health-Related
Chloride (mg/l)	500	NA	NA	32	16 - 54	Runoff/leaching from natural deposits
Odor (threshold odor number)	3	NA	1	0.98	ND - 1.0	Runoff/leaching from natural deposits
pecific Conductance (µmho/cm) Sulfate (mg/l)	1,600 500	NA NA	NA 0.5	558.6 59	390 - 770 23 - 83	Substances that form ions in water Runoff/leaching from natural deposits
Total Dissolved Solids (mg/l)	1,000	NA	NA	385	310 - 560	Runoff/leaching from natural deposits
	1,000					Ranon, reaching non natural deposits
				ISTITUENTS OF		
Alkalinity (mg/l)	NA	NA	NA	200	140 - 250	Runoff/leaching from natural deposits
Calcium (mg/l) Hardness as CaCO3 (mg/l)	NA	NA	NA	83.3	50.3 - 103	Runoff/leaching from natural deposits Runoff/leaching from natural deposits
Hardness as cacos (ilig/t) Hexavalent Chromium (µg/l)	NA NA	NA 0.02	NA NA	277 4.45	168 - 338 2.4 - 6.7	Runoff/leaching from natural deposits
Magnesium (mg/l)	NA	NA	NA	15.8	10.2 - 20	Runoff/leaching from natural deposits
pH (unit)	NA	NA	NA	7.7	7.6 - 7.99	Hydrogen ion concentration
Potassium (mg/l)	NA	NA	NA	3.63	2.7 - 5	Runoff/leaching from natural deposits
Sodium (mg/l)	NA	NA	NA	16.8	12 - 22	Runoff/leaching from natural deposits
	UNR	EGULATI	ED CONSTI	TUENTS REQUI	RING MONITORIN	IG [4]
CONSTITUENTS AND (UNITS)	NL		HG OR MCLG)	AVERAGE	RANGE (MIN-MAX)	TYPICAL SOURCE OF CONTAMINANT
Chlorate (µg/l)	800		NA	225.4	ND - 330	By-product of drinking water chlorination; industrial process
Chlorodifluoromethane (µg/l)	NA		NA	0.07	ND - 0.14	Refrigerant
Molybdenum (µg/l)	NA		NA	2.6	ND - 2.9	Runoff/leaching from natural deposits
Strontium (µg/l)	NA		NA	593	ND - 660	Runoff/leaching from natural deposits
Vanadium (µg/l)	50		NA	2.34	ND - 4.5	Runoff/leaching from natural deposits
		DIS	STRIBUTIO	N SYSTEM WAT	ER QUALITY	
CONSTITUENTS AND (UNITS)	MCL OR (MRDL)		CLG OR MRDLG)	AVERAGE	RANGE (MIN-MAX)	TYPICAL SOURCE OF CONTAMINANT
Total Coliforms	no more than 1 positive monthly samp	e	0	0	0	Naturally present in the environment
Total Trihalomethanes (µg/l)	80		NA	9.4	2.8 - 16.0	By-product of drinking water disinfection
Haloacetic Acids (µg/l)	60		NA	1.35	ND - 2.7	By-product of drinking water disinfection
Chlorine Residual (mg/l)	(4)		(4)	1.28	0.80 - 1.65	Drinking water disinfectant added for treatme
Heterotrophic Plate Count (HPC)	TT		NA	0.76	ND - 12	Naturally present in the environment
Odor (threshold odor number) [5] Turbidity (NTU) [5]	3 5		NA	0.98 <0.1 <b>[3]</b>	ND - 1.0	Naturally occuring organic materials Runoff/leaching from natural deposits
Turbially (NTO) [5]	5		NA		ND - 0.1	Runon/leaching from natural deposits
CONCTITUTION	ACTION	LEA	AD AND CO	PPER AT RESID		
CONSTITUENTS AND (UNITS)	ACTION LEVEL		PHG	90TH PERCENTILE VALUE	SITES EXCEEDING AL/NUMBER OF SITES	TYPICAL SOURCE OF CONTAMINANT
Lead (µg/l)	15		0.2	1.4	0/23	Corrosion of household plumbing
Copper (mg/l)	1.3		0.3	0.53	0/23	Corrosion of household plumbing

sources and the second of the AL. The Industry Full of Little's complex with the tested and coper Rule. The next requires on performing the coper was detected above and reporting the second of the AL. The Industry Full of Little's complex with the tested and coper Rule. The next requires on performing the complex was detected above and reporting the second of the

SCHOOL LEAD SAMPLING

NOTES

Number of Schools Requesting Lead Sampling: 2

AL = Action Level

**DLR** = Detection Limit for Purposes of Reporting **MCL** = Maximum Contaminant Level MCLG = Maximum Contaminant Level Goal mg/l = parts per million or milligrams per liter

MRDL = Maximum Residual Disinfectant Level MRDLG = Maximum Residual Disinfectant Level Goal **NA** = No Applicable Limit **ND** = Not Detected at DLR

ng/l = parts per trillion or nanograms per liter

NL = Notification Level **NTU** = Nephelometric Turbidity Units **pCi/l** = picoCuries per liter **PHG** = Public Health Goal

µg/l = parts per billion or micrograms per liter

µmho/cm = micromhos per centimeter

The results reported in the table are average concentrations of the constituents detected in your drinking water during year 2021 or from the most recent tests. Treated water data are provided by San Gabriel Valley Water Company and La Puente Valley County Water District
Constituent does not have a DLR. Constituent was detected but the average result is less than the analytical Method Reporting Limit.

[3] "<" means constituent was detected but the average result is less than the indicated reporting limit or DLR.

[4] Monitoring data provided by San Gabriel Valley Water Company. [5] This water quality is regulated by a secondary standard to maintain aesthetic characteristics (taste, odor, color).